

F. No. 283/41/2024-GRID SOLAR

भारत सरकार / Government of India

नवीन और नवीकरणीय ऊर्जा मंत्रालय / Ministry of New & Renewable Energy

ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003.

Dated: 6th July 2026

OFFICE MEMORANDUM

Sub: Updation of List I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 – Reg.

- Ref:** (i) MNRE's O.M. No. 283/54/2018-GRID SOLAR–Part(1) dated 10.03.2021
(ii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 10.05.2023;
(iii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 22.03.2024;
(iv) MNRE's O.M. No. 32/33/2024-SPV Division dated 06.05.2025;

Reference is invited to this Ministry's O.M.s of even no. dated 10.03.2021, regarding implementation of Approved Models and Manufacturers of Solar Photovoltaic Modules (Requirement for Compulsory Registration) Order, 2019 and publishing List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019.

2. This Ministry vide its O.M.s referred at (ii), (iii) & (iv) above, inter-alia, directed that only such models of Solar PV Module Manufacturers will be enlisted under ALMM, which comply with the BIS Standards and are having the following minimum module efficiency:

Category	Application/Use	Minimum Module Efficiency required to be eligible for enlistment in ALMM for solar PV modules	
		For c-Si technology based solar PV modules	For CdTe thin film technology based solar PV modules
Category-I	Utility/Grid Scale Power Plants	20.00%	19.00%
Category-II	Rooftop and Solar Pumping	19.50%	18.50%
Category-III	Off-grid projects/applications like solar lamps, solar lights, solar street lights, solar fans, etc. (other than solar powered agricultural pumps and solar PV rooftops) requiring individual capacity of each solar PV module deployed, to be of less than 200 Watt peak	18.00%	18.00%
		(not to be included in main ALMM List-I but to be included in a separate ALMM list called ALMM List-I (DRE))	
Category-IV	Any other application	19.00%	18.00%

3. Post the aforesaid O.M. dated 10.05.2023 and subsequent O.M.s dated 22.03.2024 and 06.05.2025, only such models of Solar PV Modules have been considered for enlistment under ALMM List-I, whose module efficiency is meeting the eligibility criteria as mentioned in table at para-2 above.

4. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 was last updated on 01.05.2026.

5. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 is hereby further revised and the Revision-XLIX (*in the format of additions / modifications to Revision-XLVIII*) is enclosed at Annexure-I. The last revision no. XLVIII dated 01.05.2026 is at pages after Annexure-I.

6. The ALMM enlistment validity is subject to valid BIS Registration; else deemed to be delisted.

7. The details of Registration No. (R. No.) which has been allotted by BIS is mentioned against each manufacturer / manufacturing unit enlisted in ALMM and further details related to BIS certification like validity, models included, etc. may be checked from BIS website by using the following link:
https://www.crsbis.in/BIS/Lims_registrationc.do?hmode=getLimsData

8. This issues with the approval of competent authority.



(Sanjay G. Karndhar)

Scientist-E

E-mail: karndhar.sg@nic.in

Encl: as above

To: All Concerned

Copy to: Director (Technical), NIC, MNRE for uploading this document on MNRE's website

A. Amendments/ Updations in previous lists of ALMM List-I

- 1. M/s Pixon Green Energy Private Limited:** Validity of ALMM enlistment as mentioned in Revision no 48 dated 01.05.2026, to be read as (10.11.2023 to 09.11.2027) in place of (01.05.2026 to 30.04.2030)
- 2. Co-ALMM between M/s. ECE (India) Energies Pvt. Ltd. (Brand Owner) and M/s Ganesh Green Bharat Limited (OEM):** As per request from M/s. ECE (India) Energies Pvt. Ltd., Co-ALMM enlistment of 100 MW between M/s. ECE (India) Energies Pvt. Ltd. (Brand Owner) and M/s Ganesh Green Bharat Limited (OEM), as included in Revision No. 41 dated 13.08.2025, is being removed from ALMM List-I for solar PV modules.
- 3. Name & Address of Best Apartments Private Limited, 174 175 200 201 202, BAD KE BALAJI NH-8 JAIPUR-AJMER ROAD SANGANER, SARANGPURA, NARSINGHPURA SANGANER, JAIPUR. 302026**

has been changed to:

RPSG SOLVANTA PRIVATE LIMITED, Khasra No. 174, 175, 200, 201, 202, and 208, Sarangpura, Bad ke Balaji, NH-8, Jaipur Ajmer Road, Tehsil Sanganer, Jaipur Rajasthan, Pin Code- 302026



S. No.	Name of the Manufacturer	Location/ address of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
						Bifacial N-Type TOPCon Module (Glass to Glass)	ETP144HCGG555 (555 Wp)	ETP144HCGG560	21.68	144 (Half Cut Cells)	1500		
								ETP144HCGG555	21.48				
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	ETP132HCGG525 (525 Wp)	ETP132HCGG550	23.16	132 (Half Cut Cells)	1500		
								ETP132HCGG545	22.95				
								ETP132HCGG540	22.74				
								ETP132HCGG535	22.53				
								ETP132HCGG530	22.32				
								ETP132HCGG525	22.11				
								ETP132HCGG520	21.90				
								ETP132HCGG515	21.69				
								ETP132HCGG510	21.48				
								ETP132HCGG505	21.27				
								ETP132HCGG500	21.06				
								iv	Bifacial N-Type TOPCon Module (Glass to Glass)				
					v	Bifacial N-Type TOPCon Module (Glass to Glass)	ETP132HCGG605 (605 Wp)	ETP132HCGG635	23.51	132 (Half Cut Cells)	1500		
								ETP132HCGG630	23.32				
								ETP132HCGG625	23.14				
								ETP132HCGG620	22.95				
								ETP132HCGG615	22.77				
								ETP132HCGG610	22.58				
								ETP132HCGG605	22.40				
								ETP132HCGG600	22.21				
								ETP132HCGG595	22.03				
								ETP132HCGG590	21.84				
								ETP132HCGG585	21.66				
								ETP132HCGG580	21.47				
6	M/s Solarium Green Energy Limited (New Addition in ALMM)	Survey No.508/1 AND 508/2, Village Mirol, District Daskroi, Bareja, Ahmedabad , 382425, Gujarat, India	R-72015466	1230	i	Bifacial P-Type Mono c-Si PERC Module (Glass to Glass)	SGEP10G156-575 (575 Wp)	SGEP10G156-595	21.28	156(Half Cut Cell)	1500	06.07.2026	05.07.2030
								SGEP10G156-590	21.10				
								SGEP10G156-585	20.92				
								SGEP10G156-580	20.74				
								SGEP10G156-575	20.56				
								SGEP10G156-570	20.38				
								SGEP10G156-565	20.20				
								SGEP10G156-560	20.03				
								SGEP10G156-555	19.85				
								SGEP10G156-550	19.67				
					ii	Bifacial P-Type Mono c-Si PERC Module (Glass to Glass)	SGEP10G144-555 (555 Wp)	SGEP10G144-555	21.48	144(Half Cut Cell)	1500		
								SGEP10G144-550	21.29				
								SGEP10G144-545	21.10				
								SGEP10G144-540	20.90				
								SGEP10G144-535	20.71				
								SGEP10G144-530	20.52				
								SGEP10G144-525	20.32				
								SGEP10G144-520	20.13				
								SGEP10G144-515	19.94				
								SGEP10G144-510	19.74				
								SGEP10G144-505	19.55				
								SGEP10G144-500	19.36				
					iii	Bifacial P-Type Mono c-Si PERC Module (Glass to Glass)	SGEP10G132-500 (500 Wp)	SGEP10G132-500	21.07	132(Half Cut Cell)	1500		
								SGEP10G132-495	20.86				
								SGEP10G132-490	20.64				
								SGEP10G132-485	20.43				
								SGEP10G132-480	20.22				
								SGEP10G132-475	20.01				
								SGEP10G132-470	19.80				
								SGEP10G132-465	19.59				
								SGEP10G132-460	19.38				
								SGEP10G132-455	19.17				
					iv	Bifacial P-Type Mono c-Si PERC Module (Glass to Glass)	SGEP10G120-455 (455 Wp)	SGEP10G120-455	21.03	120 (Half Cut Cell)	1500		
								SGEP10G120-450	20.80				
								SGEP10G120-445	20.57				
								SGEP10G120-440	20.34				
								SGEP10G120-435	20.10				

S. No.	Name of the Manufacturer	Location/ address of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								SGEP10G120-430	19.87				
								SGEP10G120-425	19.64				
								SGEP10G120-420	19.41				
								SGEP10G120-415	19.18				
					v	Bifacial P-Type Mono c-Si PERC Module (Glass to Glass)	SGEP10G108-410 (410 Wp)	SGEP10G108-410	21.00	108 (Half Cut Cell)	1500		
								SGEP10G108-405	20.74				
								SGEP10G108-400	20.48				
								SGEP10G108-395	20.23				
								SGEP10G108-390	19.97				
								SGEP10G108-385	19.72				
								SGEP10G108-380	19.46				
								SGEP10G108-375	19.20				
					vi	Bifacial P-Type Mono c-Si PERC Module (Glass to Glass)	SGEP10G96-365 (365 Wp)	SGEP10G96-365	20.96	96(Half Cut Cell)	1500		
								SGEP10G96-360	20.67				
								SGEP10G96-355	20.38				
								SGEP10G96-350	20.09				
								SGEP10G96-345	19.81				
								SGEP10G96-340	19.52				
								SGEP10G96-335	19.23				
								vii	Bifacial P-Type Mono c-Si PERC Module (Glass to Glass)				
					SGEP10G72-270	20.44							
					SGEP10G72-265	20.06							
					SGEP10G72-260	19.68							
					SGEP10G72-255	19.30							
					viii	Bifacial N-Type TOPCon Module(Glass to Glass)	SGET10G156-650 (650 Wp)	SGET10G156-650	23.24	156(Half Cut Cell)	1500		
								SGET10G156-645	23.07				
								SGET10G156-640	22.89				
								SGET10G156-635	22.71				
								SGET10G156-630	22.53				
								SGET10G156-625	22.35				
								SGET10G156-620	22.17				
								SGET10G156-615	21.99				
								SGET10G156-610	21.81				
								SGET10G156-605	21.63				
								SGET10G156-600	21.46				
					ix	Bifacial N-Type TOPCon Module(Glass to Glass)	SGET10G144-600 (600 Wp)	SGET10G144-600	23.23	144(Half Cut Cell)	1500		
								SGET10G144-595	23.03				
								SGET10G144-590	22.84				
								SGET10G144-585	22.65				
								SGET10G144-580	22.45				
								SGET10G144-575	22.26				
								SGET10G144-570	22.07				
								SGET10G144-565	21.87				
								SGET10G144-560	21.68				
								SGET10G144-555	21.48				
								SGET10G144-550	21.29				
					x	Bifacial N-Type TOPCon Module(Glass to Glass)	SGET10G132-550 (550 Wp)	SGET10G132-550	23.17	132(Half Cut Cell)	1500		
								SGET10G132-545	22.96				
								SGET10G132-540	22.75				
								SGET10G132-535	22.54				
								SGET10G132-530	22.33				
								SGET10G132-525	22.12				
								SGET10G132-520	21.91				
								SGET10G132-515	21.70				
								SGET10G132-510	21.49				
								SGET10G132-505	21.28				
								SGET10G132-500	21.07				
					xi	Bifacial N-Type TOPCon Module(Glass to Glass)	SGET10G120-500 (500 Wp)	SGET10G120-500	23.11	120 (Half Cut Cell)	1500		
								SGET10G120-495	22.88				
								SGET10G120-490	22.65				
								SGET10G120-485	22.42				
								SGET10G120-480	22.18				
								SGET10G120-475	21.95				
								SGET10G120-470	21.72				
								SGET10G120-465	21.49				
								SGET10G120-460	21.26				
								SGET10G120-455	21.03				

S. No.	Name of the Manufacturer	Location/ address of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xii	Bifacial N-Type TOPCon Module(Glass to Glass)	SGET10G108-450 (450 Wp)	SGET10G120-450	20.80	108 (Half Cut Cell)	1500		
								SGET10G108-450	23.04				
								SGET10G108-445	22.79				
								SGET10G108-440	22.53				
								SGET10G108-435	22.28				
								SGET10G108-430	22.02				
								SGET10G108-425	21.76				
								SGET10G108-420	21.51				
								SGET10G108-415	21.25				
								SGET10G108-410	21.00				
								SGET10G108-405	20.74				
					xiii	Bifacial N-Type TOPCon Module(Glass to Glass)	SGET10G96-400 (400 Wp)	SGET10G96-400	22.96	96(Half Cut Cell)	1500		
								SGET10G96-395	22.68				
								SGET10G96-390	22.39				
								SGET10G96-385	22.10				
								SGET10G96-380	21.82				
								SGET10G96-375	21.53				
								SGET10G96-370	21.24				
								SGET10G96-365	20.96				
								SGET10G96-360	20.67				
								SGET10G84-350	22.85				
					xiv	Bifacial N-Type TOPCon Module(Glass to Glass)	SGET10G84-350 (350 Wp)	SGET10G84-345	22.52				
								SGET10G84-340	22.19				
								SGET10G84-335	21.87				
								SGET10G84-330	21.54				
					xv	Bifacial N-Type TOPCon Module(Glass to Glass)	SGET10G72-300 (300 Wp)	SGET10G72-300	22.71	72(Half Cut Cell)	1500		
								SGET10G72-295	22.33				
								SGET10G72-290	21.95				
								SGET10G72-285	21.57				
					xvi	Bifacial N-Type TOPCon Module(Glass to Glass)	SGET10G60-250 (250 Wp)	SGET10G60-250	22.50	60(Half Cut Cell)	1500		
								SGET10G60-245	22.05				
								SGET10G60-240	21.60				
								SGET10G60-235	21.15				
					xvii	Bifacial N-Type TOPCon Module(Glass to Glass)	SGET12G132-725 (725 Wp)	SGET12G132-725	23.34	132(Half Cut Cell)	1500		
								SGET12G132-720	23.18				
								SGET12G132-715	23.02				
								SGET12G132-710	22.86				
								SGET12G132-705	22.70				
								SGET12G132-700	22.53				
								SGET12G132-695	22.37				
								SGET12G132-690	22.21				
								SGET12G132-685	22.05				
								SGET12G132-680	21.89				
					xviii	Bifacial N-Type TOPCon Module(Glass to Glass)	SGET12G120-650 (650 Wp)	SGET12G120-650	22.97	120(Half Cut Cell)			
								SGET12G120-645	22.79				
								SGET12G120-640	22.61				
								SGET12G120-635	22.44				
								SGET12G120-630	22.26				
								SGET12G120-625	22.08				
								SGET12G120-620	21.91				
								SGET12G120-615	21.73				
					xix	Bifacial N-Type TOPCon Module(Glass to Glass)	SGET12G108-585 (585 Wp)	SGET12G108-585	22.91	108(Half Cut Cell)			
								SGET12G108-580	22.71				
								SGET12G108-575	22.51				
								SGET12G108-570	22.32				
								SGET12G108-565	22.12				
								SGET12G108-560	21.93				
								SGET12G108-555	21.73				
					xx	Bifacial N-Type TOPCon Module(Glass to Glass)	SGET12RG132-650 (650Wp)	SGET12RG132-650	24.06	132(Half Cut Cell)	1500		
								SGET12RG132-645	23.88				
								SGET12RG132-640	23.69				
								SGET12RG132-635	23.51				
								SGET12RG132-630	23.32				
								SGET12RG132-625	23.14				
								SGET12RG132-620	22.95				
								SGET12RG132-615	22.77				
								SGET12RG132-610	22.58				

S. No.	Name of the Manufacturer	Location/ address of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity						
												From	To (subject to valid BIS Registration; else deemed to be delisted)					
					xxi	Bifacial N-Type TOPCon Module(Glass to Glass)	SGET12RG120-590	SGET12RG120-590	23.95	120 (Half Cut Cell)	1500							
								SGET12RG120-585	23.75									
								SGET12RG120-580	23.55									
								SGET12RG120-575	23.35									
								SGET12RG120-570	23.14									
								SGET12RG120-565	22.94									
								SGET12RG120-560	22.74									
								SGET12RG120-555	22.53									
					xxii	Bifacial N-Type TOPCon Module(Glass to Glass)	SGET12RG108-530	SGET12RG108-530	23.85	108 (Half Cut Cell)	1500							
								SGET12RG108-525	23.62									
								SGET12RG108-520	23.40									
								SGET12RG108-515	23.17									
								SGET12RG108-510	22.95									
								SGET12RG108-505	22.72									
								SGET12RG108-500	22.50									
								xxiii	Bifacial N-Type TOPCon Module(Glass to Glass)					SGET12RG96-470	SGET12RG96-470	23.68	96(Half Cut Cell)	1500
					SGET12RG96-465	23.43												
					SGET12RG96-460	23.18												
					SGET12RG96-455	22.93												
					SGET12RG96-450	22.68												
					SGET12RG96-445	22.42												
					xiv	Bifacial N-Type TOPCon Module(Glass to Glass)	SGET12RG84-410			SGET12RG84-410	23.55				84(Half Cut Cell)	1500		
										SGET12RG84-405	23.27							
								SGET12RG84-400	22.98									
								SGET12RG84-395	22.69									
								SGET12RG84-390	22.40									
								xv	Bifacial N-Type TOPCon Module (Glass to Glass)	SGET12RG72-355	SGET12RG72-355			23.63			72(Half Cut Cell)	1500
											SGET12RG72-350			23.29				
											SGET12RG72-345			22.96				
					SGET12RG72-340	22.63												
					SGET12RG72-335	22.30												
					xvi	Bifacial N-Type TOPCon Module (Glass to Glass)	SGET12RG60-295				SGET12RG60-295			23.33	60 (Half Cut Cell)	1500		
											SGET12RG60-290			22.94				
											SGET12RG60-285			22.54				
								SGET12RG60-280	22.14									
								7	M/s Ganesh Green Bharat Limited (Model Addition + Capacity Addition)	SURVEY NO. 319/320/321, TUNDALI, TUNDALI APPROACH ROAD, BEHIND HONEST RESTAURANT, NEAR NADASAN FLYOVER, MEHSANA, GUJARAT, INDIA	R-72005886			745			i	Bifacial N TypeTOPCon Module (Glass to Glass)
SG132G12R-600	22.21																	
SG132G12R-605	22.40																	
SG132G12R-610	22.58																	
SG132G12R-615	22.77																	
SG132G12R-620	22.95																	
SG132G12R-625	23.14																	
SG132G12R-630	23.32																	
SG132G12R-635	23.51																	
SG132G12R-640	23.69																	
SG132G12R-645	23.88																	
SG132G12R-650	24.06																	
ii	Bifacial N TypeTOPCon Module (Glass to Glass)	SG120G12R-570 (570 Wp)	SG120G12R-545	22.15	120 (Half cut cells)	1500												
			SG120G12R-550	22.35														
			SG120G12R-555	22.55														
			SG120G12R-560	22.76														
			SG120G12R-565	22.96														
			SG120G12R-570	23.16														
			SG120G12R-575	23.37														
			SG120G12R-580	23.57														
			SG120G12R-585	23.77														
			SG120G12R-590	23.98														
iii	Bifacial N TypeTOPCon Module (Glass to Glass)	SG108G12R-510 (510 Wp)	SG120G12R-595	24.18	108 (Half cut cells)	1500												
			SG108G12R-490	22.05														
			SG108G12R-495	22.27														
			SG108G12R-500	22.50														
			SG108G12R-505	22.72														
			SG108G12R-510	22.95														
			SG108G12R-515	23.17														
			SG108G12R-520	23.40														
			SG108G12R-525	23.62														

S. No.	Name of the Manufacturer	Location/ address of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
11	M/s. Jakson Engineers Ltd (Model Addition)	Plot No-25, Ecotech-III, Udyog Kendra, Greater Noida-201306, Gautam Budha Nagar, Uttar Pradesh, India	R-93005959	1252	i	Bifacial N-Type TOPCon Module (Glass to Glass)	JN-620GR (620 Wp)	JN-600GR JN-620GR JN-625GR JN-630GR	22.23 22.97 23.16 23.34	132 (Half Cut Cells)	1500	17.08.2023	16.08.2027
12	M/s Icon Solar En Power Technologies Private Limited (New Addition in ALMM)	KHASRA NO. 1553/1, 1564, 1566, 1568/1, 1568/2, PH NO.- 05, MANDIR HASAUD, BLOCK ARANG, VILLAGE TEKARI, DISTRICT RAIPUR, CHHATTISHGARH, India- 493225	R-59000680	2557	i	Bifacial N-Type TOPCon Module (Glass to Glass)	ISEN620-G12R (620 Wp)	ISEN635-G12R ISEN630-G12R ISEN625-G12R ISEN620-G12R ISEN615-G12R ISEN610-G12R ISEN605-G12R ISEN600-G12R	23.51 23.32 23.14 22.95 22.77 22.58 22.40 22.21	132 (Half Cut Cells)	1500	06.07.2026	05.07.2030
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	ISEN560-G12R (560 Wp)	ISEN570-G12R ISEN565-G12R ISEN560-G12R ISEN555-G12R ISEN550-G12R ISEN545-G12R	23.14 22.94 22.74 22.53 22.33 22.13	120 (Half Cut Cells)	1500		
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	ISEN510-G12R (510 Wp)	ISEN515-G12R ISEN510-G12R ISEN505-G12R ISEN500-G12R	23.16 22.93 22.71 22.48	108 (Half Cut Cells)	1500		
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	ISEN450-G12R (450 Wp)	ISEN455-G12R ISEN450-G12R ISEN445-G12R ISEN440-G12R	22.77 22.52 22.27 22.02	96 (Half Cut Cells)	1500		
					v	Bifacial N-Type TOPCon Module (Glass to Glass)	ISEN630-G2X (630 Wp)	ISEN650-G2X ISEN645-G2X ISEN640-G2X ISEN635-G2X ISEN630-G2X ISEN625-G2X ISEN620-G2X ISEN615-G2X	23.26 23.08 22.90 22.73 22.55 22.37 22.19 22.01	156 (Half Cut Cells)	1500		
					vi	Bifacial N-Type TOPCon Module (Glass to Glass)	ISEN590-G2X (590 Wp)	ISEN600-G2X ISEN595-G2X ISEN590-G2X ISEN585-G2X ISEN580-G2X ISEN575-G2X ISEN570-G2X	23.23 23.03 22.84 22.65 22.45 22.26 22.07	144 (Half Cut Cells)	1500		
					vii	Bifacial N-Type TOPCon Module (Glass to Glass)	ISEN540-G2X (540 Wp)	ISEN550-G2X ISEN545-G2X ISEN540-G2X ISEN535-G2X ISEN530-G2X	23.16 22.95 22.74 22.53 22.32	132 (Half Cut Cells)	1500		
					viii	Bifacial N-Type TOPCon Module (Glass to Glass)	ISEN490-G2X (490 Wp)	ISEN500-G2X ISEN495-G2X ISEN490-G2X ISEN485-G2X ISEN480-G2X	23.11 22.88 22.65 22.42 22.18	120 (Half Cut Cells)	1500		
					ix	Bifacial N-Type TOPCon Module (Glass to Glass)	ISEN440-G2X (440 Wp)	ISEN450-G2X ISEN445-G2X ISEN440-G2X ISEN435-G2X	23.04 22.79 22.53 22.28	108 (Half Cut Cells)	1500		
					i	Bifacial N-Type TOPCon Module (Glass to Glass)	AROMA620D156GG (620 Wp)	AROMA650D156GG	23.28	156 Half Cut Cell	1500	06.07.2026	05.07.2030
								AROMA645D156GG	23.10				
								AROMA640D156GG	22.92				
								AROMA635D156GG	22.74				
								AROMA630D156GG	22.57				
								AROMA625D156GG	22.39				
								AROMA620D156GG	22.21				
								AROMA615D156GG	22.03				
								AROMA610D156GG	21.85				
								AROMA605D156GG	21.67				
								AROMA600D156GG	21.49				
								AROMA595D156GG	21.31				
13	M/s SSSV TEXTILE INDUSTRIES (New Addition in ALMM)	BARSAT TO JAMALPUR ROAD, VPO BARSAT, GHARAUNDA, KARNAL, HARYANA, India, 132114	R-91021903	1232	i	Bifacial N-Type TOPCon Module (Glass to Glass)	AROMA620D156GG (620 Wp)	AROMA650D156GG AROMA645D156GG AROMA640D156GG AROMA635D156GG AROMA630D156GG AROMA625D156GG AROMA620D156GG AROMA615D156GG AROMA610D156GG AROMA605D156GG AROMA600D156GG AROMA595D156GG	23.28 23.10 22.92 22.74 22.57 22.39 22.21 22.03 21.85 21.67 21.49 21.31	156 Half Cut Cell	1500	06.07.2026	05.07.2030

S. No.	Name of the Manufacturer	Location/ address of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	AROMA575D144GG (575 Wp)	AROMA590D156GG	21.13	144 Half Cut Cell	1500		
								AROMA600D144GG	23.23				
								AROMA595D144GG	23.03				
								AROMA590D144GG	22.84				
								AROMA585D144GG	22.65				
								AROMA580D144GG	22.45				
								AROMA575D144GG	22.26				
								AROMA570D144GG	22.07				
								AROMA565D144GG	21.87				
								AROMA560D144GG	21.68				
								AROMA555D144GG	21.48				
								AROMA550D144GG	21.29				
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	AROMA620N156GG (620 Wp)	AROMA650N156GG	23.28	156 Half Cut Cell	1500		
								AROMA645N156GG	23.10				
								AROMA640N156GG	22.92				
								AROMA635N156GG	22.74				
								AROMA630N156GG	22.57				
								AROMA625N156GG	22.39				
								AROMA620N156GG	22.21				
								AROMA615N156GG	22.03				
								AROMA610N156GG	21.85				
								AROMA605N156GG	21.67				
								AROMA600N156GG	21.49				
								AROMA595N156GG	21.31				
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	AROMA575N144GG (575 Wp)	AROMA590N156GG	21.13	144 Half Cut Cell	1500		
								AROMA600N144GG	23.23				
								AROMA595N144GG	23.03				
								AROMA590N144GG	22.84				
								AROMA585N144GG	22.65				
								AROMA580N144GG	22.45				
								AROMA575N144GG	22.26				
								AROMA570N144GG	22.07				
								AROMA565N144GG	21.87				
								AROMA560N144GG	21.68				
								AROMA555N144GG	21.48				
								AROMA550N144GG	21.29				
					v	Bifacial N-Type TOPCon Module (Glass to Glass)	AROMA-ND620-132GG (620 Wp)	AROMA-ND650-132GG	24.06	132 Half Cut Cell	1500		
								AROMA-ND645-132GG	23.88				
								AROMA-ND640-132GG	23.69				
								AROMA-ND635-132GG	23.51				
								AROMA-ND630-132GG	23.32				
								AROMA-ND625-132GG	23.14				
								AROMA-ND620-132GG	22.95				
								AROMA-ND615-132GG	22.77				
								AROMA-ND610-132GG	22.58				
								AROMA-ND605-132GG	22.40				
								AROMA-ND600-132GG	22.21				
								AROMA-ND595-132GG	22.03				
					vi	Bifacial N-Type TOPCon Module (Glass to Glass)	AROMA-D620-132GG (620 Wp)	AROMA-ND590-132GG	21.84	132 Half Cut Cell	1500		
								AROMA-D650-132GG	24.06				
								AROMA-D645-132GG	23.88				
								AROMA-D640-132GG	23.69				
								AROMA-D635-132GG	23.51				
								AROMA-D630-132GG	23.32				
								AROMA-D625-132GG	23.14				
								AROMA-D620-132GG	22.95				
								AROMA-D615-132GG	22.77				
								AROMA-D610-132GG	22.58				
								AROMA-D605-132GG	22.40				
								AROMA-D600-132GG	22.21				
					vii	Bifacial N-Type TOPCon Module (Glass to Glass)	AROMA-ND565-120GG (565 Wp)	AROMA-D595-132GG	22.03	120 Half Cut Cell	1500		
								AROMA-D590-132GG	21.84				
								AROMA-ND590-120GG	23.97				
								AROMA-ND585-120GG	23.76				
								AROMA-ND580-120GG	23.56				
								AROMA-ND575-120GG	23.36				
								AROMA-ND570-120GG	23.15				

S. No.	Name of the Manufacturer	Location/ address of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								AROMA-ND565-120GG	22.95				
								AROMA-ND560-120GG	22.75				
								AROMA-ND555-120GG	22.54				
								AROMA-ND550-120GG	22.34				
								AROMA-ND545-120GG	22.14				
								AROMA-ND540-120GG	21.93				
					viii	Bifacial N-Type TOPCon Module (Glass to Glass)	AROMA-D565-120GG (565 Wp)	AROMA-D590-120GG	23.97	120 Half Cut Cell	1500		
								AROMA-D585-120GG	23.76				
								AROMA-D580-120GG	23.56				
								AROMA-D575-120GG	23.36				
								AROMA-D570-120GG	23.15				
								AROMA-D565-120GG	22.95				
								AROMA-D560-120GG	22.75				
								AROMA-D555-120GG	22.54				
								AROMA-D550-120GG	22.34				
								AROMA-D545-120GG	22.14				
								AROMA-D540-120GG	21.93				
14	M/s ISH SOLAR PRIVATE LIMITED (New Addition in ALMM)	GROUND FLOOR, BLOCK NO.550/B, OM ISH PARK, OLPAD SAYAN ROAD, B/H PRAMUKH ABC INDUSTRIAL AREA, OLPAD, SURAT, GUJARAT -394540, India	R-72015458	816	i	Bifacial N-Type TOPCon Module (Glass to Glass)	ISHTG12R66H630 (630 Wp)	ISHTG12R66H650	24.063	132 (Half Cut Cells)	1500	06.07.2026	05.07.2030
								ISHTG12R66H645	23.878				
								ISHTG12R66H640	23.693				
								ISHTG12R66H635	23.508				
								ISHTG12R66H630	23.323				
								ISHTG12R66H625	23.138				
								ISHTG12R66H620	22.953				
								ISHTG12R66H615	22.768				
								ISHTG12R66H610	22.583				
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	ISHTM10R78H635 (635 Wp)	ISHTM10R78H650	23.253	156 (Half Cut Cells)	1500		
								ISHTM10R78H645	23.074				
								ISHTM10R78H640	22.895				
								ISHTM10R78H635	22.717				
								ISHTM10R78H630	22.538				
								ISHTM10R78H625	22.359				
								ISHTM10R78H620	22.180				
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	ISHTM10R72H590 (590 Wp)	ISHTM10R72H605	23.420	144 (Half Cut Cells)	1500		
								ISHTM10R72H600	23.227				
								ISHTM10R72H595	23.033				
								ISHTM10R72H590	22.839				
								ISHTM10R72H585	22.646				
								ISHTM10R72H580	22.452				
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	ISHTM10R60H490 (490 Wp)	ISHTM10R60H500	23.109	120 (Half Cut Cells)	1500		
								ISHTM10R60H495	22.878				
								ISHTM10R60H490	22.647				
								ISHTM10R60H485	22.416				
								ISHTM10R60H480	22.185				
15	M/s POWERSPHERE RENEWABLE PRIVATE LIMITED (New Addition in ALMM)	NO.766, KUNTHUMARANAPALLI VILLAGE3, DENKANIKOTTAI, TALUK KUNDUMARAN, KRISHNAGIRI, TAMIL NADU- 635113.	R-61007200	654	i	Bifacial N-Type TOPCon Module (Glass to Glass)	PSTG12R66GG625 (625 Wp)	PSTG12R66GG640	23.69	132 (Half Cut Cells)	1500	06.07.2026	05.07.2030
								PSTG12R66GG635	23.51				
								PSTG12R66GG630	23.32				
								PSTG12R66GG625	23.14				
								PSTG12R66GG620	22.95				
								PSTG12R66GG615	22.77				
								PSTG12R66GG610	22.58				
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	PSPG12R60GG570 (570 Wp)	PSPG12R60GG580	23.55	120 (Half Cut Cells)	1500		
								PSPG12R60GG575	23.35				
								PSPG12R60GG570	23.14				
								PSPG12R60GG565	22.94				
								PSPG12R60GG560	22.74				
								PSPG12R60GG555	22.53				
								PSPG12R60GG550	22.33				
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	PSMG12R54GG495 (495Wp)	PSMG12R54GG510	22.95	108 (Half Cut Cells)	1500		
								PSMG12R54GG505	22.72				
								PSMG12R54GG500	22.50				
								PSMG12R54GG495	22.27				
								PSMG12R54GG490	22.05				
								PSMG12R54GG485	21.82				
								PSMG12R54GG480	21.60				
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	PSCG12R48GG445 (445 Wp)	PSCG12R48GG455	22.77	96 (Half Cut Cells)	1500		
								PSCG12R48GG450	22.52				

S. No.	Name of the Manufacturer	Location/ address of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity						
												From	To (subject to valid BIS Registration; else deemed to be delisted)					
						(Glass to Glass)		PSCG12R48GG445	22.27									
								PSCG12R48GG440	22.02									
								PSCG12R48GG435	21.77									
								PSCG12R48GG430	21.52									
16	M/s SRI SAVITR SOLAR PVT LTD (Model Addition + Capacity Addition)	Ground, 3-113/1/1A, Sy No.42A,Opp.granules India, Chetlapotharam, Hyderabad, Sangareddy, Telangana, India-502319	R-63000922	244	i	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SAVITRU156-635 (635 Wp)	SAVITRU156-650	23.27	156 (Half Cut Cells)	1500	05.04.2024	04.04.2028					
								SAVITRU156-645	23.09									
								SAVITRU156-640	22.92									
								SAVITRU156-635	22.74									
								SAVITRU156-630	22.56									
								SAVITRU156-625	22.38									
								SAVITRU156-620	22.20									
					ii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SAVITRU156-600 (600 Wp)	SAVITRU156-615	22.02	156 (Half Cut Cells)	1500							
								SAVITRU156-610	21.84									
								SAVITRU156-605	21.66									
								SAVITRU156-600	21.48									
								SAVITRU156-595	21.30									
								SAVITRU156-590	21.13									
								SAVITRU156-585	20.95									
					iii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SAVITRU144-590 (590 Wp)	SAVITRU144-600	23.28	144 (Half Cut Cells)	1500							
								SAVITRU144-595	23.08									
								SAVITRU144-590	22.89									
								SAVITRU144-585	22.70									
								SAVITRU144-580	22.50									
								SAVITRU144-575	22.31									
								SAVITRU144-570	22.11									
					iv	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SAVITRU144-560 (560 Wp)	SAVITRU144-565	21.92	144 (Half Cut Cells)	1500							
								SAVITRU144-560	21.73									
								SAVITRU144-555	21.53									
								SAVITRU144-550	21.34									
								SAVITRU144-545	21.14									
								SAVITRU144-540	20.95									
								SAVITRU132-550	23.23									
					v	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SAVITRU132-540 (540 Wp)	SAVITRU132-545	23.02	132 (Half Cut Cells)	1500							
								SAVITRU132-540	22.80									
								SAVITRU132-535	22.59									
								SAVITRU132-530	22.38									
								SAVITRU132-525	22.17									
								SAVITRU132-520	21.96									
								SAVITRU132-515	21.75									
					vi	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SAVITRU132-510 (510 Wp)	SAVITRU132-510	21.54	132 (Half Cut Cells)	1500							
								SAVITRU132-505	21.33									
								SAVITRU132-500	21.12									
								SAVITRU132-495	20.90									
								SAVITRU120-500	23.17									
								vii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)					SAVITRU120-490 (490 Wp)	SAVITRU120-495	22.93	120(Half Cut Cells)	1500
															SAVITRU120-490	22.70		
					SAVITRU120-485	22.47												
					SAVITRU120-480	22.24												
					SAVITRU120-475	22.01												
					SAVITRU120-470	21.78												
					SAVITRU120-465	21.54												
					viii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SAVITRU120-460 (460 Wp)	SAVITRU120-460	21.31	120(Half Cut Cells)	1500							
								SAVITRU120-455	21.08									
								SAVITRU120-450	20.85									
								SAVITRU108-450	23.09									
								ix	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)					SAVITRU108-440 (440 Wp)	SAVITRU108-445	22.84	108(Half Cut Cells)	1500
															SAVITRU108-440	22.58		
															SAVITRU108-435	22.32		
					SAVITRU108-430	22.07												
					SAVITRU108-425	21.81												
					x	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SAVITRU108-415 (415 Wp)			SAVITRU108-420	21.55				108(Half Cut Cells)	1500		
										SAVITRU108-415	21.30							
								SAVITRU108-410	21.04									
								SAVITRU108-405	20.78									
								xi	Bifacial N-Type TOPCon Module (Glass to Transparent	SAVITRU72-290 (290 Wp)	SAVITRU72-300			22.59			72(Half Cut Cells)	1500
											SAVITRU72-295			22.22				
											SAVITRU72-290			21.84				

S. No.	Name of the Manufacturer	Location/ address of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
						Backsheet)		SAVITRU72-285	21.46				
					xii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SAVITRU72-275 (275 Wp)	SAVITRU72-280	21.09	72(Half Cut Cells)	1500		
								SAVITRU72-275	20.71				
								SAVITRU72-270	20.33				
17	M/s. Luminous Power Technologies Pvt. Ltd (Model Addition under Co-ALMM)	Co-ALMM with M/s. Knack Energy Private Limited Manufacturing Address: Survey No. 291 & 292, Besides Kamla Amrut Industrial Estate, Budasun, Near Hitachi, Jhonson Kadi, Mehsana - 382715,Gujarat, India	R-72013200	19-20 MW/Month (As per Co-Branding agreement)	i	Bifacial N-Type TOPCon Module (Glass to Glass)	LUM 630TG156 KE16B (630 Wp)	LUM 605TG156 KE16B	21.63	156 (Half Cut Cells)	1500	06.07.2026	06.02.2027
								LUM 610TG156 KE16B	21.81				
								LUM 615TG156 KE16B	21.99				
								LUM 620TG156 KE16B	22.17				
								LUM 625TG156 KE16B	22.35				
								LUM 630TG156 KE16B	22.53				
								LUM 635TG156 KE16B	22.71				
								LUM 640TG156 KE16B	22.89				
								LUM 645TG156 KE16B	23.07				
								LUM 650TG156 KE16B	23.24				
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	LUM 630TG156 KE16A (630 Wp)	LUM 605TG156 KE16A	21.63	156 (Half Cut Cells)	1500		
								LUM 610TG156 KE16A	21.81				
								LUM 615TG156 KE16A	21.99				
								LUM 620TG156 KE16A	22.17				
								LUM 625TG156 KE16A	22.35				
								LUM 630TG156 KE16A	22.53				
								LUM 635TG156 KE16A	22.71				
								LUM 640TG156 KE16A	22.89				
								LUM 645TG156 KE16A	23.07				
								LUM 650TG156 KE16A	23.24				
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	LUM 560TG144 KE16B (560 Wp)	LUM 545TG144 KE16B	21.10	144 (Half Cut Cells)	1500		
								LUM 550TG144 KE16B	21.29				
								LUM 555TG144 KE16B	21.48				
								LUM 560TG144 KE16B	21.68				
								LUM 565TG144 KE16B	21.87				
								LUM 570TG144 KE16B	22.07				
								LUM 575TG144 KE16B	22.26				
								LUM 580TG144 KE16B	22.45				
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	LUM 590TG144 KE16B (590 Wp)	LUM 585TG144 KE16B	22.65	144 (Half Cut Cells)	1500		
								LUM 590TG144 KE16B	22.84				
								LUM 595TG144 KE16B	23.03				
								LUM 600TG144 KE16B	23.23				
					v	Bifacial N-Type TOPCon Module (Glass to Glass)	LUM 560TG144 KE16A (560 Wp)	LUM 545TG144 KE16A	21.10	144 (Half Cut Cells)	1500		
								LUM 550TG144 KE16A	21.29				
								LUM 555TG144 KE16A	21.48				
								LUM 560TG144 KE16A	21.68				
								LUM 565TG144 KE16A	21.87				
								LUM 570TG144 KE16A	22.07				
								LUM 575TG144 KE16A	22.26				
								LUM 580TG144 KE16A	22.45				
					vi	Bifacial N-Type TOPCon Module (Glass to Glass)	LUM 590TG144 KE16A (590 Wp)	LUM 585TG144 KE16A	22.65	144 (Half Cut Cells)	1500		
								LUM 590TG144 KE16A	22.84				
								LUM 595TG144 KE16A	23.03				
								LUM 600TG144 KE16A	23.23				
					vii	Bifacial Mono c-Si PERC Module (Glass to Glass)	LUM 530MG144 KE10A (530 Wp)	LUM 505MG144 KE10A	19.55	144 (Half Cut Cells)	1500		
								LUM 510MG144 KE10A	19.74				
								LUM 515MG144 KE10A	19.94				
								LUM 520MG144 KE10A	20.13				
								LUM 525MG144 KE10A	20.32				
								LUM 530MG144 KE10A	20.52				
								LUM 535MG144 KE10A	20.71				
								LUM 540MG144 KE10A	20.90				
								LUM 545MG144 KE10A	21.10				
								LUM 550MG144 KE10A	21.29				
								LUM 555MG144 KE10A	21.48				
								LUM 495TG132 KE16B	20.87	132 (Half Cut Cells)	1500		
					viii	Bifacial N-Type TOPCon Module (Glass to Glass)	LUM 515TG132 KE16B (515 Wp)	LUM 500TG132 KE16B	21.08				
								LUM 505TG132 KE16B	21.29				
								LUM 510TG132 KE16B	21.50				
								LUM 515TG132 KE16B	21.71				
								LUM 520TG132 KE16B	21.92				
								LUM 525TG132 KE16B	22.13				

S. No.	Name of the Manufacturer	Location/ address of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								LUM 530TG132 KE16B	22.34	132 (Half Cut Cells)	1500		
							LUM 535TG132 KE16B	22.55					
							LUM 540TG132 KE16B	22.76					
					ix	Bifacial N-Type TOPCon Module (Glass to Glass)	LUM 515TG132 KE16A (515 Wp)	LUM 495TG132 KE16A	20.87				
								LUM 500TG132 KE16A	21.08				
								LUM 505TG132 KE16A	21.29				
								LUM 510TG132 KE16A	21.50				
								LUM 515TG132 KE16A	21.71				
								LUM 520TG132 KE16A	21.92				
								LUM 525TG132 KE16A	22.13				
								LUM 530TG132 KE16A	22.34				
								LUM 535TG132 KE16A	22.55				
								LUM 540TG132 KE16A	22.76				
					x	Bifacial Mono c-Si PERC Module (Glass to Glass)	LUM 480MG132 KE10A (480 Wp)	LUM 460MG132 KE10A	19.39				
								LUM 465MG132 KE10A	19.60				
								LUM 470MG132 KE10A	19.81				
								LUM 475MG132 KE10A	20.02				
								LUM 480MG132 KE10A	20.23				
								LUM 485MG132 KE10A	20.44				
								LUM 490MG132 KE10A	20.65				
								LUM 495MG132 KE10A	20.87				
								LUM 500MG132 KE10A	21.08				
								xi	Bifacial N-Type TOPCon Module (Glass to Glass)	AMS 630TG156 KE16B (630 Wp)	AMS 605TG156 KE16B		
					AMS 610TG156 KE16B	21.81							
					AMS 615TG156 KE16B	21.99							
					AMS 620TG156 KE16B	22.17							
					AMS 625TG156 KE16B	22.35							
					AMS 630TG156 KE16B	22.53							
					AMS 635TG156 KE16B	22.71							
					AMS 640TG156 KE16B	22.89							
					AMS 645TG156 KE16B	23.07							
					AMS 650TG156 KE16B	23.24							
					xii	Bifacial N-Type TOPCon Module (Glass to Glass)	AMS 630TG156 KE16A (630 Wp)	AMS 605TG156 KE16A	21.63				
								AMS 610TG156 KE16A	21.81				
								AMS 615TG156 KE16A	21.99				
								AMS 620TG156 KE16A	22.17				
								AMS 625TG156 KE16A	22.35				
								AMS 630TG156 KE16A	22.53				
								AMS 635TG156 KE16A	22.71				
								AMS 640TG156 KE16A	22.89				
								AMS 645TG156 KE16A	23.07				
								AMS 650TG156 KE16A	23.24				
					xiii	Bifacial N-Type TOPCon Module (Glass to Glass)	AMS 560TG144 KE16B (560 Wp)	AMS 545TG144 KE16B	21.10				
								AMS 550TG144 KE16B	21.29				
								AMS 555TG144 KE16B	21.48				
								AMS 560TG144 KE16B	21.68				
								AMS 565TG144 KE16B	21.87				
								AMS 570TG144 KE16B	22.07				
								AMS 575TG144 KE16B	22.26				
								AMS 580TG144 KE16B	22.45				
					xiv	Bifacial N-Type TOPCon Module (Glass to Glass)	AMS 590TG144 KE16B (590 Wp)	AMS 585TG144 KE16B	22.65				
								AMS 590TG144 KE16B	22.84				
								AMS 595TG144 KE16B	23.03				
								AMS 600TG144 KE16B	23.23				
					xv	Bifacial N-Type TOPCon Module (Glass to Glass)	AMS 560TG144 KE16A (560 Wp)	AMS 545TG144 KE16A	21.10				
								AMS 550TG144 KE16A	21.29				
								AMS 555TG144 KE16A	21.48				
								AMS 560TG144 KE16A	21.68				
								AMS 565TG144 KE16A	21.87				
								AMS 570TG144 KE16A	22.07				
								AMS 575TG144 KE16A	22.26				
								AMS 580TG144 KE16A	22.45				
					xvi	Bifacial N-Type TOPCon Module (Glass to Glass)	AMS 590TG144 KE16A (590 Wp)	AMS 585TG144 KE16A	22.65				
								AMS 590TG144 KE16A	22.84				
								AMS 595TG144 KE16A	23.03				
								AMS 600TG144 KE16A	23.23				
xvii	Bifacial Mono c-Si PERC	AMS 530MG144 KE10A	AMS 505MG144 KE10A	19.55	144 (Half Cut Cells)	1500							

S. No.	Name of the Manufacturer	Location/ address of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
						Module (Glass to Glass)	(530 Wp)	AMS 510MG144 KE10A	19.74				
								AMS 515MG144 KE10A	19.94				
								AMS 520MG144 KE10A	20.13				
								AMS 525MG144 KE10A	20.32				
								AMS 530MG144 KE10A	20.52				
								AMS 535MG144 KE10A	20.71				
								AMS 540MG144 KE10A	20.90				
								AMS 545MG144 KE10A	21.10				
								AMS 550MG144 KE10A	21.29				
								AMS 555MG144 KE10A	21.48				
					xviii	Bifacial N-Type TOPCon Module (Glass to Glass)	AMS 515TG132 KE16B (515 Wp)	AMS 495TG132 KE16B	20.87	132 (Half Cut Cells)	1500		
								AMS 500TG132 KE16B	21.08				
								AMS 505TG132 KE16B	21.29				
								AMS 510TG132 KE16B	21.50				
								AMS 515TG132 KE16B	21.71				
								AMS 520TG132 KE16B	21.92				
								AMS 525TG132 KE16B	22.13				
								AMS 530TG132 KE16B	22.34				
								AMS 535TG132 KE16B	22.55				
								AMS 540TG132 KE16B	22.76				
					xix	Bifacial N-Type TOPCon Module (Glass to Glass)	AMS 515TG132 KE16A (515 Wp)	AMS 495TG132 KE16A	20.87	132 (Half Cut Cells)	1500		
								AMS 500TG132 KE16A	21.08				
								AMS 505TG132 KE16A	21.29				
								AMS 510TG132 KE16A	21.50				
								AMS 515TG132 KE16A	21.71				
								AMS 520TG132 KE16A	21.92				
								AMS 525TG132 KE16A	22.13				
								AMS 530TG132 KE16A	22.34				
								AMS 535TG132 KE16A	22.55				
								AMS 540TG132 KE16A	22.76				
					xx	Bifacial Mono c-Si PERC Module (Glass to Glass)	AMS 480MG132 KE10A (480 Wp)	AMS 460MG132 KE10A	19.39	132 (Half Cut Cells)	1500		
								AMS 465MG132 KE10A	19.60				
								AMS 470MG132 KE10A	19.81				
								AMS 475MG132 KE10A	20.02				
								AMS 480MG132 KE10A	20.23				
								AMS 485MG132 KE10A	20.44				
								AMS 490MG132 KE10A	20.65				
								AMS 495MG132 KE10A	20.87				
								AMS 500MG132 KE10A	21.08				
								AMS 505MG132 KE10A	21.29				
18	M/s. Rajasthan Electronics and Instruments Limited (REIL) (Model Addition under Co-ALMM)	Co-ALMM with M/s. Oswal Solar Energy Private Limited Manufacturing Address: OPPOSITE DD INTERNATIONAL PVT. LTD., LINK ROAD, VILLAGE KUTAIL, KARNAL, HARYANA, India -132037	R-91021172	5 MW	i	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	ROSWAL550MPN144 (550 Wp)	ROSWAL540MPN144	20.90	144 (Half Cut Cells)	1500	06.07.2026	02.11.2027
								ROSWAL545MPN144	21.09				
								ROSWAL550MPN144	21.29				

Note: In case of model inclusion or capacity addition / change, through revision in ALMM List, the capacity mentioned against any manufacturing unit, as appearing in the said Revision to the ALMM List, shall be the ALMM enlisted manufacturing capacity for that manufacturing unit (from the date of the said revision), and the capacity enlisted for that manufacturing unit should not be interpreted as Sum of (enlisted capacity for that manufacturing unit in previous ALMM list/ previous revision to ALMM List) and (enlisted capacity in the present revision)

F. No. 283/41/2024-GRID SOLAR

भारत सरकार / Government of India

नवीन और नवीकरणीय ऊर्जा मंत्रालय / Ministry of New & Renewable Energy

ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003.

Dated: 1st May 2026

OFFICE MEMORANDUM

Sub: Updation of List I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 – Reg.

- Ref:** (i) MNRE's O.M. No. 283/54/2018-GRID SOLAR–Part(1) dated 10.03.2021
(ii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 10.05.2023;
(iii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 22.03.2024;
(iv) MNRE's O.M. No. 32/33/2024-SPV Division dated 06.05.2025;

Reference is invited to this Ministry's O.M.s of even no. dated 10.03.2021, regarding implementation of Approved Models and Manufacturers of Solar Photovoltaic Modules (Requirement for Compulsory Registration) Order, 2019 and publishing List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019.

2. This Ministry vide its O.M.s referred at (ii), (iii) & (iv) above, inter-alia, directed that only such models of Solar PV Module Manufacturers will be enlisted under ALMM, which comply with the BIS Standards and are having the following minimum module efficiency:

Category	Application/Use	Minimum Module Efficiency required to be eligible for enlistment in ALMM for solar PV modules	
		For c-Si technology based solar PV modules	For CdTe thin film technology based solar PV modules
Category-I	Utility/Grid Scale Power Plants	20.00%	19.00%
Category-II	Rooftop and Solar Pumping	19.50%	18.50%
Category-III	Off-grid projects/applications like solar lamps, solar lights, solar street lights, solar fans, etc. (other than solar powered agricultural pumps and solar PV rooftops) requiring individual capacity of each solar PV module deployed, to be of less than 200 Watt peak	18.00%	18.00%
		(not to be included in main ALMM List-I but to be included in a separate ALMM list called ALMM List-I (DRE)	
Category-IV	Any other application	19.00%	18.00%

3. Post the aforesaid O.M. dated 10.05.2023 and subsequent O.M.s dated 22.03.2024 and 06.05.2025, only such models of Solar PV Modules have been considered for enlistment under ALMM List-I, whose module efficiency is meeting the eligibility criteria as mentioned in table at para-2 above.

4. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 was last updated on 01.03.2026.

5. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 is hereby further revised and the Revision-XLVIII (*in the format of additions / modifications to Revision-XLVII*) is enclosed at Annexure-I. The last revision no. XLVII dated 01.03.2026 is at pages after Annexure-I.

6. The ALMM enlistment validity is subject to valid BIS Registration; else deemed to be delisted.

7. The details of Registration No. (R. No.) which has been allotted by BIS is mentioned against each manufacturer / manufacturing unit enlisted in ALMM and further details related to BIS certification like validity, models included, etc. may be checked from BIS website by using the following link:
https://www.crsbis.in/BIS/Lims_registrationc.do?hmode=getLimsData

8. This issues with the approval of competent authority.



(Sanjay G. Karndhar)

Scientist-E

E-mail: karndhar.sg@nic.in

Encl: as above

To: All Concerned

Copy to: Director (Technical), NIC, MNRE for uploading this document on MNRE's website

A. Amendments/ Updates in previous lists of ALMM List-I

Name of the following 2 companies have been changed as given: -

1. Name of M/s Oswal Solar Structure Pvt Ltd., has been changed to:
M/s OSWAL SOLAR ENERGY PRIVATE LIMITED.
2. Name of M/s Sun N Sand Exim (India) Pvt. Ltd has been changed to:
M/s SOLARMINT ENERGIES PRIVATE LIMITED.



S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity			
												From	To (subject to valid BIS Registration; else deemed to be delisted)		
					iv	Bifacial G12R TOPCon Module (Glass to Glass)	SS108N505G12R (505 Wp)	SS108N530G12R SS108N525G12R SS108N520G12R SS108N515G12R SS108N510G12R SS108N505G12R SS108N500G12R SS108N495G12R SS108N490G12R SS108N485G12R SS108N480G12R	23.85 23.62 23.40 23.17 22.95 22.72 22.50 22.27 22.05 21.82 21.60	108 (Half Cut Cells)	1500				
4	M/s RAYZON SOLAR LIMITED (Model Addition + Capacity Addition)	BLOCK NO.:172/1, SUB PLOT NO.:02, B/S EMINENT PAPER INDUSTRIES, SAVA, MANGROL, SURAT GUJARAT,India-394120	R-72014702	7913	i	Bifacial N-Type TOPCon Module (Glass to Glass)	RS715132TGC (715 Wp)	RS750132TGC	24.14	132 (Half Cut cell)	1500	22.12.2025	21.12.2029		
								RS745132TGC	23.98						
								RS740132TGC	23.82						
								RS735132TGC	23.66						
								RS730132TGC	23.50						
								RS725132TGC	23.34						
								RS720132TGC	23.18						
								RS715132TGC	23.02						
								RS710132TGC	22.86						
								RS705132TGC	22.70						
								RS700132TGC	22.53						
								RS695132TGC	22.37						
								RS690132TGC	22.21						
								RS685132TGC	22.05						
								RS680132TGC	21.89						
								RS675132TGC	21.73	132 (Half Cut cell)	1500				
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	RS620132TGC (620 Wp)	RS650132TGC	24.08						
								RS645132TGC	23.90						
								RS640132TGC	23.71						
								RS635132TGC	23.53						
								RS630132TGC	23.34						
								RS625132TGC	23.16						
								RS620132TGC	22.97						
								RS615132TGC	22.79						
								RS610132TGC	22.60						
								RS605132TGC	22.42						
								RS600132TGC	22.23						
								RS595132TGC	22.05						
								RS590132TGC	21.86						
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	RS585132TGC (585 Wp)	RS585132TGC	21.68	132 (Half Cut cell)	1500				
5	M/s NOVASYS GREENERGY LIMITED (New Addition in ALMM)	PLOT NO. 59, KH. NO. 178, 179, NAVKAR INDUSTRIAL & LOGISTIC PARK, MAUZA-MAHALGAON, TAH-KAMPTEE, KADOLI, NAGPUR, MAHARASHTRA,India-441202	R-71042080	865	i	Bifacial N-Type TOPCon Module (Glass to Glass)	NSL625TM10RG156 (625 Wp)	NSL600TM10RG156	21.40	156 (Half Cut Cells)	1500	01.05.2026	30.04.2030		
								NSL605TM10RG156	21.57						
								NSL610TM10RG156	21.75						
								NSL615TM10RG156	21.93						
								NSL620TM10RG156	22.11						
								NSL625TM10RG156	22.29						
								NSL630TM10RG156	22.46						
								NSL635TM10RG156	22.64						
								NSL640TM10RG156	22.82						
								NSL645TM10RG156	23.00						
								NSL650TM10RG156	23.18						
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	NSL575TM10RG144 (575 Wp)	NSL550TM10RG144	21.20	144 (Half Cut Cells)	1500				
								NSL555TM10RG144	21.39						
								NSL560TM10RG144	21.58						
								NSL565TM10RG144	21.78						
								NSL570TM10RG144	21.97						
								NSL575TM10RG144	22.16						
								NSL580TM10RG144	22.35						
								NSL585TM10RG144	22.55						
								NSL590TM10RG144	22.74						
								NSL595TM10RG144	22.93						

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity		
												From	To (subject to valid BIS Registration; else deemed to be delisted)	
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	NSL525TM10RG132 (525 Wp)	NSL600TM10RG144	23.13	132 (Half Cut Cells)	1500			
								NSL500TM10RG132	20.98					
								NSL505TM10RG132	21.19					
								NSL510TM10RG132	21.40					
								NSL515TM10RG132	21.61					
								NSL520TM10RG132	21.82					
								NSL525TM10RG132	22.02					
								NSL530TM10RG132	22.23					
								NSL535TM10RG132	22.44					
								NSL540TM10RG132	22.65					
								NSL545TM10RG132	22.86					
								NSL550TM10RG132	23.07					
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	NSL640TG12RG132 (640 Wp)	NSL615TG12RG132	22.77	132 (Half Cut Cells)			1500	
								NSL620TG12RG132	22.95					
								NSL625TG12RG132	23.14					
								NSL630TG12RG132	23.32					
								NSL635TG12RG132	23.51					
								NSL640TG12RG132	23.69					
								NSL645TG12RG132	23.88					
								NSL650TG12RG132	24.06					
								NSL450TM10RG120	20.70	120 (Half Cut Cells)			1500	
								NSL455TM10RG120	20.93					
					vi	Bifacial N-Type TOPCon Module (Glass to Glass)	NSL480TM10RG120 (480 Wp)	NSL460TM10RG120	21.16	120 (Half Cut Cells)			1500	
								NSL465TM10RG120	21.39					
								NSL470TM10RG120	21.62					
								NSL475TM10RG120	21.85					
								NSL480TM10RG120	22.08					
								NSL485TM10RG120	22.31					
								NSL490TM10RG120	22.54					
								NSL495TM10RG120	22.77					
								NSL500TM10RG120	23.00					
								NSL555TG12RG120	22.47	120 (Half Cut Cells)			1500	
					vii	Bifacial N-Type TOPCon Module (Glass to Glass)	NSL570TG12RG120 (570 Wp)	NSL560TG12RG120	22.67					
								NSL565TG12RG120	22.88					
								NSL570TG12RG120	23.08					
								NSL575TG12RG120	23.28					
								NSL580TG12RG120	23.48					
								NSL585TG12RG120	23.69					
								NSL590TG12RG120	23.89					
								NSL405TM10RG108	20.62	108 (Half Cut Cells)			1500	
								NSL405TM10RG108	20.62					
					ix	Bifacial N-Type TOPCon Module (Glass to Glass)	NSL430TM10RG108 (430 Wp))	NSL410TM10RG108	20.87	108 (Half Cut Cells)			1500	
								NSL415TM10RG108	21.13					
								NSL420TM10RG108	21.38					
								NSL425TM10RG108	21.64					
								NSL430TM10RG108	21.89					
								NSL435TM10RG108	22.15					
								NSL440TM10RG108	22.40					
								NSL445TM10RG108	22.66					
								NSL450TM10RG108	22.91					
								NSL500TG12RG108	22.42	108 (Half Cut Cells)			1500	
					x	Bifacial N-Type TOPCon Module (Glass to Glass)	NSL515TG12RG108 (515 Wp)	NSL505TG12RG108	22.64					
								NSL510TG12RG108	22.86					
								NSL515TG12RG108	23.09					
								NSL520TG12RG108	23.31					
								NSL525TG12RG108	23.54					
								NSL530TG12RG108	23.76					
								NSL360TM10RG96	20.52	96 (Half Cut Cells)			1500	
								NSL365TM10RG96	20.81					
					xii	Bifacial N-Type TOPCon Module (Glass to Glass)	NSL385TM10RG96 (385 Wp)	NSL370TM10RG96	21.09	96 (Half Cut Cells)			1500	
								NSL375TM10RG96	21.38					
								NSL380TM10RG96	21.66					
								NSL385TM10RG96	21.95					
								NSL390TM10RG96	22.23					
								NSL395TM10RG96	22.52					

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity			
												From	To (subject to valid BIS Registration; else deemed to be delisted)		
								NSL400TM10RG96	22.80						
					xiii	Bifacial N-Type TOPCon Module (Glass to Glass)	NSL455TG12RG96 (455 Wp)	NSL445TG12RG96	22.36	96 (Half Cut Cells)	1500				
								NSL450TG12RG96	22.61						
								NSL455TG12RG96	22.86						
								NSL460TG12RG96	23.11						
								NSL465TG12RG96	23.36						
					xiv	Bifacial N-Type TOPCon Module (Glass to Glass)	NSL340TM10RG84 (340 Wp)	NSL470TG12RG96	23.62	84 (Half Cut Cells)	1500				
								NSL330TM10RG84	21.38						
								NSL335TM10RG84	21.71						
								NSL340TM10RG84	22.03						
								NSL345TM10RG84	22.35						
					xv	Bifacial N-Type TOPCon Module (Glass to Glass)	NSL400TG12RG84 (400 Wp)	NSL350TM10RG84	22.68	84 (Half Cut Cells)	1500				
								NSL390TG12RG84	22.27						
								NSL395TG12RG84	22.56						
								NSL400TG12RG84	22.85						
								NSL405TG12RG84	23.13						
					xvi	Bifacial N-Type TOPCon Module (Glass to Glass)	NSL295TM10RG72 (295 Wp)	NSL410TG12RG84	23.42	72(Half Cut Cells)	1500				
								NSL285TM10RG72	21.35						
								NSL290TM10RG72	21.73						
								NSL295TM10RG72	22.10						
								NSL300TM10RG72	22.48						
					xvii	Bifacial N-Type TOPCon Module (Glass to Glass)	NSL345TG12RG72 (345 Wp)	NSL335TG12RG72	22.18	72(Half Cut Cells)	1500				
								NSL340TG12RG72	22.51						
								NSL345TG12RG72	22.84						
								NSL350TG12RG72	23.17						
								NSL355TG12RG72	23.50						
					xviii	Bifacial N-Type TOPCon Module (Glass to Glass)	NSL245TM10RG60 (245 Wp)	NSL235TM10RG60	20.93	60(Half Cut Cells)	1500				
								NSL240TM10RG60	21.38						
								NSL245TM10RG60	21.82						
								NSL250TM10RG60	22.27						
								NSL280TG12RG60	22.05						
					xix	Bifacial N-Type TOPCon Module (Glass to Glass)	NSL290TG12RG60 (290 Wp)	NSL285TG12RG60	22.44	60(Half Cut Cells)	1500				
								NSL290TG12RG60	22.83						
								NSL295TG12RG60	23.23						
								NOVA550TG144	21.29					144 (Half Cut Cells)	1500
								xx	Bifacial N-Type TOPCon Module (Glass to Glass)						
					NOVA560TG144	21.68									
					NOVA565TG144	21.87									
					NOVA570TG144	22.07									
					NOVA575TG144	22.26									
					NOVA580TG144	22.45									
					NOVA585TG144	22.65									
					NOVA590TG144	22.84									
					NOVA595TG144	23.03									
					NOVA600TG144	23.23									
					xxi	Bifacial N-Type TOPCon Module (Glass to Glass)	NOVA525TG132 (525 Wp)	NOVA500TG132	20.98	132 (Half Cut Cells)	1500				
								NOVA505TG132	21.19						
								NOVA510TG132	21.40						
								NOVA515TG132	21.61						
								NOVA520TG132	21.82						
								NOVA525TG132	22.02						
								NOVA530TG132	22.23						
								NOVA535TG132	22.44						
								NOVA540TG132	22.65						
								NOVA545TG132	22.86						
					xxii	Bifacial N-Type TOPCon Module (Glass to Glass)	NOVA455TG120 (455Wp)	NOVA550TG132	23.07	120 (Half Cut Cells)	1500				
								NOVA450TG120	20.70						
								NOVA455TG120	20.93						
					xxiii	Bifacial N-Type TOPCon Module (Glass to Glass)	NOVA480TG120 (480 Wp)	NOVA460TG120	21.16	120 (Half Cut Cells)	1500				
								NOVA465TG120	21.39						
								NOVA470TG120	21.62						
								NOVA475TG120	21.85						
								NOVA480TG120	22.08						
								NOVA485TG120	22.31						
								NOVA490TG120	22.54						
								NOVA495TG120	22.77						
								NOVA500TG120	23.00						

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity		
												From	To (subject to valid BIS Registration; else deemed to be delisted)	
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	PIX144HT580 (580 Wp)	PIX156HT620	22.18	144 (Half Cut Cells)	1500			
								PIX156HT615	22.00					
								PIX156HT610	21.82					
					PIX144HT605			23.42						
					PIX144HT600			23.23						
					PIX144HT595			23.03						
					PIX144HT590			22.84						
					PIX144HT585			22.65						
					PIX144HT580			22.45						
					PIX144HT575			22.26						
					PIX144HT570			22.07						
					PIX144HT565			21.87						
					PIX144HT560			21.68						
					PIX144HT555			21.48						
					iv			Bifacial N-Type TOPCon Module (Glass to Glass)	PIX132HT525 (525 Wp)					PIX132HT550
						PIX132HT545	23.01							
						PIX132HT540	22.80							
						PIX132HT535	22.58							
						PIX132HT530	22.37							
						PIX132HT525	22.16							
						PIX132HT520	21.95							
						PIX132HT515	21.74							
						PIX132HT510	21.53							
					PIX132HT505	21.32								
8	M/s LUMINOUS POWER TECHNOLOGIES PVT. LTD (Model Addition + Capacity Addition))	PLOT NO-CP-17 TO CP-22, SECTOR-CITY PARK, LUMINOUS PLANT, P.N.D.T. IIE SIDCUL PANTNAGAR, IIE PANTNAGAR, RUDRAPUR, UDHAM SINGH NAGAR, UTTARAKHAND, 263153	R-83011410	1659	i	Bifacial N-Type TOPCon Module (Glass to Glass)	LUM 625TG132 (625 Wp)	LUM 655TG132	24.25	132 (Half Cut Cells)	1500	24.05.2024	23.05.2028	
								LUM 650TG132	24.06					
								LUM 645TG132	23.88					
								LUM 640TG132	23.69					
								LUM 635TG132	23.51					
								LUM 630TG132	23.32					
								LUM 625TG132	23.14					
								LUM 620TG132	22.95					
								LUM 615TG132	22.77					
								LUM 610TG132	22.58					
								LUM 605TG132	22.40					
								LUM 600TG132	22.21					
								LUM 595TG132	22.03					
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	LUM590TG132 (590 Wp)	LUM590TG132	21.84	132 (Half Cut Cells)	1500			
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	LUM 570TG120 (570 Wp)	LUM 595TG120	24.16	120 Half Cut Cell	1500			
								LUM 590TG120	23.95					
								LUM 585TG120	23.75					
								LUM 580TG120	23.55					
								LUM 575TG120	23.35					
								LUM 570TG120	23.14					
								LUM 565TG120	22.94					
								LUM 560TG120	22.74					
								LUM 555TG120	22.53					
								LUM 550TG120	22.33					
								LUM 545TG120	22.13					
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	LUM 540TG120 (540 Wp)	LUM 540TG120	21.92	120 Half Cut Cell	1500			
					v	Bifacial N-Type TOPCon Module (Glass to Glass)	LUM 510TG108 (510 Wp)	LUM 535TG108	24.06	108 Half Cut Cell	1500			
								LUM 530TG108	23.83					
								LUM 525TG108	23.61					
								LUM 520TG108	23.38					
								LUM 515TG108	23.16					
								LUM 510TG108	22.93					
								LUM 505TG108	22.71					
								LUM 500TG108	22.48					
								LUM 495TG108	22.26					
								LUM 490TG108	22.03					
								LUM 485TG108	21.81					
			R-83011479		vi	Bifacial N-Type TOPCon Module (Glass to Glass)	AMS 625TG132 (625 Wp)	AMS 655TG132	24.25	132 (Half Cut Cells)	1500			
								AMS 650TG132	24.06					
								AMS 645TG132	23.88					
								AMS 640TG132	23.69					
								AMS 635TG132	23.51					
								AMS 630TG132	23.32					
								AMS 625TG132	23.14					
								AMS 620TG132	22.95					

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity						
												From	To (subject to valid BIS Registration; else deemed to be delisted)					
								AMS 615TG132	22.77	132 (Half Cut Cells)	1500							
								AMS 610TG132	22.58									
								AMS 605TG132	22.40									
								AMS 600TG132	22.21									
								AMS 595TG132	22.03									
					vii	Bifacial Bifacial N-Type TOPCon Module (Glass to Glass)	AMS590TG132 (590 Wp)	AMS590TG132	21.84	132 (Half Cut Cells)	1500							
					viii	Bifacial Bifacial N-Type TOPCon Module (Glass to Glass)	AMS 570TG120 (570 Wp)	AMS 595TG120	24.16	120 (Half Cut Cell)	1500							
								AMS 590TG120	23.95									
								AMS 585TG120	23.75									
								AMS 580TG120	23.55									
								AMS 575TG120	23.35									
								AMS 570TG120	23.14									
								AMS 565TG120	22.94									
								AMS 560TG120	22.74									
								AMS 555TG120	22.53									
								AMS 550TG120	22.33									
								AMS 545TG120	22.13									
					ix	Bifacial Bifacial N-Type TOPCon Module (Glass to Glass)	AMS 540TG120 (540 Wp)	AMS 540TG120	21.92	120 (Half Cut Cell)	1500							
					x	Bifacial Bifacial N-Type TOPCon Module (Glass to Glass)	AMS 510TG108 (510 Wp)	AMS 535TG108	24.06	108 Half Cut Cell	1500							
								AMS 530TG108	23.83									
								AMS 525TG108	23.61									
								AMS 520TG108	23.38									
								AMS 515TG108	23.16									
								AMS 510TG108	22.93									
								AMS 505TG108	22.71									
								AMS 500TG108	22.48									
								AMS 495TG108	22.26									
								AMS 490TG108	22.03									
								AMS 485TG108	21.81									
								9	M/s. Tata Power Renewable Energy Limited (Formerly M/s. Tata Power Solar Systems Ltd) (Model Addition)					Sy No. 43P and 44(P), Electronic City,2nd Stage, Consisting Hosur Road,Bangalore-560100, Karnataka	R-62001090	577	i	Mono c-Si PERC Module
TP505VG10	19.70																	
10	M/s Vikram Solar Limited (Model Addition)	SEC-II, FALTA SPECIAL ECONOMIC ZONE, FALTA, DISTRICT: SOUTH 24- PARGANAS, P. S.: RAMNAGAR, P. O.: FALTA S.O., West Bengal , 743504	R-51000566	2893	i	Bifacial N-Type TOPCon Module (Glass to Glass)	HYPER SOL VSMDHB.66.625.05 (625 Wp)	HYPER SOL VSMDHB.66.640.05	23.69	132 (Half Cut Cells)	1500	24.02.2024	23.02.2028					
								HYPER SOL VSMDHB.66.635.05	23.51									
								HYPER SOL VSMDHB.66.630.05	23.32									
								HYPER SOL VSMDHB.66.625.05	23.14									
								HYPER SOL VSMDHB.66.620.05	22.95									
								HYPER SOL VSMDHB.66.615.05	22.77									
								HYPER SOL VSMDHB.66.610.05	22.58									
								HYPER SOL VSMDHB.66.605.05	22.40									
								HYPER SOL VSMDHB.66.600.05	22.21									
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	HYPER SOL VSMDHB.54.510.05 (510 Wp)	HYPER SOL VSMDHB.54.520.05	23.40	108 (Half Cut Cells)	1500							
								HYPER SOL VSMDHB.54.515.05	23.17									
								HYPER SOL VSMDHB.54.510.05	22.95									
								HYPER SOL VSMDHB.54.505.05	22.72									
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	HYPER SOL VSMDHB.48.460.05 (460 Wp)	HYPER SOL VSMDHB.54.500.05	22.50	96 (Half Cut Cells)	1500							
								HYPER SOL VSMDHB.48.465.05	23.27									
								HYPER SOL VSMDHB.48.460.05	23.02									
								HYPER SOL VSMDHB.48.455.05	22.77									
								HYPER SOL VSMDHB.48.450.05	22.52									
								HYPER SOL VSMDH.72.610.05	23.61									
11	M/s Vikram Solar Limited (Model Addition)	PLOT NO: B400, B300B, INDOSPACE INDUSTRIAL PARK, SIPCOT VALLAM VADAGAL, SRIPERUMBUDUR, BOODHANUR, KANCHEEPURAM, TAMIL NADU, INDIA, NA, TAMIL NADU, India - 602105	R-61006980	3358	i	Bifacial N-Type TOPCon Module (Glass to Glass)	HYPER SOL VSMDH.72.595.05 (595 Wp)	HYPER SOL VSMDH.72.605.05	23.42	144 (Half Cut Cells)	1500	01.03.2026	28.02.2030					
								HYPER SOL VSMDH.72.600.05	23.23									
								HYPER SOL VSMDH.72.595.05	23.03									
								HYPER SOL VSMDH.72.590.05	22.84									
								HYPER SOL VSMDH.72.585.05	22.65									
								HYPER SOL VSMDH.72.580.05	22.45									
								HYPER SOL VSMDH.72.575.05	22.26									
								HYPER SOL VSMDH.72.570.05	22.07									
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	HYPER SOL VSMDH.66.545.05 (545 Wp)	HYPER SOL VSMDH.66.550.05	23.15	132 (Half Cut Cells)	1500							
								HYPER SOL VSMDH.66.545.05	22.94									

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity				
												From	To (subject to valid BIS Registration; else deemed to be delisted)			
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	HYPER SOL VSMDH.54.440.05 (440 Wp)	HYPER SOL VSMDH.66.540.05 HYPER SOL VSMDH.54.450.05 HYPER SOL VSMDH.54.445.05 HYPER SOL VSMDH.54.440.05 HYPER SOL VSMDH.54.435.05 HYPER SOL VSMDH.54.430.05 HYPER SOL VSMDH.54.425.05	22.73 23.04 22.79 22.53 22.28 22.02 21.76		108 (Half Cut Cells)	1500				
12	M/s. ORB Energy Private Limited (Model Addition + Capacity Change)	No. 95, Digital Park Road, 2nd Stage, Yeshwanthapura, Bangalore - 560022, Karnataka, India	R-62001708	59	i	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	Orb590T144-15 (590 Wp)	Orb590T144-15	22.87	144(Half Cut Cells)	1500	01.09.2023	31.08.2027			
								Orb585T144-15	22.68							
								Orb580T144-15	22.48							
								Orb575T144-15	22.29							
								Orb570T144-15	22.09							
								Orb540T132-15	22.76							
					ii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	Orb525T132-15 (525 Wp)	Orb535T132-15	22.55							
								Orb530T132-15	22.34							
								Orb525T132-15	22.13							
								Orb520T132-15	21.92							
								Orb515T132-15	21.71							
								Orb510T132-15	21.50							
								Orb505T132-15	21.29							
								Orb500T132-15	21.07							
					iii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	Orb490T120-15 (490 Wp)	Orb490T120-15	22.63							
								Orb485T120-15	22.40							
								Orb480T120-15	22.17							
								Orb475T120-15	21.94							
					iv	Mono c-Si PERC Module (Glass to Backsheet)	Orb540M144-15 (540 Wp)	Orb550M144-15	21.32							
								Orb545M144-15	21.13							
								Orb540M144-15	20.93							
								Orb535M144-15	20.74							
								Orb530M144-15	20.54							
								Orb525M144-15	20.35							
v	Mono c-Si PERC Module (Glass to Backsheet)	Orb505M132-15 (505 Wp)	Orb520M144-15	20.16												
			Orb505M132-15	21.29												
			Orb500M132-15	21.07												
			Orb495M132-15	20.86												
vi	Mono c-Si PERC Module (Glass to Backsheet)	Orb460M120-15 (460 Wp)	Orb490M132-15	20.65												
			Orb460M120-15	21.25												
			Orb455M120-15	21.01												
			Orb450M120-15	20.78												
			Orb445M120-15	20.55												
13	M/s. Nav-Yug Solar LLP (New Addition in ALMM)	C-23/22,23/23,23/24 HOJIWALA INDUSTRIAL ESTATE village-BHATIA, Taluko-Choriyasi, SURAT - 394230, Gujarat, India	R-72011967	146	i	Bifacial Mono c-Si PERC Module (Glass to Glass)	NY144H525MG (525 Wp)	NY144H545MG	21.12	144 (Half Cut Cells)	1500	01.05.2026	30.04.2030			
								NY144H540MG	20.92							
								NY144H535MG	20.73							
								NY144H530MG	20.53							
								NY144H525MG	20.34							
								NY144H520MG	20.15							
								NY144H515MG	19.95							
								NY144H510MG	19.76							
								NY144H505MG	19.57							
								ii	Bifacial Mono c-Si PERC Module (Glass to Glass)					NY132H485MG (485Wp)	NY132H500MG	21.06
															NY132H495MG	20.85
															NY132H490MG	20.64
					NY132H485MG	20.43										
					NY132H480MG	20.22										
					NY132H475MG	20.01										
					iii	Bifacial Mono c-Si PERC Module (Glass to Glass)	NY120H440MG (440 Wp)	NY132H470MG	19.80							
								NY132H465MG	19.59							
								NY120H460MG	21.23							
								NY120H455MG	21.00							
								NY120H450MG	20.77							
								NY120H445MG	20.54							
								NY120H440MG	20.31							
								NY120H435MG	20.08							
					iv	Bifacial Mono c-Si PERC Module (Glass to Glass)	NY108H400MG (400 Wp)	NY120H430MG	19.85							
NY120H425MG	19.62															
NY120H420MG	19.39															
NY108H410MG	20.97															
NY108H405MG	20.71															
NY108H400MG	20.45															

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					v	Bifacial Mono c-Si PERC Module (Glass to Glass)	NY108H380MG (380 Wp)	NY108H390MG	19.94	108 (Half Cut Cells)	1500		
								NY108H385MG	19.69				
								NY108H380MG	19.43				
								NY108H375MG	19.18				
					vi	Bifacial Mono c-Si PERC Module (Glass to Glass)	NY96H345MG (345 WP)	NY96H360MG	20.62	96 (Half Cut Cells)	1500		
								NY96H355MG	20.33				
								NY96H350MG	20.05				
								NY96H345MG	19.76				
								NY96H340MG	19.47				
								NY96H335MG	19.19				
14	M/s. Mundra Solar PV Limited (Model Addition + Capacity Addition)	Survey no 180 P, Co Mundra Solar Technopark Pvt. Ltd, Electronics Manufacturing Cluster EMC, Village Vandh and Tunda , Mundra , Kutch , Adani Ports and Special Economic Zone, Kachchh, Gujarat, 370435	R-72008532	2449	i	Bifacial N Type- TOPCon (Glass to Glass)	AB-G12R-132-640 (640 Wp)	AB-G12R-132-640	23.71	132 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								AB-G12R-132-635	23.53				
								AB-G12R-132-630	23.34				
15	M/s REDREN ENERGY PVT. LTD. (Model Addition + Capacity Addition)	SURVEY NO. 154/1, NATIONAL HIGHWAY NO-27, VILLAGE: JALIDA, TALUKA WANKANER, DISTRICT: MORBI, GUJARAT- 363621	R-72001775	1684	i	Bifacial N-Type TOPCon Module (Glass to Glass)	RSG12RTC132-615 (615 Wp)	RSG12RTC132-635	23.51	132 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSG12RTC132-630	23.32				
								RSG12RTC132-625	23.14				
								RSG12RTC132-620	22.95				
								RSG12RTC132-615	22.77				
								RSG12RTC132-610	22.58				
								RSG12RTC132-605	22.40				
								RSG12RTC132-600	22.21				
								RSG12RTC132-595	22.03				
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	RSG12RTC132-585 (585 Wp)	RSG12RTC132-590	21.84	132 (Half Cut Cells)	1500		
								RSG12RTC132-585	21.66				
								RSG12RTC132-580	21.47				
								RSG12RTC132-575	21.29				
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	RSG12RTC120-560 (560 Wp)	RSG12RTC120-575	23.37	120 (Half Cut Cells)	1500		
								RSG12RTC120-570	23.16				
								RSG12RTC120-565	22.96				
								RSG12RTC120-560	22.76				
								RSG12RTC120-555	22.55				
								RSG12RTC120-550	22.35				
								RSG12RTC120-545	22.15				
								RSG12RTC120-540	21.94				
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	RSG12RTC120-530 (530 Wp)	RSG12RTC120-535	21.74	120 (Half Cut Cells)	1500		
								RSG12RTC120-530	21.54				
								RSG12RTC120-525	21.33				
								RSG12RTC120-520	21.13				
					v	Bifacial N-Type TOPCon Module (Glass to Glass)	RSG12RTC108-505 (505 Wp)	RSG12RTC108-520	23.42	108 (Half Cut Cells)	1500		
								RSG12RTC108-515	23.19				
								RSG12RTC108-510	22.97				
								RSG12RTC108-505	22.74				
								RSG12RTC108-500	22.52				
								RSG12RTC108-495	22.29				
								RSG12RTC108-490	22.07				
								RSG12RTC108-485	21.84				
					vi	Bifacial N-Type TOPCon Module (Glass to Glass)	RSG12RTC108-475 (475 Wp)	RSG12RTC108-480	21.62	108 (Half Cut Cells)	1500		
								RSG12RTC108-475	21.39				
								RSG12RTC108-470	21.17				
					vii	Bifacial N-Type TOPCon Module (Glass to Glass)	RSG12RTC96-440 (440 Wp)	RSG12RTC96-460	23.23	96 (Half Cut Cells)	1500		
								RSG12RTC96-455	22.98				
								RSG12RTC96-450	22.73				
								RSG12RTC96-445	22.48				
								RSG12RTC96-440	22.22				
								RSG12RTC96-435	21.97				
								RSG12RTC96-430	21.72				
								RSG12RTC96-425	21.47				
								RSG12RTC96-420	21.21				
					viii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RSM10MP-156HCBF590 (590 Wp)	RSM10MP-156HCBF610	21.84	156 (Half Cut Cells)	1500		
								RSM10MP-156HCBF605	21.66				
								RSM10MP-156HCBF600	21.48				
								RSM10MP-156HCBF595	21.30				
								RSM10MP-156HCBF590	21.12				
								RSM10MP-156HCBF585	20.94				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity									
												From	To (subject to valid BIS Registration; else deemed to be delisted)								
								IFGTGNDR0000560	21.68												
								IFGTGNDR0000555	21.48												
18	M/s TP Solar Limited (Model Addition + Capacity Addition)	PLOT NO. A109, NEAR ELCOT ROAD, TP SOLAR LIMITED, SIPCOT ROAD AND OSR PARK GANGAIKONDAN ROAD, SIPCOT INDUSTRIAL PARK, GANGAIKONDAN INDUSTRIAL PARK, TIRUNELVELI, TAMIL NADU, India-627352	R-61004146	5072	i	Bifacial N-Type TOPCon Module (Glass to Glass)	TP600VG12R16NB (600 Wp)	TP590VG12R16NB	21.82	132 (Half Cut Cells)	1500	22.03.2024	21.03.2028								
								TP595VG12R16NB	22.01												
								TP600VG12R16NB	22.19												
								TP605VG12R16NB	22.38												
								TP610VG12R16NB	22.56												
								TP615VG12R16NB	22.75												
19	M/s WAAREE ENERGIES LIMITED (Model Addition)	Sr. No. 1934,1939,1941,1942, NH 48, Degam, Chikhli, Navsari, Gujarat, 396530, India	R-72005533	16444	i	Bifacial N-Type TOPCon Module (Glass to Glass)	BIN-08-530 (530 Wp)	BIN-08-505	19.55	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028								
								BIN-08-510	19.74												
								BIN-08-515	19.94												
								BIN-08-520	20.13												
								BIN-08-525	20.32												
								BIN-08-530	20.52												
								BIN-08-535	20.71												
								BIN-08-540	20.90												
								BIN-08-545	21.10												
								BIN-08-550	21.29												
								BIN-08-555	21.48												
								HYPERSOL VSMDBH.72.610.05	23.61					144 (Half Cut Cells)	1500	24.02.2024	23.02.2028				
								HYPERSOL VSMDBH.72.605.05	23.42												
								HYPERSOL VSMDBH.72.600.05	23.23												
HYPERSOL VSMDBH.72.595.05	23.03																				
HYPERSOL VSMDBH.72.590.05	22.84																				
HYPERSOL VSMDBH.72.585.05	22.65																				
HYPERSOL VSMDBH.72.580.05	22.45																				
HYPERSOL VSMDBH.72.575.05	22.26																				
HYPERSOL VSMDBH.72.570.05	22.07																				
HYPERSOL VSMDBH.66.550.05	23.15	132 (Half Cut Cells)	1500																		
HYPERSOL VSMDBH.66.545.05	22.94																				
HYPERSOL VSMDBH.66.540.05	22.73																				
								HYPERSOL VSMDBH.54.450.05	23.04	108 (Half Cut Cells)	1500										
								HYPERSOL VSMDBH.54.445.05	22.79												
								HYPERSOL VSMDBH.54.440.05	22.53												
								HYPERSOL VSMDBH.54.435.05	22.28												
								HYPERSOL VSMDBH.54.430.05	22.02												
								HYPERSOL VSMDBH.54.425.05	21.76												
								21	M/s Reliance Industries Ltd. (Model Addition + Capacity addition)	At Navagam via Khodiyar Colony, 1, Navagam/Kanachhikari, GSFC Reliance Complex, Jamnagar, Gujarat	R-72011452	5201	i	Bifacial Heterojunction Monocrystalline Silicon (HJT) Module (Glass to Glass)	RNE730AA-66-BGG(730 Wp)	RNE740AA-66-BGG	23.77	132 (Half Cut Cells)	1500	05.06.2025	04.06.2029
																RNE735AA-66-BGG	23.61				
																RNE730AA-66-BGG	23.44				
																RNE725AA-66-BGG	23.28				

Note: In case of model inclusion or capacity addition / change, through revision in ALMM List, the capacity mentioned against any manufacturing unit, as appearing in the said Revision to the ALMM List, shall be the ALMM enlisted manufacturing capacity for that manufacturing unit (from the date of the said revision), and the capacity enlisted for that manufacturing unit should not be interpreted as Sum of (enlisted capacity for that manufacturing unit in previous ALMM list/ previous revision to ALMM List) and (enlisted capacity in the present revision)

F. No. 283/41/2024-GRID SOLAR

भारत सरकार / Government of India

नवीन और नवीकरणीय ऊर्जा मंत्रालय / Ministry of New & Renewable Energy

ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003.

Dated: 1st March 2026

OFFICE MEMORANDUM

Sub: Updation of List I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 – Reg.

- Ref:** (i) MNRE's O.M. No. 283/54/2018-GRID SOLAR–Part(1) dated 10.03.2021
(ii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 10.05.2023;
(iii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 22.03.2024;
(iv) MNRE's O.M. No. 32/33/2024-SPV Division dated 06.05.2025;

Reference is invited to this Ministry's O.M.s of even no. dated 10.03.2021, regarding implementation of Approved Models and Manufacturers of Solar Photovoltaic Modules (Requirement for Compulsory Registration) Order, 2019 and publishing List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019.

2. This Ministry vide its O.M.s referred at (ii), (iii) & (iv) above, inter-alia, directed that only such models of Solar PV Module Manufacturers will be enlisted under ALMM, which comply with the BIS Standards and are having the following minimum module efficiency:

Category	Application/Use	Minimum Module Efficiency required to be eligible for enlistment in ALMM for solar PV modules	
		For c-Si technology based solar PV modules	For CdTe thin film technology based solar PV modules
Category-I	Utility/Grid Scale Power Plants	20.00%	19.00%
Category-II	Rooftop and Solar Pumping	19.50%	18.50%
Category-III	Off-grid projects/applications like solar lamps, solar lights, solar street lights, solar fans, etc. (other than solar powered agricultural pumps and solar PV rooftops) requiring individual capacity of each solar PV module deployed, to be of less than 200 Watt peak	18.00%	18.00%
		(not to be included in main ALMM List-I but to be included in a separate ALMM list called ALMM List-I (DRE)	
Category-IV	Any other application	19.00%	18.00%

3. Post the aforesaid O.M. dated 10.05.2023 and subsequent O.M.s dated 22.03.2024 and 06.05.2025, only such models of Solar PV Modules have been considered for enlistment under ALMM List-I, whose module efficiency is meeting the eligibility criteria as mentioned in table at para-2 above.

4. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 was last updated on 07.02.2026.

5. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 is hereby further revised and the Revision-XLVII (*in the format of additions / modifications to Revision-XLVI*) is enclosed at Annexure-I. The last revision no. XLVI dated 07.02.2026 is at pages after Annexure-I.

6. The ALMM enlistment validity is subject to valid BIS Registration; else deemed to be delisted.

7. The details of Registration No. (R. No.) which has been allotted by BIS is mentioned against each manufacturer / manufacturing unit enlisted in ALMM and further details related to BIS certification like validity, models included, etc. may be checked from BIS website by using the following link:
https://www.crsbis.in/BIS/Lims_registrationc.do?hmode=getLimsData

8. This issues with the approval of competent authority.



(Sanjay G. Karndhar)

Scientist-E

E-mail: karndhar.sg@nic.in

Encl: as above

To: All Concerned

Copy to: Director (Technical), NIC, MNRE for uploading this document on MNRE's website

New additions on 01/03/2026 in the List of Manufacturers and Models of Solar PV Modules Enlisted under ALMM Order																		
S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity						
												From	To (subject to valid BIS Registration; else deemed to be delisted)					
1	M/s Startup Energy Private Limited (New Addition in ALMM)	SP1-1, STARTUP ENERGY PRIVATE LIMITED, TAPUKARA EXTN, INDUSTRIAL AREA, KAROLI, BHIWADI, KHAIRTHAL TIJARA, RAJASTHAN, 301707	R-84005800	1034	i	Bifacial N-Type TOPCon Module (Glass to Glass)	MMXG12R132N610 (610 Wp)	MMXG12R132N635	23.49	132 (Half Cut Cells)	1500	01.03.2026	28.02.2030					
								MMXG12R132N630	23.30									
								MMXG12R132N625	23.12									
								MMXG12R132N620	22.93									
								MMXG12R132N615	22.75									
								MMXG12R132N610	22.56									
								MMXG12R132N605	22.38									
								MMXG12R132N600	22.19									
								MMXG12R132N595	22.01									
								MMXG12R132N590	21.82									
								MMXG12R132N585	21.64									
								ii	Bifacial N-Type TOPCon Module (Glass to Glass)					MMXG12R120N555 (555 Wp)	MMXG12R120N580	23.55	120 (Half Cut Cells)	1500
					MMXG12R120N575	23.35												
					MMXG12R120N570	23.14												
					MMXG12R120N565	22.94												
					MMXG12R120N560	22.74												
					MMXG12R120N555	22.53												
					MMXG12R120N550	22.33												
					MMXG12R120N545	22.13												
					MMXG12R120N540	21.92												
					MMXG12R120N535	21.72												
					MMXG12R120N530	21.52												
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	MMXG12R120N525 (525 Wp)	MMXG12R120N525	21.32	120 (Half Cut Cells)	1500							
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	MMXG12R108N500 (500 Wp)	MMXG12R108N520	23.40	108 (Half Cut Cells)	1500							
								MMXG12R108N515	23.17									
								MMXG12R108N510	22.95									
								MMXG12R108N505	22.72									
								MMXG12R108N500	22.50									
								MMXG12R108N495	22.27									
								MMXG12R108N490	22.05									
								MMXG12R108N485	21.82									
								MMXG12R108N480	21.60									
								MMXG12R108N475	21.37									
					v	Bifacial N-Type TOPCon Module (Glass to Glass)	MMXG12R108N470 (470 Wp)	MMXG12R108N470	21.15	108 (Half Cut Cells)	1500							
2	M/s Insolation Green Energy Pvt. Ltd. Jaipur (Rajasthan) (Capacity Addition)	KHASRA NO. 4205/3454, 4207/3460, 3447-3452, 4383/3458, 3488-3498, 3500-3509, 3511, VILLAGE - SAWARDA, TEH - MAUZAMABAD, DUDU, RAJASTHAN, India-303348	R-84005622	4282	i	Bifacial N-Type TOPCon Module (Glass to Glass)	INA-156THC-GGF-625	INA-156THC-GGF-650	23.25	156 (Half Cut Cells)	1500	13.10.2025	12.10.2029					
								INA-156THC-GGF-645	23.07									
								INA-156THC-GGF-640	22.90									
								INA-156THC-GGF-635	22.72									
								INA-156THC-GGF-630	22.54									
								INA-156THC-GGF-625	22.36									
								INA-156THC-GGF-620	22.18									
								INA-156THC-GGF-615	22.00									
								INA-156THC-GGF-610	21.82									
								INA-156THC-GGF-605	21.64									
								ii	Bifacial N-Type TOPCon Module (Glass to Glass)					INA-144THC-GGF-575	INA-144THC-GGF-600	23.23	144 (Half Cut Cells)	1500
															INA-144THC-GGF-595	23.03		
					INA-144THC-GGF-590	22.84												
					INA-144THC-GGF-585	22.65												
					INA-144THC-GGF-580	22.45												
					INA-144THC-GGF-575	22.26												
					INA-144THC-GGF-570	22.07												

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity						
												From	To (subject to valid BIS Registration; else deemed to be delisted)					
								INA-144THC-GGF-565	21.87									
								INA-144THC-GGF-560	21.68									
								INA-144THC-GGF-555	21.48									
								INA-144THC-GGF-550	21.29									
								INA-132THC-GGF-540	22.73									
					INA-132THC-GGF-535	22.52												
					INA-132THC-GGF-530	22.31												
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	INA-132THC-GGF-525	INA-132THC-GGF-525	22.10	132 (Half Cut Cells)	1500							
								INA-132THC-GGF-520	21.89									
								INA-132THC-GGF-500	21.05									
								iv	Bifacial N-Type TOPCon Module (Glass to Glass)					INA-120THC-GGF-500	INA-120THC-GGF-500	23.02	120 (Half Cut Cells)	1500
								v	Bifacial N-Type TOPCon Module (Glass to Glass)					INA-108THC-GGF-450	INA-108THC-GGF-450	22.94	108 (Half Cut Cells)	1500
					vi	Bifacial N-Type TOPCon Module (Glass to Glass)	INA132T210RGGF615	INA132T210RGGF635	23.51	132 (Half Cut Cells)	1500							
								INA132T210RGGF630	23.32									
								INA132T210RGGF625	23.14									
								INA132T210RGGF620	22.95									
								INA132T210RGGF615	22.77									
								INA132T210RGGF610	22.58									
								INA132T210RGGF605	22.40									
								INA132T210RGGF600	22.21									
3	M/s Rajdeep Solar Energy Pvt. Limited (New Addition in ALMM)	Survey no. 432, Moti Chiral, Block 1, on National Highway, Bhachau-370140, Gujarat, Kachchh, Gujarat, India - 370140	R-72012270	194	i	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RS10-M10-144-545 (545 Wp)	RS10-M10-144-555	21.48	144 (Half Cut Cells)	1500	01.03.2026	28.02.2030					
								RS10-M10-144-550	21.29									
								RS10-M10-144-545	21.10									
								RS10-M10-144-540	20.90									
								RS10-M10-144-535	20.71									
								RS10-M10-144-530	20.52									
4	M/s Swelect HHV Solar Photovoltaics Private Limited (Model Addition + Capacity Addition)	No. 169,166, Sembagoundan Pudur, Kuppeplayam Village, Coimbatore, Coimbatore North Taluk, Coimbatore District, Tamil Nadu -641107	R-61003433	853	i	Bifacial N-Type TOPCon Module (Glass to Glass)	SWT35BG4595 (595 Wp)	SWT35BG4620	22.95	132 (Half Cut Cells)	1500	31.05.2023	30.05.2027					
								SWT35BG4615	22.77									
								SWT35BG4610	22.58									
								SWT35BG4605	22.40									
								SWT35BG4600	22.21									
								SWT35BG4595	22.03									
								SWT35BG4590	21.84									
								SWT35BG4585	21.66									
								SWT35BG4580	21.47									
								SWT35BG4575	21.29									
								SWT35BG4570	21.10									
5	M/s Vikram Solar Limited (New Addition in ALMM)	PLOT NO: B400, B300B, INDOSPACE INDUSTRIAL PARK, SIPCOT VALLAM VADAGAL, SRIPERUMBUDUR, BOODHANUR, KANCHEEPURAM, TAMIL NADU, INDIA, NA, TAMIL NADU, India - 602105	R-61006980	3358	i	Bifacial N-Type TOPCon Module (Glass to Glass)	HYPER SOL VSM DH.66.630.05 (630 Wp)	HYPER SOL VSM DH.66.640.05	23.69	132 (Half Cut Cells)	1500	01.03.2026	28.02.2030					
								HYPER SOL VSM DH.66.635.05	23.51									
								HYPER SOL VSM DH.66.630.05	23.32									
								HYPER SOL VSM DH.66.625.05	23.14									
								HYPER SOL VSM DH.66.620.05	22.95									
								HYPER SOL VSM DH.66.615.05	22.77									
								HYPER SOL VSM DH.66.610.05	22.58									
								HYPER SOL VSM DH.66.605.05	22.40									
								HYPER SOL VSM DH.66.600.05	22.21									
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	HYPER SOL VSM DH.60.570.05 (570 Wp)	HYPER SOL VSM DH.60.580.05	23.55	120 (Half Cut Cells)	1500							
								HYPER SOL VSM DH.60.575.05	23.35									
								HYPER SOL VSM DH.60.570.05	23.14									
					iii	Bifacial N-Type TOPCon Module	HYPER SOL VSM DH.60.570.05 (570 Wp)	HYPER SOL VSM DH.60.565.05	22.94	108 (Half Cut Cells)	1500							
								HYPER SOL VSM DH.54.520.05	23.40									
								HYPER SOL VSM DH.54.515.05	23.17									

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
						(Glass to Glass)		HYPER SOL VSMDH.54.510.05	22.95				
								HYPER SOL VSMDH.54.505.05	22.72				
								HYPER SOL VSMDH.54.500.05	22.50				
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	HYPER SOL VSMDH.48.440.05 (440 Wp)	HYPER SOL VSMDH.48.465.05	23.27	96 (Half Cut Cells)	1500		
								HYPER SOL VSMDH.48.460.05	23.02				
								HYPER SOL VSMDH.48.455.05	22.77				
								HYPER SOL VSMDH.48.450.05	22.52				
6	M/s NITHIN SAI RENEWABLES PRIVATE LIMITED (Model Addition + Capacity Addition)	PLOT NO 75-A, 2ND PHASE, KIADB-INDUSTRIAL AREA, CHINTAMANI TALUK, MASTENAHALLI INDUSTRIAL AREA, CHIKKABALLAPUR, KARNATAKA,India-563128	R-62005509	691	i	Bifacial N-Type TOPCon Module (Glass to Glass)	NS-N16-144HG-580 (580 Wp)	NS-N16-144HG-590	22.84	144 (Half Cut Cell)	1500	30.06.2025	29.06.2029
								NS-N16-144HG-585	22.65				
								NS-N16-144HG-580	22.45				
								NS-N16-144HG-575	22.26				
								NS-N16-144HG-570	22.07				
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	NS-N16-132HG-535 (535 Wp)	NS-N16-132HG-540	22.65	132 (Half Cut Cell)	1500		
								NS-N16-132HG-535	22.44				
								NS-N16-132HG-530	22.23				
								NS-N16-132HG-525	22.02				
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	NS-N16-120HG-480 (480 Wp)	NS-N16-120HG-490	22.54	120 (Half Cut Cell)	1500		
								NS-N16-120HG-485	22.31				
								NS-N16-120HG-480	22.08				
								NS-N16-120HG-475	21.85				
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	NS-N16-108HG-435 (435 Wp)	NS-N16-108HG-440	22.40	108 (Half Cut Cell)	1500		
								NS-N16-108HG-435	22.15				
								NS-N16-108HG-430	21.89				
					v	Bifacial N-Type TOPCon Module (Glass to Glass)	NS-N16-96HG-385 (385 Wp)	NS-N16-96HG-390	22.23	96 (Half Cut Cell)	1500		
								NS-N16-96HG-385	21.95				
								NS-N16-96HG-380	21.66				
					vi	Bifacial N-Type TOPCon Module (Glass to Glass)	NS-N16-84HG-340 (340 Wp)	NS-N16-84HG-340	22.03	84 (Half Cut Cell)	1500		
								NS-N16-84HG-335	21.71				
					vii	Bifacial N-Type TOPCon Module (Glass to Glass)	NS-N16-72HG-295 (295 Wp)	NS-N16-72HG-295	22.10	72 (Half Cut Cell)	1500		
								NS-N16-72HG-290	21.73				
								NS-N16-72HG-285	21.35				
					viii	Bifacial Mono c-Si PERC Module (Glass to Glass)	NS-P10-144HG-525 (525 Wp)	NS-P10-144HG-550	21.29	144 (Half Cut Cell)	1500		
								NS-P10-144HG-545	21.10				
								NS-P10-144HG-540	20.90				
								NS-P10-144HG-535	20.71				
								NS-P10-144HG-530	20.52				
								NS-P10-144HG-525	20.32				
								NS-P10-144HG-520	20.13				
								NS-P10-144HG-515	19.94				
								NS-P10-144HG-510	19.74				
								NS-P10-144HG-500	19.36				
								ix	Bifacial N-Type TOPCon Module (Glass to Glass)				
					NS-N16-132HG-630	23.32							
					NS-N16-132HG-625	23.14							
					NS-N16-132HG-620	22.95							
					NS-N16-132HG-615	22.77							
					NS-N16-132HG-610	22.58							
					x	Bifacial N-Type TOPCon Module (Glass to Glass)	NS-N16-120HG-565 (565 Wp)	NS-N16-120HG-575	23.28	120 (Half Cut Cell)	1500		
								NS-N16-120HG-570	23.08				
								NS-N16-120HG-565	22.88				
								NS-N16-120HG-560	22.67				
								NS-N16-120HG-555	22.47				
					xi	Bifacial N-Type TOPCon Module (Glass to Glass)	NS-N16-108HG-515 (515 Wp)	NS-N16-108HG-520	23.31	108 (Half Cut Cell)	1500		
								NS-N16-108HG-515	23.09				
NS-N16-108HG-510	22.86												

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity													
												From	To (subject to valid BIS Registration; else deemed to be delisted)												
					xii	Bifacial N-Type TOPCon Module (Glass to Glass)	NS-N16-96HG-455 (455 Wp)	NS-N16-108HG-505	22.64	96 (Half Cut Cell)	1500														
								NS-N16-108HG-500	22.42																
								NS-N16-96HG-460	23.11																
								NS-N16-96HG-455	22.86																
								NS-N16-96HG-450	22.61																
								NS-N16-96HG-445	22.36																
					xiii	Bifacial N-Type TOPCon Module (Glass to Glass)	NS-N16-84HG-400 (400 Wp)	NS-N16-84HG-405	23.13	84 (Half Cut Cell)	1500														
								NS-N16-84HG-400	22.85																
								NS-N16-84HG-395	22.56																
								NS-N16-84HG-390	22.27																
								xiv	Bifacial N-Type TOPCon Module (Glass to Glass)					NS-N16-72HG-340 (340 Wp)	NS-N16-72HG-345	22.84	72 (Half Cut Cell)	1500							
															NS-N16-72HG-340	22.51									
					NS-N16-72HG-335	22.18																			
					7	M/s ARMY SOLAR ENERGY PRIVATE LIMITED (New Addition in ALMM)	NEW BLOCK NO.119, MOLVAN KARANJ, MOLVAN PANETHA ROAD, SURAT, GUJARAT - 394110 India			R-72013790	622				i	Bifacial N-Type TOPCon Module (Glass to Glass)			AS-144TG-590 (590 Wp)	AS-144TG-600	23.24	144 (Half Cut Cells)	1500	01.03.2026	28.02.2030
																				AS-144TG-595	23.04				
																				AS-144TG-590	22.85				
								AS-144TG-585	22.66																
								AS-144TG-580	22.43																
AS-144TG-575	22.25																								
AS-144TG-570	22.07																								
ii	Bifacial N-Type TOPCon Module (Glass to Glass)	AS-144TG-555 (555 Wp)	AS-144TG-565	21.88				144 (Half Cut Cells)	1500																
			AS-144TG-560	21.70																					
			AS-144TG-555	21.49																					
			AS-144TG-550	21.31																					
			AS-144TG-545	21.11																					
			AS-144TG-540	20.92																					
iii	Bifacial N-Type TOPCon Module (Glass to Glass)	AS-132TG-510 (510 Wp)	AS-132TG-535	22.57				132 (Half Cut Cells)	1500																
			AS-132TG-530	22.35																					
			AS-132TG-525	22.12																					
			AS-132TG-520	21.93																					
			AS-132TG-515	21.70																					
			AS-132TG-510	21.52																					
			AS-132TG-505	21.31																					
			AS-132TG-500	21.08																					
iv	Bifacial N-Type TOPCon Module (Glass to Glass)	AS-120TG-465 (465 Wp)	AS-132TG-495	20.87	120 (Half Cut Cells)	1500																			
			AS-132TG-490	20.66																					
			AS-120TG-485	22.43																					
			AS-120TG-480	22.18																					
			AS-120TG-475	21.98																					
			AS-120TG-470	21.72																					
			AS-120TG-465	21.50																					
			AS-120TG-460	21.27																					
			AS-120TG-450	20.81																					
			AS-120TG-445	20.56																					
8	M/s. Solex Energy Limited (Capacity Addition)	Plot No 1A, Block 938, Tadkeshwar, Kim Mandvi Road, Mandvi, Surat - 394110, Gujarat	R-72008125	3782	i	Bifacial N- type Topcon Module (Glass to Glass)	STGP132R210B16-600 (600 Wp)	AS-120TG-440	20.32	132 (Half Cut Cells)	1500	01.09.2023	31.08.2027												
								STGP132R210B16-625	23.14																
								STGP132R210B16-620	22.95																
								STGP132R210B16-615	22.77																
								STGP132R210B16-610	22.58																
								STGP132R210B16-605	22.40																
								STGP132R210B16-600	22.21																
								STGP132R210B16-595	22.03																
								STGP132R210B16-590	21.84																
								STGP132R210B16-585	21.66																
								STGP132R210B16-580	21.47																
								STGP132R210B16-575	21.29																

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					ii	Bifacial N- type Topcon Module (Glass to Glass)	STGP120R210B16-540 (540 Wp)	STGP132R210B16-570	21.10	120 (Half Cut Cells)	1500		
								STGP120R210B16-565	22.94				
								STGP120R210B16-560	22.74				
								STGP120R210B16-555	22.53				
								STGP120R210B16-550	22.33				
								STGP120R210B16-545	22.13				
								STGP120R210B16-540	21.92				
								STGP120R210B16-535	21.72				
								STGP120R210B16-530	21.52				
								STGP120R210B16-525	21.32				
								STGP120R210B16-520	21.11				
								STGP120R210B16-515	20.91				
					iii	Bifacial N- type Topcon Module (Glass to Glass)	STGP108R210B16-490 (490 Wp)	STGP108R210B16-510	22.92	108 (Half Cut Cells)	1500		
								STGP108R210B16-505	22.70				
								STGP108R210B16-500	22.47				
								STGP108R210B16-495	22.25				
								STGP108R210B16-490	22.02				
								STGP108R210B16-485	21.80				
								STGP108R210B16-480	21.57				
								STGP108R210B16-475	21.35				
								STGP108R210B16-470	21.12				
					iv	Bifacial N- type Topcon Module (Glass to Glass)	STGP96R210B16-430 (430 Wp)	STGP96R210B16-450	22.65	96 (Half Cut Cells)	1500		
								STGP96R210B16-445	22.40				
								STGP96R210B16-440	22.15				
								STGP96R210B16-435	21.89				
								STGP96R210B16-430	21.64				
								STGP96R210B16-425	21.39				
								STGP96R210B16-420	21.14				
								STGP96R210B16-415	20.89				
								STGP96R210B16-410	20.64				
					v	Bifacial N- type Topcon Module (Glass to Glass)	STGP84R210B16-380 (380 Wp)	STGP84R210B16-395	22.59	84 (Half Cut Cells)	1500		
								STGP84R210B16-390	22.30				
								STGP84R210B16-385	22.02				
								STGP84R210B16-380	21.73				
								STGP84R210B16-375	21.45				
								STGP84R210B16-370	21.16				
								STGP84R210B16-365	20.87				
					vi	Bifacial N- type Topcon Module (Glass to Glass)	STGP72R210B16-325 (325 Wp)	STGP72R210B16-340	22.51	72 (Half Cut Cells)	1500		
								STGP72R210B16-335	22.18				
								STGP72R210B16-330	21.85				
								STGP72R210B16-325	21.52				
								STGP72R210B16-320	21.19				
								STGP72R210B16-315	20.85				
								STGP72R210B16-310	20.52				
					vii	Bifacial N- type Topcon Module (Glass to Glass)	LR8-SMF-66HGD-610M (610 Wp)	LR8-SMF-66HGD-625M	23.14	132 (Half Cut Cells)	1500		
								LR8-SMF-66HGD-620M	22.95				
								LR8-SMF-66HGD-615M	22.77				
								LR8-SMF-66HGD-610M	22.58				
								LR8-SMF-66HGD-605M	22.40				
								LR8-SMF-66HGD-600M	22.21				
								LR8-SMF-66HGD-595M	22.03				
					viii	Bifacial N- type Topcon Module (Glass to Glass)	STGP144M10B16-585 (585 Wp)	STGP144M10B16-610	23.61	144 (Half Cut Cells)	1500		
								STGP144M10B16-605	23.42				
								STGP144M10B16-600	23.23				
								STGP144M10B16-595	23.03				
								STGP144M10B16-590	22.84				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								STGP144M10B16-585	22.65	132 (Half Cut Cells)	1500		
								STGP144M10B16-580	22.45				
								STGP144M10B16-575	22.26				
								STGP144M10B16-570	22.07				
								STGP144M10B16-565	21.87				
								STGP144M10B16-560	21.68				
					ix	Bifacial N- type Topcon Module (Glass to Glass)	STGP132M10B16-515 (515 Wp)	STGP132M10B16-535	22.54	120 (Half Cut Cells)	1500		
								STGP132M10B16-530	22.33				
								STGP132M10B16-525	22.12				
								STGP132M10B16-520	21.91				
								STGP132M10B16-515	21.70				
								STGP132M10B16-510	21.49				
								STGP132M10B16-505	21.28				
								STGP132M10B16-500	21.07				
								STGP132M10B16-495	20.86				
								STGP132M10B16-490	20.64				
					x	Bifacial N- type Topcon Module (Glass to Glass)	STGP120M10B16-465 (465 Wp)	STGP120M10B16-485	22.36	120 (Half Cut Cells)	1500		
								STGP120M10B16-480	22.13				
								STGP120M10B16-475	21.90				
								STGP120M10B16-470	21.67				
								STGP120M10B16-465	21.44				
								STGP120M10B16-460	21.20				
								STGP120M10B16-455	20.97				
								STGP120M10B16-450	20.74				
								STGP120M10B16-445	20.51				
					xi	Bifacial N- type Topcon Module (Glass to Glass)	STGP108M10B16-415 (415 Wp)	STGP108M10B16-435	22.17	108 (Half Cut Cells)	1500		
								STGP108M10B16-430	21.92				
								STGP108M10B16-425	21.66				
								STGP108M10B16-420	21.41				
								STGP108M10B16-415	21.15				
								STGP108M10B16-410	20.90				
								STGP108M10B16-405	20.64				
								STGP108M10B16-400	20.39				
								STGP108M10B16-395	20.13				
					xii	Bifacial N- type Topcon Module (Glass to Glass)	STGP96M10B16-375 (375 Wp)	STGP96M10B16-390	22.33	96 (Half Cut Cells)	1500		
								STGP96M10B16-385	22.05				
								STGP96M10B16-380	21.76				
								STGP96M10B16-375	21.47				
								STGP96M10B16-370	21.19				
								STGP96M10B16-365	20.90				
								STGP96M10B16-360	20.61				
					xiii	Bifacial N- type Topcon Module (Glass to Glass)	STGP84M10B16-325 (325 Wp)	STGP84M10B16-340	22.13	84 (Half Cut Cells)	1500		
								STGP84M10B16-335	21.80				
								STGP84M10B16-330	21.48				
								STGP84M10B16-325	21.15				
								STGP84M10B16-320	20.83				
								STGP84M10B16-315	20.50				
								STGP84M10B16-310	20.17				
					xiv	Bifacial N- type Topcon Module (Glass to Glass)	STGP72M10B16-280 (280 Wp)	STGP72M10B16-290	21.86	72 (Half Cut Cells)	1500		
								STGP72M10B16-285	21.48				
								STGP72M10B16-280	21.10				
								STGP72M10B16-275	20.73				
								STGP72M10B16-270	20.35				
9	M/s SAHJANAND GREEN ENERGY LLP	BLOCK NO.645, NR. VIDYADEEP PRIMARY SCHOOL, VILLAGE VADOLI,	R-72012416	193	i	Bifacial N-Type TOPCon Module (Glass to Glass)	SGE_630TG (630 Wp)	SGE_650TG	23.24	156 (Half Cut Cells)	1500	01.03.2026	28.02.2030
								SGE_645TG	23.07				
								SGE_640TG	22.89				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
	(New Addition in ALMM)	OLPAD, SURAT, GUJARAT, India pin Code - 394110						SGE_635TG	22.71				
								SGE_630TG	22.53				
								SGE_625TG	22.35				
								SGE_620TG	22.17				
								SGE_615TG	21.99				
								SGE_610TG	21.81				
								SGE_605TG	21.63				
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	SGE_580TG (580 Wp)	SGE_600TG	23.23	144 (Half Cut Cells)	1500		
								SGE_595TG	23.03				
								SGE_590TG	22.84				
								SGE_585TG	22.65				
								SGE_580TG	22.45				
								SGE_575TG	22.26				
								SGE_570TG	22.07				
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	SGE_550TG (550 Wp)	SGE_565TG	21.87	144 (Half Cut Cells)	1500		
								SGE_560TG	21.68				
								SGE_555TG	21.48				
								SGE_550TG	21.29				
								SGE_545TG	21.10				
								SGE_540TG	20.90				
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	SGE_525TG (525 Wp)	SGE_535TG	22.55	132 (Half Cut Cells)	1500		
								SGE_530TG	22.34				
								SGE_525TG	22.13				
								SGE_520TG	21.92				
								SGE_515TG	21.71				
								SGE_510TG	21.50				
					v	Bifacial N-Type TOPCon Module (Glass to Glass)	SGE_500TG (500 Wp)	SGE_505TG	21.29	132 (Half Cut Cells)	1500		
								SGE_500TG	21.08				
								SGE_495TG	20.87				
								SGE_490TG	20.65				
								SGE_485TG	22.42				
								SGE_480TG	22.18				
					vi	Bifacial N-Type TOPCon Module (Glass to Glass)	SGE_480TG (480Wp)	SGE_475TG	21.95	120 (Half Cut Cells)	1500		
								SGE_470TG	21.72				
								SGE_465TG	21.49				
								SGE_460TG	21.26				
								SGE_450TG	20.80				
								SGE_445TG	20.57				
					vii	Bifacial N-Type TOPCon Module (Glass to Glass)	SGE_450TG (450Wp)	SGE_440TG	20.34	120 (Half Cut Cells)	1500		
								SGE_550MG	21.29				
								SGE_545MG	21.10				
								SGE_540MG	20.90				
								SGE_535MG	20.71				
								SGE_530MG	20.52				
								SGE_525MG	20.32				
					ix	Bifacial Mono c-Si PERC Module(Glass to Glass)	SGE_510MG (510 Wp)	SGE_520MG	20.13	144 (Half Cut Cells)	1500		
								SGE_515MG	19.94				
								SGE_510MG	19.74				
								SGE_505MG	19.55				
								SGE_500MG	19.36				
								SGE_495MG	19.16				
					x	Bifacial Mono c-Si PERC Module(Glass to Glass)	SGE_475MG (475 Wp)	SGE_490MG	20.65	132 (Half Cut Cells)	1500		
								SGE_485MG	20.44				
								SGE_480MG	20.23				
								SGE_475MG	20.02				
								SGE_470MG	19.81				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity						
												From	To (subject to valid BIS Registration; else deemed to be delisted)					
					xi	Bifacial Mono c-Si PERC Module(Glass to Glass)	SGE_430MG (430 Wp)	SGE_465MG	19.60	120 (Half Cut Cells)	1500							
								SGE_460MG	19.39									
								SGE_440MG	20.34									
								SGE_435MG	20.10									
								SGE_430MG	20.10									
								SGE_425MG	19.64									
								SGE_420MG	19.41									
								SGE_415MG	19.18									
					xii	Bifacial Mono c-Si PERC Module(Glass to Glass)	SGE_380MG (380 Wp)	SGE_390MG	19.97	108 (Half Cut Cells)	1500							
								SGE_385MG	19.72									
								SGE_380MG	19.46									
								SGE_375MG	19.20									
					xiii	Bifacial Mono c-Si PERC Module(Glass to Glass)	SGE_340MG (340 Wp)	SGE_350MG	20.07	96 (Half Cut Cells)	1500							
								SGE_345MG	19.78									
								SGE_340MG	19.49									
								SGE_335MG	19.21									
10	M/s. Macwin Solar Energy Private Limited (Model Addition + Capacity Addition)	Block No.- 462, Near Kanhya showroom, Bhat Gam, Olpad, Olpad-Vadoli Road - 394540, Surat, Gujarat, India	R-72012343	408	i	Bifacial N-Type TOPCon Module (Glass To Glass)	MSE590WP144C (590 Wp)	MSE615WP144C	23.61	144 (Half Cut Cell)	1500	22.12.2025	21.12.2029					
								MSE610WP144C	23.42									
								MSE605WP144C	23.23									
								MSE600WP144C	23.03									
								MSE595WP144C	22.84									
								MSE590WP144C	22.65									
								MSE585WP144C	22.45									
								MSE580WP144C	22.26									
								MSE575WP144C	22.07									
								MSE570WP144C	21.87									
								MSE565WP144C	21.68									
								ii	Bifacial N-Type TOPCon Module (Glass To Glass)	MSE560WP144C (560 Wp)	MSE560WP144C			21.68	144 (Half Cut Cell)	1500		
											MSE555WP144C			21.48				
					iii	Bifacial N-Type TOPCon Module (Glass To Glass)	MSE530WP132C (530 Wp)	MSE555WP132C	23.38	132 (Half Cut Cell)	1500							
								MSE550WP132C	23.17									
								MSE545WP132C	22.96									
								MSE540WP132C	22.75									
								MSE535WP132C	22.54									
								MSE530WP132C	22.33									
								MSE525WP132C	22.12									
								MSE520WP132C	21.91									
								MSE515WP132C	21.70									
								MSE510WP132C	21.49									
								MSE505WP132C	21.28									
								iv	Bifacial N-Type TOPCon Module (Glass To Glass)					MSE490WP120C (490 Wp)	MSE510WP120C	23.57	120 (Half Cut Cell)	1500
															MSE505WP120C	23.34		
					MSE500WP120C	23.11												
					MSE495WP120C	22.88												
					MSE490WP120C	22.65												
					MSE485WP120C	22.42												
					MSE480WP120C	22.18												
					MSE475WP120C	21.95												
					MSE470WP120C	21.72												
					v	Bifacial N-Type TOPCon Module (Glass To Glass)	MSE465WP120C (465 Wp)	MSE465WP120C	21.49	120 (Half Cut Cell)	1500							
								MSE460WP120C	21.26									
					vi	Bifacial N-Type TOPCon Module (Glass To Glass)	MSE440WP108C (440 Wp)	MSE460WP108C	23.56	108 (Half Cut Cell)	1500							
								MSE455WP108C	23.30									
								MSE450WP108C	23.04									
								MSE445WP108C	22.79									
								MSE440WP108C	22.53									

Note: In case of model inclusion or capacity addition / change, through revision ALMM List, the capacity mentioned against any manufacturing unit, as appearing in the said Revision to the ALMM List, shall be the ALMM enlisted manufacturing capacity for that manufacturing unit (from the date of the said revision), and the capacity enlisted for that manufacturing unit should not be interpreted as Sum of (enlisted capacity for that manufacturing unit in previous ALMM list/ previous revision to ALMM List) and (enlisted capacity in the present revision)

F. No. 283/41/2024-GRID SOLAR
भारत सरकार / Government of India
नवीन और नवीकरणीय ऊर्जा मंत्रालय / Ministry of New & Renewable Energy
ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003.
Dated: 7th February, 2026

OFFICE MEMORANDUM

Sub: Updation of List I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 – Reg.

Ref: (i) MNRE's O.M. No. 283/54/2018-GRID SOLAR-Part(1) dated 10.03.2021
(ii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 10.05.2023;
(iii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 22.03.2024;
(iv) MNRE's O.M. No. 32/33/2024-SPV Division dated 06.05.2025;

Reference is invited to this Ministry's O.M.s of even no. dated 10.03.2021, regarding implementation of Approved Models and Manufacturers of Solar Photovoltaic Modules (Requirement for Compulsory Registration) Order, 2019 and publishing List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019.

2. This Ministry vide its O.M.s referred at (ii), (iii) & (iv) above, inter-alia, directed that only such models of Solar PV Module Manufacturers will be enlisted under ALMM, which comply with the BIS Standards and are having the following minimum module efficiency:

Category	Application/Use	Minimum Module Efficiency required to be eligible for enlistment in ALMM for solar PV modules	
		For c-Si technology based solar PV modules	For CdTe thin film technology based solar PV modules
Category-I	Utility/Grid Scale Power Plants	20.00%	19.00%
Category-II	Rooftop and Solar Pumping	19.50%	18.50%
Category-III	Off-grid projects/applications like solar lamps, solar lights, solar street lights, solar fans, etc. (other than solar powered agricultural pumps and solar PV rooftops) requiring individual capacity of each solar PV module deployed, to be of less than 200 Watt peak	18.00%	18.00%
		(not to be included in main ALMM List-I but to be included in a separate ALMM list called ALMM List-I (DRE)	
Category-IV	Any other application	19.00%	18.00%

3. Post the aforesaid O.M. dated 10.05.2023 and subsequent O.M.s dated 22.03.2024 and 06.05.2025, only such models of Solar PV Modules have been considered for enlistment under ALMM List-I, whose module efficiency is meeting the eligibility criteria as mentioned in table at para-2 above.

4. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 was last updated on 22.12.2025.

5. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 is hereby further revised and the Revision-XLVI (in the format of additions / modifications to Revision-XLV) is enclosed at Annexure-I. The last revision no. XLV dated 22.12.2025 is at pages after Annexure-I.

6. The ALMM enlistment validity is subject to valid BIS Registration; else deemed to be delisted.

7. The details of Registration No. (R. No.) which has been allotted by BIS is mentioned against each manufacturer / manufacturing unit enlisted in ALMM and further details related to BIS certification like validity, models included, etc. may be checked from BIS website by using the following link:
https://www.crsbis.in/BIS/Lims_registrationc.do?hmode=getLimsData

8. This issues with the approval of competent authority.


(Sanjay G. Karndhar)
Scientist-E

E-mail: karndhar.sg@nic.in

Encl: as above

To: All Concerned

Copy to: Director (Technical), NIC, MNRE for uploading this document on MNRE's website

A. Amendments/ Updations in previous lists of ALMM List-I

1. In list dated 22.12.2025 => Sl. No. 07 (M/s Frontier Energy) => Name of Company may be read as M/s Frontier Energies Pvt. Ltd. instead of M/s Frontier Energy Pvt. Ltd.

2. In list dated 22.12.2025=> Sl. No. 13 (M/s INOX Solar) => Type of Module may be read as N type TOPCon Module (Glass to Glass) instead of N type TOPCon Module (Glass to Transparent Backsheet)



B. New additions on 07/02/2026 in the List of Manufacturers and Models of Solar PV Modules Enlisted under ALMM Order

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity								
												From	To (subject to valid BIS Registration; else deemed to be delisted)							
1	M/s KRG POWER SOLAR PRIVATE LIMITED (New Addition in ALMM)	128/1, K.AYYAMPALAYAM POST, PALLADAM TALUK, TIRUPPUR DISTRICT TAMIL NADU,India-641662	R-61006203	1094	i	Bifacial N-Type TOPCon Module (Glass to Glass)	V-SPACE10 (610 Wp)	V-SPACE13 (625W)	23.14	132 Half Cut Cell	1500	07.02.2026	06.02.2030							
								V-SPACE12 (620W)	22.95											
								V-SPACE11 (615W)	22.77											
								V-SPACE10 (610W)	22.58											
								V-SPACE09 (605W)	22.40											
								V-SPACE08 (600W)	22.21											
								V-SPACE07 (595W)	22.03											
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	V-SPACE04 (580W)	V-SPACE06 (590W)	21.84	132 Half Cut Cell	1500									
								V-SPACE05 (585W)	21.66											
								V-SPACE04 (580W)	21.47											
								V-SPACE03 (575W)	21.29											
								V-SPACE02 (570W)	21.10											
								V-SPACE01 (565W)	20.92											
2	M/s RenewSys India Pvt. Ltd. (New Addition in ALMM)	B-300, SURVEY NO: 54/1 (PT); AJIVALI (V); KHALAPUR-TALUKA; RAIGAD DISTRICT, MAHARASHTRA,India-410203	R-71045160	2268	i	Bifacial N-Type TOPCon Module (Glass to Glass)	DESERV EXTREME R-610 (610 Wp)	DESERV EXTREME R-600	22.24	132 (Half Cut Cells)	1500	07.02.2026	06.02.2030							
								DESERV EXTREME R-605	22.43											
								DESERV EXTREME R-610	22.61											
								DESERV EXTREME R-615	22.80											
								DESERV EXTREME R-620	22.98											
					3	M/s. Unique Sun Power Private Limited (Model Addition + Capacity Addition)	BL No. 2281/2/1/1, Sub Plot 1-A, Tadkeshwar, Near Areth Minnor Canal, Mandvi, Surat - 394170, Gujarat, India	R-72005550	386	i	Bifacial N-Type TOPCon Module (Glass to Glass)			SUN120T450 (450 Wp)	SUN120T450	20.82	120 (Half Cut cells)	1500	21.05.2025	20.05.2029
															ii	Bifacial N-Type TOPCon Module (Glass to Glass)	SUN120T500 (500 Wp)	SUN120T500		
										iii	Bifacial N-Type TOPCon Module (Glass to Glass)			SUN132T550 (550 Wp)	SUN132T540	22.74	132 (Half cut cells)	1500		
															SUN132T545	22.95				
															SUN132T550	23.16				
															SUN132T555	23.37				
															SUN132T560	23.58				
SUN132T565	23.79																			
iv	Bifacial N-Type TOPCon Module (Glass to Glass)	SUN144T610 (610 Wp)	SUN144T590	22.83						144 (Half Cut Cells)	1500									
			SUN144T595	23.02																
			SUN144T600	23.22																
			SUN144T605	23.41																
			SUN144T610	23.60																
			SUN144T615	23.80																
			SUN144T620	23.99																
v	Mono c-Si PERC Module	SUN132P505 (505Wp)	SUN132P500	21.24	132 (Half Cut Cells)	1500														
			SUN132P505	21.45																
4	M/s SUNBOND ENERGY PRIVATE LIMITED (UNIT-2) (New Addition in ALMM)	SURVEY NO 270/ P1-P2, NR. ONERY TILES, MITANA, MITANA- NEKNAM, PADADHARI ROAD, TANKARA, MITANA, MORBI, 363650, NA, GUJARAT, India - 363650	R-72015164	844	i	Bifacial N-Type TOPCon Module (Glass to Glass)	SEPLG12R132-610 (610 Wp)	SEPLG12R132-600	22.21	132 (Half Cut Cells)	1500	07.02.2026	06.02.2030							
								SEPLG12R132-605	22.40											
								SEPLG12R132-610	22.58											
								SEPLG12R132-615	22.77											
								SEPLG12R132-620	22.95											
								SEPLG12R132-625	23.14											
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	SEPL16BGGN144-580 (580 Wp)	SEPL16BGGN144-570	22.07	144 (Half Cut Cells)	1500									
								SEPL16BGGN144-575	22.26											
								SEPL16BGGN144-580	22.45											
								SEPL16BGGN144-585	22.65											
								SEPL16BGGN144-590	22.84											
								SEPL16BGGN144-595	23.03											
5	M/s SUNIFY SOLAR LLP (Model Addition + Capacity Addition)	Survey no. 624P1, Near Hanuman Temple, Sarvad, Pipaliya Maliya Highway, Chachavadarda road, Morbi - 363660, Gujarat, India	R-72005800	1558	i	Bifacial N-Type TOPCon Module (Glass to Glass)	SS144N580G (580 Wp)	SS144N555G	21.48	144 (Half Cut Cells)	1500	21.04.2025	20.04.2029							
								SS144N560G	21.68											
								SS144N565G	21.87											
								SS144N570G	22.07											
								SS144N575G	22.26											
								SS144N580G	22.45											

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								SS144N585G	22.65				
								SS144N590G	22.84				
								SS144N595G	23.03				
								SS144N600G	23.23				
								SS144N605G	23.42				
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	SS132N530G (530 Wp)	SS132N510G	21.48	132 (Half Cut Cells)	1500		
								SS132N515G	21.69				
								SS132N520G	21.90				
								SS132N525G	22.11				
								SS132N530G	22.32				
								SS132N535G	22.53				
								SS132N540G	22.74				
								SS132N545G	22.95				
								SS132N550G	23.16				
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	SS120N460G (460 Wp)	SS120N455G	21.05	120 (Half Cut Cells)	1500		
								SS120N460G	21.28				
								SS120N465G	21.51				
								SS120N470G	21.75				
								SS120N475G	21.98				
								SS120N480G	22.21				
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	SS120N495G (495 Wp)	SS120N485G	22.44	120 (Half Cut Cells)	1500		
								SS120N490G	22.67				
								SS120N495G	22.90				
								SS120N500G	23.13				
								SS120N505G	23.36				
					v	Bifacial N-Type TOPCon Module (Glass to Glass)	SS108N425G (425 Wp)	SS108N410G	20.74	108 (Half Cut Cells)	1500		
								SS108N405G	21.00				
								SS108N415G	21.25				
								SS108N420G	21.51				
								SS108N425G	21.76				
								SS108N430G	22.02				
								SS108N435G	22.28				
								SS108N440G	22.53				
								SS108N445G	22.79				
								SS108N450G	23.04				
					vi	Bifacial N-Type TOPCon Module (Glass to Backsheet)	SS144N580B (580 Wp)	SS144N555B	21.48	144 (Half Cut Cells)	1500		
								SS144N560B	21.68				
								SS144N565B	21.87				
								SS144N570B	22.07				
								SS144N575B	22.26				
								SS144N580B	22.45				
								SS144N585B	22.65				
								SS144N590B	22.84				
								SS144N595B	23.03				
								SS144N600B	23.23				
					vii	Bifacial N-Type TOPCon Module (Glass to Backsheet)	SS132N530B (530 Wp)	SS144N605B	23.42	132 (Half Cut Cells)	1500		
								SS132N510B	21.48				
								SS132N515B	21.69				
								SS132N520B	21.90				
								SS132N525B	22.11				
								SS132N530B	22.32				
								SS132N535B	22.53				
								SS132N540B	22.74				
								SS132N545B	22.95				
								SS132N550B	23.16				
					viii	Bifacial N-Type TOPCon Module (Glass to Backsheet)	SS120N465B (465 Wp)	SS120N455B	21.05	120 (Half Cut Cells)	1500		
								SS120N460B	21.28				
								SS120N465B	21.51				
								SS120N470B	21.75				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity													
												From	To (subject to valid BIS Registration; else deemed to be delisted)												
					ix	Bifacial N-Type TOPCon Module (Glass to Backsheet)	SS120N495B (495 Wp)	SS120N475B	21.98	120 (Half Cut Cells)	1500														
								SS120N480B	22.21																
								SS120N485B	22.44																
								SS120N490B	22.67																
								SS120N495B	22.90																
								SS120N500B	23.13																
					x	Bifacial N-Type TOPCon Module (Glass to Backsheet)	SS108N430B (430 Wp)	SS120N505B	23.36	108 (Half Cut Cells)	1500														
								SS108N405B	20.74																
								SS108N410B	21.00																
								SS108N415B	21.25																
								SS108N420B	21.51																
								SS108N425B	21.76																
								SS108N430B	22.02																
								SS108N435B	22.28																
								SS108N440B	22.53																
								SS108N445B	22.79																
								SS108N450B	23.04																
								6	M/s SAEI SOLAR P6 PRIVATE LIMITED (New Addition in ALMM)					KH NO. 154, 743/738 AT VILLAGE BADGOAN, TEHSIL KISHANGARH, AJMER, RAJASTHAN, 305801	R-84006297	1535	i	Bifacial N-Type TOPConModule (Glass to Glass)	SL156GTG-630T (630 Wp)	SL156GTG-640T	22.92	156 Half Cut cells	1500	07.02.2026	06.02.2030
																				SL156GTG-635T	22.74				
SL156GTG-630T	22.57																								
SL156GTG-625T	22.74																								
SL156GTG-620T	22.21																								
SL156GTG-615T	22.03																								
SL156GTG-610T	21.85																								
SL156GTG-605T	21.67																								
SL156GTG-600T	21.49																								
ii	Bifacial N-Type TOPCon Module (Glass to Glass)	SL144GTG-580T (580 Wp)	SL144GTG-600T	23.23	144 Half Cut cells	1500																			
			SL144GTG-595T	23.03																					
			SL144GTG-590T	22.84																					
			SL144GTG-585T	22.65																					
			SL144GTG-580T	22.45																					
			SL144GTG-575T	22.26																					
			SL144GTG-570T	22.07																					
			SL144GTG-565T	21.87																					
7	M/s. Mundra Solar PV Limited (Model Addition + Capacity Addition)	Survey no 180 P, Co Mundra Solar Technopark Pvt. Ltd, Electronics Manufacturing Cluster EMC, Village Vandh and Tunda , Mundra , Kutch , Adani Ports and Special Economic Zone, Kachchh, Gujarat, 370435	R-72008532	2429	i	Bifacial N Type- TOPCon (Glass to Glass)	AB-G12R-132-625 (625 Wp)	AB-G12R-132-625	23.16	132 (Half Cut Cells)	1500	24.02.2024	23.02.2028												
8	M/s. Sun 2 Earth Solar (New Addition in ALMM)	Block No. 331, Ena Gam, Palsana, Barasadi, Ena-Tundi Road Near Char Rasta, Surat- 394310 Gujarat, India	R-72014001	30	i	Bifacial N-Type TOPCon Module (Glass to Glass)	S2E-570 (570 Wp)	S2E-595	23.05	144 (Half Cut Cells)	1500	07.02.2026	06.02.2030												
								S2E-590	22.86																
								S2E-585	22.67																
								S2E-580	22.47																
								S2E-575	22.28																
								S2E-570	22.08																
								S2E-565	21.89																
								S2E-560	21.70																
								S2E-555	21.50																
								S2E-550	21.31																
								S2E-545	21.12																
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	S2E-520 (520 Wp)	S2E-540	22.75	132 (Half Cut Cells)	1500														
								S2E-535	22.54																
								S2E-530	22.33																
								S2E-525	22.12																
								S2E-520	21.91																
								S2E-515	21.70																
								S2E-510	21.49																

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								S2E-505	21.28				
								S2E-500	21.06				
								S2E-495	20.85				
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	S2E-480 (480 Wp)	S2E-490	22.62	120 (Half Cut Cells)	1500		
								S2E-485	22.39				
								S2E-480	22.16				
								S2E-475	21.93				
								S2E-470	21.70				
								S2E-465	21.47				
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	S2E-455 (455 Wp)	S2E-460	21.23	120 (Half Cut Cells)	1500		
								S2E-455	21.00				
								S2E-450	20.77				
								S2E-445	20.54				
								S2E-440	22.55				
					v	Bifacial N-Type TOPCon Module (Glass to Glass)	S2E-420 (420 Wp)	S2E-435	22.30	108 (Half Cut Cells)	1500		
								S2E-430	22.04				
								S2E-425	21.78				
								S2E-420	21.53				
								S2E-415	21.27				
								S2E-410	21.01				
								S2E-405	20.76				
								S2E-400	20.50				
					vi	Bifacial N-Type TOPCon Module (Glass to Glass)	S2E-250-24 (250 Wp)	S2E-250-24	22.54	60 (Half Cut Cells)	1000		
								S2E-240-24	21.64				
					vii	Bifacial N-Type TOPCon Module (Glass to Glass)	S2E-230-24 (230 Wp)	S2E-230-24	20.73	60 (Half Cut Cells)	1000		
								S2E-225-24	20.28				
					viii	Bifacial N-Type TOPCon Module (Glass to Glass)	S2E-250-12 (250 Wp)	S2E-250-12	22.54	60 (Half Cut Cells)	1000		
								S2E-240-12	21.64				
					ix	Bifacial N-Type TOPCon Module (Glass to Glass)	S2E-230-12 (230 Wp)	S2E-230-12	20.73	60 (Half Cut Cells)	1000		
								S2E-225-12	20.28				
					x	Bifacial N-Type TOPCon Module (Glass to Glass)	S2E-210 (210 Wp)	S2E-210	20.49	56 (Half Cut Cells)	1000		
								S2E-205	20.00				
					xi	Bifacial N-Type TOPCon Module (Glass to Glass)	S2E-200 (200Wp)	S2E-200	22.48	48 (Half Cut Cells)	1000		
								S2E-195	21.92				
								S2E-190	21.36				
					xii	Bifacial N-Type TOPCon Module (Glass to Glass)	S2E-185 (185 Wp)	S2E-185	22.47	44 (Half Cut Cells)	1000		
								S2E-180	21.87				
					xiii	Bifacial N-Type TOPCon Module (Glass to Glass)	S2E-175 (185 Wp)	S2E-175	21.26	44 (Half Cut Cells)	1000		
								S2E-170	20.65				
					xiv	Bifacial N-Type TOPCon Module (Glass to Glass)	S2E-165 (165 Wp)	S2E-165	21.94	40 (Half Cut Cells)	1000		
								S2E-160	21.28				
					xv	Bifacial N-Type TOPCon Module (Glass to Glass)	S2E-150 (150 Wp)	S2E-150	22.03	36 (Half Cut Cells)	1000		
								S2E-145	21.30				
								S2E-140	20.56				
					xvi	Bifacial N-Type TOPCon Module (Glass to Glass)	S2E-135 (135 Wp)	S2E-135	22.09	32 (Half Cut Cells)	1000		
								S2E-130	21.27				
					xvii	Bifacial N-Type TOPCon Module (Glass to Glass)	S2E-125 (125 Wp)	S2E-125	21.79	30 (Half Cut Cells)	1000		
								S2E-120	20.92				
					xviii	Bifacial N-Type TOPCon Module (Glass to Glass)	S2E-335 (335 Wp)	S2E-335	22.64	120 (Half Cut Cells)	1000		
								S2E-330	22.30				
								S2E-325	21.96				
								S2E-320	21.63				
								S2E-315	21.29				
								S2E-310	20.95				
								S2E-305	20.61				
								S2E-100	21.46				
					xix	Bifacial N-Type TOPCon Module (Glass to Glass)	S2E-100 (100 Wp)	S2E-095	20.39	30 (Half Cut Cells)	1000		
								S2E-080	21.13				
					xx	Bifacial N-Type TOPCon Module (Glass to Glass)	S2E-080 (80 Wp)	S2E-080	21.13	30 (Half Cut Cells)	1000		

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xxi	Bifacial N-Type TOPCon Module (Glass to Glass)	S2E-075 (75 Wp)	S2E-075	19.81	30 (Half Cut Cells)	1000		
					xxii	Bifacial N-Type TOPCon Module (Glass to Glass)	S2E-050 (50 Wp)	S2E-050	21.37	36 (Half Cut Cells)	1000		
					xxiii	Bifacial N-Type TOPCon Module (Glass to Glass)	S2E-045 (45 Wp)	S2E-045	19.23	36 (Half Cut Cells)	1000		
					xxiv	Bifacial N-Type TOPCon Module (Glass to Glass)	S2E-040 (40 Wp)	S2E-040	20.11	30 (Half Cut Cells)	1000		
9	M/s. Pahal Solar Private Limited (New Addition in ALMM)	Block No. 267/B, 271/B,272, B/H Samarthya Bellavista, Olpad-Sayan Road, Olpad, Atodra, Surat, Gujarat, 394130	R-72015008	2076	i	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GB600 (600 Wp)	PSN_GB620	24.00	144 (Half Cut Cells)	1500	07.02.2026	06.02.2030
								PSN_GB615	23.81				
								PSN_GB610	23.61				
								PSN_GB605	23.42				
								PSN_GB600	23.23				
								PSN_GB595	23.03				
								PSN_GB590	22.84				
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GB570 (570 Wp)	PSN_GB585	22.65	144 (Half Cut Cells)	1500		
								PSN_GB580	22.45				
								PSN_GB575	22.26				
								PSN_GB570	22.07				
								PSN_GB565	21.87				
								PSN_GB560	21.68				
								PSN_GRC650	24.06				
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GRC635 (635Wp)	PSN_GRC645	23.88	132 (Half Cut Cells)	1500		
								PSN_GRC640	23.69				
								PSN_GRC635	23.51				
								PSN_GRC630	23.32				
								PSN_GRC625	23.14				
								PSN_GRC620	22.95				
								PSN_GRC615	22.77				
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GRC600 (600 Wp)	PSN_GRC610	22.58	132 (Half Cut Cells)	1500		
								PSN_GRC605	22.40				
								PSN_GRC600	22.21				
								PSN_GRC595	22.03				
								PSN_GRC590	21.84				
								PSN_GRC585	21.66				
								PSN_GRC585	21.66				
10	M/s. Surya International Enterprise Private Limited (Model Addition + Capacity Addition)	Plot No. S4-E1-21, EMC Park, Infovally II, Harekrushnapur, Jatani, Bhubaneswar-751019, Orissa, India	R-52000175	397	i	Bifacial N-Type TOPCon Module (Glass to Glass)	SI640TCBI-NT156 (640 Wp)	SI660TCBI-NT156	23.61	156 (Half Cut Cells)	1500	16.11.2023	15.11.2027
								SI655TCBI-NT156	23.43				
								SI650TCBI-NT156	23.25				
								SI645TCBI-NT156	23.07				
								SI640TCBI-NT156	22.90				
								SI635TCBI-NT156	22.72				
								SI630TCBI-NT156	22.54				
								SI625TCBI-NT156	22.36				
								SI620TCBI-NT156	22.18				
								SI615TCBI-NT156	22.00				
								ii	Bifacial N-Type TOPCon Module (Glass to Glass)	SI585TCBI-NT144 (585 Wp)	SI610TCBI-NT144		
					SI605TCBI-NT144	23.42							
					SI600TCBI-NT144	23.23							
					SI595TCBI-NT144	23.03							
					SI590TCBI-NT144	22.84							
					SI585TCBI-NT144	22.65							
					SI580TCBI-NT144	22.45							
					SI575TCBI-NT144	22.26							
					SI570TCBI-NT144	22.07							
					SI565TCBI-NT144	21.87							
					SI560TCBI-NT144	21.68							
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	SI540TCBI-NT132 (540 Wp)	SI555TCBI-NT132	23.37	132 (Half Cut Cells)	1500		
								SI550TCBI-NT132	23.16				
								SI545TCBI-NT132	22.95				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity													
												From	To (subject to valid BIS Registration; else deemed to be delisted)												
								SI540TCBI-NT132	22.74	120 (Half Cut Cells)	1500														
								SI535TCBI-NT132	22.53																
								SI530TCBI-NT132	22.32																
								SI525TCBI-NT132	22.11																
								SI520TCBI-NT132	21.90																
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	SI490TCBI-NT120 (490 Wp)	SI505TCBI-NT120	23.28																
								SI500TCBI-NT120	23.05																
								SI495TCBI-NT120	22.82																
								SI490TCBI-NT120	22.59																
								SI485TCBI-NT120	22.36																
								SI480TCBI-NT120	22.13																
								SI475TCBI-NT120	21.90																
								SI470TCBI-NT120	21.67																
					v	Bifacial N-Type TOPCon Module (Glass to Glass)	SI440TCBI-NT108 (440 Wp)	SI455TCBI-NT108	23.25																
								SI450TCBI-NT108	22.99																
								SI445TCBI-NT108	22.74																
								SI440TCBI-NT108	22.48																
								SI435TCBI-NT108	22.22																
								SI430TCBI-NT108	21.97																
								SI425TCBI-NT108	21.71																
								SI420TCBI-NT108	21.46																
					vi	Bifacial N-Type TOPCon Module (Glass to Glass)	SI400TCBI-NT96 (400 Wp)	SI410TCBI-NT96	23.31																
								SI400TCBI-NT96	22.74																
								SI395TCBI-NT96	22.46																
								SI390TCBI-NT96	22.17																
					vii	Bifacial N-Type TOPCon Module (Glass to Glass)	SI380TCBI-NT96 (380 Wp)	SI385TCBI-NT96	21.89																
								SI380TCBI-NT96	21.61																
								SI375TCBI-NT96	21.32																
								viii	Bifacial N-Type TOPCon Module (Glass to Glass)	SI345TCBI-NT84 (345 Wp)	SI360TCBI-NT84			23.34											
					SI355TCBI-NT84	23.02																			
					SI350TCBI-NT84	22.69																			
					SI345TCBI-NT84	22.37																			
					SI340TCBI-NT84	22.05																			
					SI335TCBI-NT84	21.72																			
					SI330TCBI-NT84	21.40																			
					ix	Bifacial N-Type TOPCon Module (Glass to Glass)	SI300TCBI-NT72 (300 Wp)				SI305TCBI-NT72			22.77											
								SI300TCBI-NT72	22.40																
								SI295TCBI-NT72	22.03																
					x	Bifacial N-Type TOPCon Module (Glass to Glass)	SI285TCBI-NT72 (285 Wp)	SI290TCBI-NT72	21.65																
								SI285TCBI-NT72	21.28																
								SI280TCBI-NT72	20.91																
								11	M/s. Premier Energies Global Environment Private Limited (New Addition in ALMM)	303, 304, 305 AND 306/2, IALA-MAHESWARAM, RANGAREDDY - 501359, India	R-63005460			1507	i	Bifacial N-Type TOPCon Module (Glass to Glass)	PE-132-610THGB-G12R (610 Wp)	PE-132-630THGB-G12R	23.32	132 (Half Cut Cells)	1500	07.02.2026	06.02.2030		
PE-132-625THGB-G12R	23.14																								
PE-132-620THGB-G12R	22.95																								
PE-132-615THGB-G12R	22.77																								
PE-132-610THGB-G12R	22.58																								
PE-132-605THGB-G12R	22.40																								
PE-132-600THGB-G12R	22.21																								
12	M/s. Emmvee Energy Private Limited (Model Addition + Capacity Addition)	Ground , 13/1 13/2 14 15/1 15/2 16/1 16/2 17/1 17/2 TO 22/3, HSK LOGISTICS ASSETS (INDIA) PVT LTD B&C BLOCK , NH 648, HSK LOGISTICS ASSETS (INDIA) PVT LTD, KADARANAPURA VILLAGE, SULIBELE, BENGALURU RURAL, KARNATAKA-562129 INDIA	R-62006050	4308	i	Bifacial N-Type TOPcon Module (Glass to Glass)	E610HCBG132-T (610 Wp)					E635HCBG132-T	23.51					132 (Half Cut Cells)	1500					19.09.2025	18.09.2029
												E630HCBG132-T	23.32												
												E625HCBG132-T	23.14												
												E620HCBG132-T	22.95												
								E615HCBG132-T	22.77																
								E610HCBG132-T	22.58																
								E605HCBG132-T	22.40																
								E600HCBG132-T	22.21																
								E595HCBG132-T	22.03																
								E590HCBG132-T	21.84																
								E585HCBG132-T	21.66																

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity			
												From	To (subject to valid BIS Registration; else deemed to be delisted)		
13	M/s. ReNew Photovoltaics Private Limited (Model Addition + Capacity Addition)	PLOT NO-DTA-02-40 TO 45, DOMESTIC TARIFF AREA PHASE-II, MAHINDRA WORLD CITY TAHSILSANGANER, JAIPUR, NA, RAJASTHAN, India - 302037	R-84003778	3550	i	Bifacial N-Type TOPCon Module (Glass to Glass)	RPS3MH66BD630 (630 Wp)	RPS3MH66BD615	22.77	132 (Half Cut Cells)	1500	16.11.2023	15.11.2027		
								RPS3MH66BD620	22.95						
								RPS3MH66BD625	23.14						
								RPS3MH66BD630	23.32						
								RPS3MH66BD635	23.32						
								RPS3MH66BD640	23.69						
								RPS3MH66BD645	23.88						
14	M/s. Grew Energy Private Limited (New Addition in ALMM)	Khasra Number 851 to 854,870,871, Nolya, Dudu, Rajasthan, 303008, Rajasthan, India - 303008	R-84006289	3015	i	Bifacial N-Type TOPCon Module (Glass to Glass)	GTG12R66H615 (615 Wp)	GTG12R66H625	23.14	132 (Half Cut Cells)	1500	07.02.2026	06.02.2030		
								GTG12R66H620	22.95						
								GTG12R66H615	22.77						
								GTG12R66H610	22.58						
								GTG12R66H605	22.40						
								GTG12R66H600	22.21						
15	M/s INOX SOLAR LIMITED (Model Addition)	B500, BHAYALA, BAVLA TALUKA, KERALA GIDC, AHMEDABAD, GUJARAT,India - 382240	R-72015016	1274	i	N-Type TOPCon Module (Glass to Glass)	ISL 144 NM10R 580 (580 Wp)	ISL 144 NM10R 570	22.07	144 (Half Cut Cells)	1500	22.12.2025	21.12.2029		
								ISL 144 NM10R 575	22.26						
								ISL 144 NM10R 580	22.45						
								ISL 144 NM10R 585	22.65						
								ISL 144 NM10R 590	22.84						
								ISL 144 NM10R 595	23.03						
					ii	N-Type TOPCon Module (Glass to Glass)	ISL 132 NG12R 610 (610 Wp)	ISL 132 NG12R 600	22.21	132 (Half Cut Cells)	1500				
								ISL 132 NG12R 605	22.40						
								ISL 132 NG12R 610	22.58						
								ISL 132 NG12R 615	22.77						
								ISL 132 NG12R 620	22.95						
								ISL 132 NG12R 625	23.14						
16	M/s OSWAL SOLAR STRUCTURE PRIVATE LIMITED (Model Addition)	OPPOSITE DD INTERNATIONAL PVT. LTD., LINK ROAD, VILLAGE KUTAIL, KARNAL, HARYANA, India -132037	R-91013935	513	i	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	OSWAL560M10RD144TF (560Wp)	OSWAL560M10RD144TF	21.68	144 (Half Cut Cell)	1500	24.05.2024	23.05.2028		
					ii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	OSWAL530M10RD144TF (530Wp)	OSWAL555M10RD144TF	21.48	144 (Half Cut Cell)	1500				
								OSWAL550M10RD144TF	21.29						
								OSWAL545M10RD144TF	21.10						
								OSWAL540M10RD144TF	20.90						
								OSWAL535M10RD144TF	20.71						
								OSWAL530M10RD144TF	20.52						
								OSWAL525M10RD144TF	20.32						
								OSWAL520M10RD144TF	20.13						
								OSWAL515M10RD144TF	19.94						
								OSWAL510M10RD144TF	19.74						
								OSWAL505M10RD144TF	19.55						
					iii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	OSWAL560M10RN144TF (560Wp)	OSWAL560M10RN144TF	21.68	144 (Half Cut Cell)	1500				
					iv	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	OSWAL530M10RN144TF (530Wp)	OSWAL555M10RN144TF	21.48	144 (Half Cut Cell)	1500				
								OSWAL550M10RN144TF	21.29						
								OSWAL545M10RN144TF	21.10						
								OSWAL540M10RN144TF	20.90						
								OSWAL535M10RN144TF	20.71						
								OSWAL530M10RN144TF	20.52						
								OSWAL525M10RN144TF	20.32						
								OSWAL520M10RN144TF	20.13						
								OSWAL515M10RN144TF	19.94						
								OSWAL510M10RN144TF	19.74						
								OSWAL505M10RN144TF	19.55						
					v	Mono PERC C-Si Module (Glass to Backsheet)	OSWAL560M10RD144WF (560Wp)	OSWAL560M10RD144WF	21.68	144 (Half Cut Cell)	1500				
					vi	Mono PERC C-Si Module (Glass to Backsheet)	OSWAL530M10RD144WF (530Wp)	OSWAL555M10RD144WF	21.48	144 (Half Cut Cell)	1500				
								OSWAL550M10RD144WF	21.29						
								OSWAL545M10RD144WF	21.10						
								OSWAL540M10RD144WF	20.90						
								OSWAL535M10RD144WF	20.71						
								OSWAL530M10RD144WF	20.52						

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity			
												From	To (subject to valid BIS Registration; else deemed to be delisted)		
								OSWAL525M10RD144WF	20.32						
								OSWAL520M10RD144WF	20.13						
								OSWAL515M10RD144WF	19.94						
								OSWAL510M10RD144WF	19.74						
								OSWAL505M10RD144WF	19.55						
					vii	Mono PERC C-Si Module (Glass to Backsheet)	OSWAL560M10RN144WF (560Wp)	OSWAL560M10RN144WF	21.68	144 (Half Cut Cell)	1500				
					viii	Mono PERC C-Si Module (Glass to Backsheet)	OSWAL530M10RN144WF (530Wp)	OSWAL555M10RN144WF	21.48	132 (Half Cut Cell)	1500				
								OSWAL550M10RN144WF	21.29						
								OSWAL545M10RN144WF	21.10						
								OSWAL540M10RN144WF	20.90						
								OSWAL535M10RN144WF	20.71						
								OSWAL530M10RN144WF	20.52						
								OSWAL525M10RN144WF	20.32						
								OSWAL520M10RN144WF	20.13						
								OSWAL515M10RN144WF	19.94						
								OSWAL510M10RN144WF	19.74						
								OSWAL505M10RN144WF	19.55						
17	M/s. Mundra Solar PV Limited (Model Addition under Co-ALMM)	Co-ALMM with M/s. Goldi Sun Private Limited Manufacturing Address: City Survey No. 920, Vijalpore Road, TA,Dis., Navsari , Gujarat, India - 396445	R-72012025	210 (As per CoBranding Agreement)	i	Bifacial N-Type TOPCon Module (Glass to Glass)	AB-G12R-132-610 (610 Wp)	AB-G12R-132-620	22.95	132 (Half Cut Cell)	1500	07.02.2026	27.11.2026		
								AB-G12R-132-615	22.77						
								AB-G12R-132-610	22.58						
								AB-G12R-132-605	22.40						
								AB-G12R-132-600	22.21						

Note: In case of model inclusion or capacity addition / change, through revision in ALMM List, the capacity mentioned against any manufacturing unit, as appearing in the said Revision to the ALMM List, shall be the ALMM enlisted manufacturing capacity for that manufacturing unit (from the date of the said revision), and the capacity enlisted for that manufacturing unit should not be interpreted as Sum of (enlisted capacity for that manufacturing unit in previous ALMM list/ previous revision to ALMM List) and (enlisted capacity in the present revision)

F. No. 283/41/2024-GRID SOLAR

भारत सरकार / Government of India

नवीन और नवीकरणीय ऊर्जा मंत्रालय / Ministry of New & Renewable Energy

ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003.Dated: 22nd December 2025**OFFICE MEMORANDUM****Sub: Updation of List I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 – Reg.**

- Ref: (i) MNRE's O.M. No. 283/54/2018-GRID SOLAR-Part(1) dated 10.03.2021
(ii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 10.05.2023;
(iii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 22.03.2024;
(iv) MNRE's O.M. No. 32/33/2024-SPV Division dated 06.05.2025;

Reference is invited to this Ministry's O.M.s of even no. dated 10.03.2021, regarding implementation of Approved Models and Manufacturers of Solar Photovoltaic Modules (Requirement for Compulsory Registration) Order, 2019 and publishing List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019.

2. This Ministry vide its O.M.s referred at (ii), (iii) & (iv) above, inter-alia, directed that only such models of Solar PV Module Manufacturers will be enlisted under ALMM, which comply with the BIS Standards and are having the following minimum module efficiency:

Category	Application/Use	Minimum Module Efficiency required to be eligible for enlistment in ALMM for solar PV modules	
		For c-Si technology based solar PV modules	For CdTe thin film technology based solar PV modules
Category-I	Utility/Grid Scale Power Plants	20.00%	19.00%
Category-II	Rooftop and Solar Pumping	19.50%	18.50%
Category-III	Off-grid projects/applications like solar lamps, solar lights, solar street lights, solar fans, etc. (other than solar powered agricultural pumps and solar PV rooftops) requiring individual capacity of each solar PV module deployed, to be of less than 200 Watt peak	18.00%	18.00%
		(not to be included in main ALMM List-I but to be included in a separate ALMM list called ALMM List-I (DRE)	
Category-IV	Any other application	19.00%	18.00%

3. Post the aforesaid O.M. dated 10.05.2023 and subsequent O.M.s dated 22.03.2024 and 06.05.2025, only such models of Solar PV Modules have been considered for enlistment under ALMM List-I, whose module efficiency is meeting the eligibility criteria as mentioned in table at para-2 above.

4. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 was last updated on 25.11.2025.

5. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 is hereby further revised and the Revision-XLV (*in the format of additions / modifications to Revision-XLIV*) is enclosed at Annexure-I. The last revision no. XLIV dated 25.11.2025 is at pages after Annexure-I.

6. The ALMM enlistment validity is subject to valid BIS Registration; else deemed to be delisted.

7. The details of Registration No. (R. No.) which has been allotted by BIS is mentioned against each manufacturer / manufacturing unit enlisted in ALMM and further details related to BIS certification like validity, models included, etc. may be checked from BIS website by using the following link:
https://www.crsbis.in/BIS/Lims_registrationc.do?hmode=getLimsData

8. This issues with the approval of competent authority.

(Sanjay G. Karndhar)
Scientist-E

E-mail: karndhar.sg@nic.in

Encl: as above

To: All Concerned

Copy to: Director (Technical), NIC, MNRE for uploading this document on MNRE's website

A. Amendments/ Updations in previous lists of ALMM List-I

1. Revision XXXVI Sl. No. 1 => Removal of Emmvee Unit-1 located in # 13/1, International Airport Road. Bettahalasur Post, Bengaluru - 562 157, India, from ALMM List-I for solar PV modules, as the BIS validity of the said manufacturing plant has already expired on 19.09.2025 and has not been renewed and the manufacturer has discontinued manufacturing operations at this location.

2. Revision XLIV Sl.No. 4 => M/s. Sirius Solar Energy Systems Pvt. Ltd. - Address Update

Old Address:- PLOT NO.30 & 46, ALEAP INDUSTRIAL ESTATE, PRAGATHI NAGAR, GAJULARAMARAM, QUTUBULLAPUR MANDAL, Telangana, India - 500090

New Address:- PLOT NO: F33, SY.NO:70 & 174, IP SULTANPUR, PATANCHERU, SANGAREDDY- 502319, Telangana, India



B. New additions on 22.12.2025 in the List of Manufacturers and Models of Solar PV Modules Enlisted under ALMM Order

B. New additions on 22.12.2025 in the List of Manufacturers and Models of Solar PV Modules Enlisted under ALMM Order													
S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
1	M/s. Saatvik Solar Industries Private Limited (Capacity Addition)	Village Mohari, Tehsil-Shahabad, Markanda, Ambala Road District-Kurukshetra -136135, Haryana, India	R-91017981	3122	i	Bifacial N-Type TOPCon Modules (Glass to Glass)	SGE615-132TGG (615 Wp)	SGE600-132TGG	22.21	132 (Half Cut Cells)	1500	13.08.2025	12.08.2029
								SGE605-132TGG	22.40				
								SGE610-132TGG	22.58				
								SGE615-132TGG	22.77				
								SGE620-132TGG	22.95				
								SGE625-132TGG	23.14				
					ii	Bifacial N-Type TOPCon Modules (Glass to Glass)	SGE425-108TGG (425 Wp)	SGE410-108TGG	20.97	108 (Half Cut Cells)	1500		
								SGE415-108TGG	21.23				
								SGE420-108TGG	21.48				
								SGE425-108TGG	21.74				
								SGE430-108TGG	21.99				
								SGE435-108TGG	22.25				
					iii	Bifacial N-Type TOPCon Modules (Glass to Glass)	SGE475-120TGG (475 Wp)	SGE440-108TGG	22.51	120 (Half Cut Cells)	1500		
								SGE460-120TGG	21.22				
								SGE465-120TGG	21.45				
								SGE470-120TGG	21.68				
								SGE475-120TGG	21.91				
								SGE480-120TGG	22.14				
					iv	Bifacial N-Type TOPCon Modules (Glass to Glass)	SGE520-132TGG (520 Wp)	SGE485-120TGG	22.37	132 (Half Cut Cells)	1500		
								SGE490-120TGG	22.60				
								SGE510-132TGG	21.46				
								SGE515-132TGG	21.67				
								SGE520-132TGG	21.88				
								SGE525-132TGG	22.09				
					v	Bifacial N-Type TOPCon Modules (Glass to Glass)	SGE580-144TGG (580 Wp)	SGE530-132TGG	22.30	144 (Half Cut Cells)	1500		
								SGE535-132TGG	22.51				
								SGE560-144TGG	21.68				
								SGE565-144TGG	21.87				
								SGE570-144TGG	22.07				
								SGE575-144TGG	22.26				
					vi	Bifacial N-Type TOPCon Modules (Glass to Glass)	SGE615-156TGG (615 Wp)	SGE580-144TGG	22.45	156 (Half Cut Cells)	1500		
								SGE585-144TGG	22.65				
								SGE590-144TGG	22.84				
								SGE595-144TGG	23.03				
								SGE600-144TGG	23.23				
								SGE600-156TGG	21.47				
2	M/s MKU Holdings Private Limited (Model Addition + Capacity Addition)	DTA-02, PLOT-16-17-20-21, AJMER ROAD, BAGRU, MAHINDRAWORLD CITY SEZ, SANGANER, JAIPUR, RAJASTHAN, 302039 RAJASTHAN,India-302039	R-84005282	1247	i	Bifacial N-Type TOPCon Module (Glass to Glass)	ACM-HD144N-600 (600 Wp)	ACM-HD144N-600	23.23	144 (Half Cut, Cells size 182.2 x 91.87 mm)	1500	27.03.2025	26.03.2029
								ACM-HD144N-595	23.03				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
3	M/s. Macwin Solar Energy Private Limited (New Addition in ALMM)	Block No-462, Near Kanhya showroom, Bhat Gam, Olpad, Olpad-Vadoli Road Surat - 394540, Gujarat, India	R-72012343	405	i	Bifacial N-Type TOPCon Module (Glass To Transparent Backsheet)	MSE_560 (560 Wp)	MSE_535	20.71	144 (Half Cut Cell)	1500	22.12.2025	21.12.2029
								MSE_540	20.90				
								MSE_545	21.10				
								MSE_550	21.29				
								MSE_555	21.48				
								MSE_560	21.68				
								MSE_565	21.87				
								MSE_570	22.07				
								MSE_575	22.26				
								MSE_580	22.45				
					ii	Bifacial N-Type TOPCon Module (Glass To Transparent Backsheet)	MSE_515 (515 Wp)	MSE_500	21.08	132 (Half Cut Cell)	1500		
								MSE_505	21.29				
								MSE_510	21.50				
								MSE_515	21.71				
								MSE_520	21.92				
								MSE_525	22.13				
								MSE_530	22.34				
					iii	Bifacial N-Type TOPCon Module (Glass To Transparent Backsheet)	MSE_480 (480 Wp)	MSE_460	21.26	120 (Half Cut Cell)	1500		
								MSE_465	21.49				
								MSE_470	21.72				
								MSE_475	21.95				
								MSE_480	22.18				
								MSE_485	22.42				
								MSE_490	22.65				
								MSE_495	22.88				
					iv	Bifacial N-Type TOPCon Module (Glass To Transparent Backsheet)	MSE_405 (405 Wp)	MSE_405	20.74	108 (Half Cut Cell)	1500		
					v	Bifacial N-Type TOPCon Module (Glass To Transparent Backsheet)	MSE_430 (430 Wp)	MSE_410	21.00	108 (Half Cut Cell)	1500		
								MSE_415	21.25				
								MSE_420	21.51				
								MSE_425	21.76				
								MSE_430	22.02				
								MSE_435	22.28				
								MSE_440	22.53				
								MSE_445	22.79				
								MSE_450	23.04				
					vi	Bifacial N-Type TOPCon Module (Glass To Transparent Backsheet)	MSE_355 (355 Wp)	MSE_355	20.35	96 (Half Cut Cell)	1500		
					vii	Bifacial N-Type TOPCon Module (Glass To Transparent Backsheet)	MSE_375 (375 Wp)	MSE_360	20.64	96 (Half Cut Cell)	1500		
								MSE_365	20.93				
								MSE_370	21.21				
								MSE_375	21.50				
								MSE_380	21.79				
								MSE_385	22.07				
								MSE_390	22.36				
					viii	Bifacial N-Type TOPCon Module	MSE_330 (330 Wp)	MSE_320	20.87	84 (Half Cut Cell)	1500		
								MSE_325	21.20				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity		
												From	To (subject to valid BIS Registration; else deemed to be delisted)	
						(Glass To Transparent Backsheet)		MSE_330	21.52	72 (Half Cut Cell)	1500			
					ix	Bifacial N-Type TOPCon Module (Glass To Transparent Backsheet)	MSE_280 (280 Wp)	MSE_335	21.85					
				MSE_340				22.18						
				MSE_345				22.50						
				MSE_270				20.38						
				MSE_275				20.76						
				MSE_280				21.14						
				MSE_285				21.52						
								MSE_290	21.89					
4	M/s. Waaree Energies Limited (Model Addition + Capacity Addition)	Survey No. 1934, 1939, 1941, 1942, NH-48, Degam, Chikhali, Navsari, Gujarat,India - 396530	R-72005533	16444	i	Bifacial Hetero-junction Monocrystalline Silicon (HJT) Module (Glass to Glass)	BiH-11-715 (715 Wp)	BiH-11-700	22.53	132 (Half Cut Cells) (Cell Size: 210 mm * 105 mm)	1500	18.08.2024	17.08.2028	
								BiH-11-705	22.70					
								BiH-11-710	22.86					
								BiH-11-715	23.02					
								BiH-11-720	23.18					
								BiH-11-725	23.34					
								BiH-11-730	23.50					
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	BiN-03-695 (695 Wp)	BiN-03-680	21.89	132 (Half Cut Cells) (Cell Size: 210 mm * 105 mm)	1500			
								BiN-03-685	22.05					
								BiN-03-690	22.21					
								BiN-03-695	22.37					
								BiN-03-700	22.53					
								BiN-03-705	22.70					
								BiN-03-710	22.86					
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	BiN-21-620 (620 Wp)	BiN-21-600	22.21	132 (Half Cut Cells) (Cell Size: 105 mm * 182.3 mm)	1500			
								BiN-21-605	22.40					
								BiN-21-610	22.58					
								BiN-21-615	22.77					
								BiN-21-620	22.95					
								BiN-21-625	23.14					
								BiN-21-630	23.32					
								BiN-21-635	23.51					
					iv	Mono c-Si PERC Module (Glass to Backsheet)	WSM-130 (130 Wp)	WSM-130	19.09	36 (Half Cut Cells)(Cell Size: 91.1 mm * 182.2 mm)	1000			
					v	Mono c-Si PERC Module (Glass to Backsheet)	WSM-120 (120 Wp)	WSM-120	19.68	32 (Half Cut Cells)(Cell Size: 91.1 mm * 182.2 mm)	1000			
5	M/s EASTMAN GREEN TECHNOLOGIES PRIVATE LIMITED (New Addition in ALMM)	KHASRA NO.55//2,3/1,PANCHI UJRAN,NEAR HAPPY CHILD INTERNATIONAL,GANAUR, SONIPAT, HARYANA-131101	R-91019879	374	i	Bifacial Mono c-Si PERC Module(Glass to Transparent Backsheet) (Glass to Glass)	EBP144HCGB525 (525 Wp)	EBP144HCGB550	21.29	144 (Half Cut Cells)	1500	22.12.2025	21.12.2029	
								EBP144HCGB545	21.10					
								EBP144HCGB540	20.90					
								EBP144HCGB535	20.71					
								EBP144HCGB530	20.52					
								EBP144HCGB525	20.32					
								EBP144HCGB520	20.13					
								EBP144HCGB515	19.94					
								EBP144HCGB510	19.74					
								EBP144HCGB505	19.55					
								EBP144HCGB500	19.36					

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					ii	Bifacial Mono c-Si PERC Module(Glass to Transparent Backsheet)	EBP144HCGB495 (495 Wp)	EBP144HCGB495	19.16	144 (Half Cut Cells)	1500		
					iii	Bifacial Mono c-Si PERC Module(Glass to Transparent Backsheet)	EBP132HCGB470 (470 Wp)	EBP132HCGB490	20.65	132 (Half Cut Cells)	1500		
								EBP132HCGB485	20.44				
								EBP132HCGB480	20.33				
								EBP132HCGB475	20.02				
								EBP132HCGB470	19.81				
								EBP132HCGB465	19.60				
								EBP132HCGB460	19.39				
					iv	Bifacial Mono c-Si PERC Module(Glass to Transparent Backsheet)	EBP120HCGB425 (425 Wp)	EBP120HCGB440	20.34	120 (Half Cut Cells)	1500		
								EBP120HCGB435	20.10				
								EBP120HCGB430	19.87				
								EBP120HCGB425	19.64				
								EBP120HCGB420	19.41				
								EBP120HCGB415	19.18				
								EBP120HCGB410	18.95				
					v	Bifacial Mono c-Si PERC Module(Glass to Transparent Backsheet)	EBP108HCGB385 (385 Wp)	EBP108HCGB400	20.48	108 (Half Cut Cells)	1500		
								EBP108HCGB390	19.97				
								EBP108HCGB385	19.72				
								EBP108HCGB380	19.46				
								EBP108HCGB375	19.20				
					vi	Bifacial Mono c-Si PERC Module(Glass to Transparent Backsheet)	EBP96HCGB345 (345 Wp)	EBP96HCGB360	20.64	96 (Half Cut Cells)	1500		
								EBP96HCGB355	20.35				
								EBP96HCGB350	20.07				
								EBP96HCGB345	19.78				
								EBP96HCGB340	19.49				
								EBP96HCGB335	19.21				
								EBP96HCGB330	18.93				
					vii	Bifacial N-Type TOPCon Module (Glass to Glass)	ETC156HCGG630 (630 Wp)	ETC156HCGG650	23.24	156 (Half Cut Cells)	1500		
								ETC156HCGG645	23.07				
								ETC156HCGG640	22.89				
								ETC156HCGG635	22.71				
								ETC156HCGG630	22.53				
								ETC156HCGG625	22.35				
								ETC156HCGG620	22.17				
								ETC156HCGG615	21.99				
								ETC156HCGG610	21.81				
								ETC156HCGG605	21.63				
								ETC156HCGG600	21.45				
								ETC156HCGG595	21.27				
					viii	Bifacial N-Type TOPCon Module (Glass to Glass)	ETC144HCGG575 (575 Wp)	ETC144HCGG590	22.84	144 (Half Cut Cells)	1500		
								ETC144HCGG585	22.65				
								ETC144HCGG580	22.45				
								ETC144HCGG575	22.26				
								ETC144HCGG570	22.07				
								ETC144HCGG565	21.87				
								ETC144HCGG560	21.68				
								ETC144HCGG555	21.48				
								ETC144HCGG550	21.29				
								ETC144HCGG545	21.10				
					ix	Bifacial N-Type	ETC144HCGG540 (540 Wp)	ETC144HCGG545	21.10	144 (Half Cut Cells)	1500		

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
						TOPCon Module (Glass to Glass)	Wp)	ETC144HCGG540	20.90				
					x	Bifacial N-Type TOPCon Module (Glass to Glass)	ETC132HCGG510 (510 Wp)	ETC132HCGG535	22.55	132 (Half Cut Cells)	1500		
								ETC132HCGG530	22.34				
								ETC132HCGG525	22.13				
								ETC132HCGG520	21.92				
								ETC132HCGG515	21.71				
								ETC132HCGG510	21.50				
								ETC132HCGG505	21.29				
								ETC132HCGG500	21.08				
								ETC132HCGG495	20.87				
								ETC132HCGG490	20.65				
					xi	Bifacial N-Type TOPCon Module (Glass to Glass)	ETC120HCGG465 (465 Wp)	ETC120HCGG485	22.42	120 (Half Cut Cells)	1500		
								ETC120HCGG480	22.18				
								ETC120HCGG475	21.95				
								ETC120HCGG470	21.72				
								ETC120HCGG465	21.49				
								ETC120HCGG460	21.26				
								ETC120HCGG450	20.80				
								ETC120HCGG445	20.57				
					xii	Bifacial N-Type TOPCon Module (Glass to Glass)	ETC120HCGG440 (440 Wp)	ETC120HCGG440	20.34	120 (Half Cut Cells)	1500		
					xiii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	ETC156HCGB630 (630 Wp)	ETC156HCGB650	23.24	156 (Half Cut Cells)	1500		
								ETC156HCGB645	23.07				
								ETC156HCGB640	22.89				
								ETC156HCGB635	22.71				
								ETC156HCGB630	22.53				
								ETC156HCGB625	22.35				
								ETC156HCGB620	22.17				
								ETC156HCGB615	21.99				
								ETC156HCGB610	21.81				
								ETC156HCGB605	21.63				
					xiv	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	ETC144HCGB575 (575 Wp)	ETC144HCGB600	23.23	144 (Half Cut Cells)	1500		
								ETC144HCGB595	23.03				
								ETC144HCGB590	22.84				
								ETC144HCGB585	22.65				
								ETC144HCGB580	22.45				
								ETC144HCGB575	22.26				
								ETC144HCGB570	22.07				
								ETC144HCGB565	21.87				
								ETC144HCGB560	21.68				
								ETC144HCGB555	21.48				
								ETC144HCGB550	21.29				
					xv	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	ETC144HCGB540 (540 Wp)	ETC144HCGB545	21.10	144 (Half Cut Cells)	1500		
								ETC144HCGB540	20.90				
					xvi	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	ETC132HCGB510 (510 Wp)	ETC132HCGB535	22.55	132 (Half Cut Cells)	1500		
								ETC132HCGB530	22.34				
								ETC132HCGB525	22.13				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
						Backsheet)		ETC132HCGB520	21.92				
								ETC132HCGB515	21.71				
								ETC132HCGB510	21.50				
								ETC132HCGB505	21.29				
								ETC132HCGB500	21.08				
								ETC132HCGB495	20.87				
								ETC132HCGB490	20.65				
					xvii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	ETC120HCGB465 (465 Wp)	ETC120HCGB485	22.42	120 (Half Cut Cells)	1500		
								ETC120HCGB480	22.18				
								ETC120HCGB475	21.95				
								ETC120HCGB470	21.72				
								ETC120HCGB465	21.49				
								ETC120HCGB460	21.26				
								ETC120HCGB450	20.80				
					xviii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	ETC120HCGB440 (440 Wp)	ETC120HCGB445	20.57	120 (Half Cut Cells)	1500		
								ETC120HCGB440	20.34				
6	M/s. Rayzon Solar Limited (New Addition in ALMM)	Block No.172/1, Sub Plot No. 02, B/S Eminent Paper Industries, Sava Mangrol, Surat - 394120, Gujarat, India.	R-72014702	5659	i	Bifacial N-Type TOPCon Modules (Glass to Glass)	RS600144TGC-600 (600 Wp)	RS620144TGC	24.02	144 (Half Cut Cells)	1500	22.12.2025	21.12.2029
								RS615144TGC	23.83				
								RS610144TGC	23.63				
								RS605144TGC	23.44				
								RS600144TGC	23.25				
								RS595144TGC	23.05				
								RS590144TGC	22.86				
								RS585144TGC	22.67				
								RS580144TGC	22.47				
								RS575144TGC	22.28				
7	M/s. Frontier Energy Private Limited (New Addition in ALMM)	B2 Kothur Logistic Park, TSIC Industrial Development, Kothur B, TSSI Industrial Park, Hyderabad Ranga Reddy Telangana,India-509228	R-63005045	548	i	Bifacial N-Type TOPCon Module (Glass to Glass)	FE156_620TG (620 Wp)	FE156_605TG	21.63	156 (Half Cut Cells)	1500	22.12.2025	21.12.2029
								FE156_610TG	21.81				
								FE156_615TG	21.99				
								FE156_620TG	22.17				
								FE156_625TG	22.35				
								FE156_630TG	22.53				
								FE156_635TG	22.71				
								FE156_640TG	22.89				
								FE156_645TG	23.07				
								ii	Bifacial N-Type TOPCon Module (Glass to Glass)				
					FE144_545TG	21.10							
					FE144_550TG	21.29							
					FE144_555TG	21.48							
					FE144_560TG	21.68							
					FE144_565TG	21.87							
					FE144_570TG	22.07							
					FE144_575TG	22.26							
					FE144_580TG	22.45							
					FE144_585TG	22.65							
					iii	Bifacial N-Type TOPCon Module	FE132_515TG (515Wp)	FE132_490TG	20.65	132 (Half Cut Cells)	1500		
								FE132_495TG	20.87				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity						
												From	To (subject to valid BIS Registration; else deemed to be delisted)					
						(Glass to Glass)		FE132_500TG	21.08									
								FE132_505TG	21.29									
								FE132_510TG	21.50									
								FE132_515TG	21.71									
								FE132_520TG	21.92									
								FE132_525TG	22.13									
								FE132_530TG	22.34									
								FE132_535TG	22.55									
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	FE120_465TG (465Wp)	FE120_445TG	20.57	120 (Half Cut Cells)	1500							
								FE120_450TG	20.80									
								FE120_460TG	21.26									
								FE120_465TG	21.49									
								FE120_470TG	21.72									
								FE120_475TG	21.95									
								FE120_480TG	22.18									
								FE120_485TG	22.42									
8	M/s ZNSHINE SOLARWORLD PRIVATE LIMITED (New Additiomn in ALMM)	KH. NO. 132, 137, 138, 139M & 147, VARDHMAN INDUSTRIAL ESTATE, VILLAGE BAHADARPUR SAINI, NEAR PATANJALI YOGPEETH, TEH: ROORKEE, HARIDWAR, UTTARAKHAND,India-249401	R-83012947	1552	i	Bifacial N-Type TOPCon Module (Glass to Glass)	SW-DG156THC-625W (625 Wp)	SW-DG156THC-645W	23.07	156 (Half Cut Cells) 182.2 mm X 91.875 mm	1500	22.12.2025	21.12.2029					
								SW-DG156THC-640W	22.90									
								SW-DG156THC-635W	22.72									
								SW-DG156THC-630W	22.54									
								SW-DG156THC-625W	22.36									
								SW-DG156THC-620W	22.18									
								SW-DG156THC-615W	22.00									
								SW-DG156THC-610W	21.82									
								SW-DG156THC-605W	21.64									
								SW-DG156THC-600W	21.46									
								ii	Bifacial N-Type TOPCon Module (Glass to Glass)					SW-DG144THC-585W (585 Wp)	SW-DG144THC-600W	23.23	144 (Half Cut cells) 182.2 mm X 91.875 mm	1500
															SW-DG144THC-595W	23.03		
															SW-DG144THC-590W	22.84		
															SW-DG144THC-585W	22.65		
															SW-DG144THC-580W	22.45		
															SW-DG144THC-575W	22.26		
iii	Bifacial N-Type TOPCon Module (Glass to Glass)	SW-DG132THC-685W (685 Wp)	SW-DG144THC-570W	22.07	132 (Half Cut cells) 210 mm X 105 mm	1500												
			SW-DG132THC-715W	23.02														
			SW-DG132THC-710W	22.86														
			SW-DG132THC-705W	22.70														
			SW-DG132THC-700W	22.53														
			SW-DG132THC-695W	22.37														
			SW-DG132THC-690W	22.21														
			SW-DG132THC-685W	22.05														
			SW-DG132THC-680W	21.89														
			SW-DG132THC-675W	21.73														
iv	Bifacial N-Type TOPCon Module (Glass to Glass)	SW-DG132THC-610W (610 Wp)	SW-DG132THC-670W	21.57	132 (Half Cut cells) 182.3 mm X 105 mm	1500												
			SW-DG132THC-665W	21.41														
			SW-DG132THC-660W	21.25														
			SW-DG132THC-655W	21.09														
			SW-DG132THC-650W	20.92														
			SW-DG132THC-640W	23.69														
									</									

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity													
												From	To (subject to valid BIS Registration; else deemed to be delisted)												
								SW-DG132THC-620W	22.95																
								SW-DG132THC-615W	22.77																
								SW-DG132THC-610W	22.58																
								SW-DG132THC-605W	22.40																
								SW-DG132THC-600W	22.21																
								SW-DG132THC-595W	22.03																
								SW-DG132THC-590W	21.84																
								SW-DG132THC-585W	21.66																
								SW-DG132THC-580W	21.47																
9	M/s Goldi Sun Private Limited (New Addition in ALMM)	BLOCK/ SURVEY NO 252/P2, CITY SURVEY NO NA251, NA248/P2, NA246,NA250,NA249,NA241, NATIONAL HIGHWAY-48, TA, MANGROL, NA, GUJARAT, INDIA -394115	R-72014966	3384	i	Bifacial N-Type TOPCon Module (Glass to Glass)	LR8-GS-66HGD-630 (630 Wp)	LR8-GS-66HGD-600	22.40	132 (Half Cut Cells)	1500	22.12.2025	21.12.2029												
								LR8-GS-66HGD-605	22.40																
								LR8-GS-66HGD-610	22.58																
								LR8-GS-66HGD-615	22.77																
								LR8-GS-66HGD-620	22.95																
								LR8-GS-66HGD-625	23.14																
								LR8-GS-66HGD-630	23.32																
								LR8-GS-66HGD-635	23.51																
								10	M/s Fujiyama Power Systems Limited (Formerly Fujiyama Power Systems Private Limited) (Model Addition)					51,52,SECTOR-ECOTECH-1,ECOTECH EXTN-1,GREATER NOIDA,GAUTAM BUDDHA NAGAR,UTTAR PRADESH, India 201310	R-93037940	355	i	Bifacial N-Type TOPCon Module (Glass to Glass)	FPS590-144GT (590 Wp)	FPS590-144GT	22.87	144 (Half Cut Cells)	1500	21.04.2025	20.04.2029
																				FPS585-144GT	22.68				
FPS580-144GT	22.48																								
FPS575-144GT	22.29																								
FPS570-144GT	22.09																								
ii	Bifacial N-Type TOPCon Module (Glass to Backsheet)	FPS590-144BT (590 Wp)	FPS560-144GT	21.71	144 (Half Cut Cells)	1500																			
			FPS550-144GT	21.32																					
			FPS590-144BT	22.87																					
			FPS585-144BT	22.68																					
			FPS580-144BT	22.48																					
			FPS575-144BT	22.29																					
			FPS570-144BT	22.09																					
			FPS560-144BT	21.71																					
			FPS555-144BT	21.51																					
			FPS550-144BT	21.32																					
iii	Bifacial N-Type TOPCon Module (Glass to Backsheet)	FPS525-132BT (525 Wp)	FPS525-132BT	21.91	132 (Half Cut Cells)	1500																			
R-93022209		iv	Bifacial N-Type TOPCon Module (Glass to Backsheet)	UTL510-132BT (510 Wp)	UTL490-132BT	20.66	132 (Half Cut Cells)			1500															
					UTL495-132BT	20.87																			
					UTL500-132BT	21.08																			
					UTL510-132BT	21.51																			
					UTL515-132BT	21.72																			
					UTL520-132BT	21.93																			
		v	Bifacial N-Type TOPCon Module (Glass to Backsheet)	UTL540-132BT (540 Wp)	UTL530-132BT	22.35	132 (Half Cut Cells)			1500															
					UTL535-132BT	22.56																			
					UTL540-132BT	22.77																			
					UTL545-132BT	22.98																			
					UTL550-132BT	23.19																			
					UTL555-132BT	23.40																			
					UTL560-132BT	23.62																			

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
11	M/s Waaree Energies Limited (Model Addition)	SURVEY NO. 38/1,TUMB VILLAGE, UMBERGAON TALUKA, VALSAD, GUJARAT, India, 396150	R-72002038	1095	i	Bifacial Mono c-Si PERC Module (Glass to Glass)	Bi-62-490 (490 Wp)	Bi-62-480	20.28	132 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								Bi-62-485	20.49				
								Bi-62-490	20.70				
								Bi-62-495	20.91				
								Bi-62-500	21.13				
12	M/s GREEN VALLEY MOTORS (New Addition in ALMM)	10, LILUAH, BELUR ROAD, HOWRAH, WEST BENGAL-711204, India	R-51003239	34	i	N- Type TOPCon Module (Glass to Transparent Backsheet)	GVM156TB-605 (605 Wp)	GVM156TB-630	22.53	156 (Half Cut Cells)	1500	22.12.2025	21.12.2029
								GVM156TB-625	22.35				
								GVM156TB-620	22.17				
								GVM156TB-615	21.99				
								GVM156TB-610	21.81				
								GVM156TB-605	21.63				
								GVM156TB-600	21.46				
								GVM156TB-595	21.28				
								GVM156TB-590	21.10				
								GVM156TB-585	20.92				
								GVM156TB-580	20.74				
								GVM156TB-575	20.56				
					ii	N- Type TOPCon Module (Glass to Transparent Backsheet)	GVM144TB-545 (545 Wp)	GVM144TB-570	22.07	144 (Half Cut Cells)	1500		
								GVM144TB-565	21.87				
								GVM144TB-560	21.68				
								GVM144TB-555	21.48				
								GVM144TB-550	21.29				
								GVM144TB-545	21.10				
								GVM144TB-540	20.90				
								GVM144TB-535	20.71				
								GVM144TB-530	20.52				
								GVM144TB-525	20.32				
								GVM144TB-520	20.13				
								iii	N- Type TOPCon Module (Glass to Transparent Backsheet)				
					GVM132TB-500	21.06							
					GVM132TB-495	20.85							
					GVM132TB-490	20.64							
					GVM132TB-480	20.21							
					GVM132TB-475	20.00							
					GVM132TB-470	19.79							
					GVM132TB-465	19.58							
					iv	N- Type TOPCon Module (Glass to Transparent Backsheet)	GVM120TB-435 (435 Wp)	GVM120TB-450	20.79	120 (Half Cut Cells)	1500		
								GVM120TB-445	20.56				
								GVM120TB-440	20.33				
								GVM120TB-435	20.09				
								GVM120TB-430	19.86				
								GVM120TB-425	19.63				
								GVM120TB-420	19.40				
								GVM120TB-415	19.17				
					v	N- Type TOPCon Module (Glass to Transparent Backsheet)	GVM108TB-390 (390 Wp)	GVM108TB-405	20.74	108 (Half Cut Cells)	1500		
								GVM108TB-400	20.48				
								GVM108TB-395	20.23				
								GVM108TB-390	19.97				
								GVM108TB-385	19.72				
								GVM108TB-375	19.20				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity								
												From	To (subject to valid BIS Registration; else deemed to be delisted)							
13	M/s INOX SOLAR LIMITED (New Addition in ALMM)	B500, BHAYALA, BAVLA TALUKA, KERALA GIDC, AHMEDABAD, GUJARAT-382240	R-72015016	1274	i	N-Type TOPCon Module (Glass to Transparent Backsheet)	ISL 156 NM10R 620 (620 Wp)	ISL 156 NM10R 610	21.82	156 (Half Cut Cells)	1500	22.12.2025	21.12.2029							
								ISL 156 NM10R 615	22.00											
								ISL 156 NM10R 620	22.18											
								ISL 156 NM10R 625	22.36											
								ISL 156 NM10R 630	22.54											
								ISL 156 NM10R 635	22.72											
								ISL 156 NM10R 640	22.90											
								ISL 156 NM10R 645	23.07											
14	M/s Australian Premium Solar (India) Ltd (Model Addition + Capacity Addition)	Tajpur, NH-08, TA:Prantij, Dist.: Sabarkantha, GUJARAT,India-383205	R-72001791	622	i	N-Type TOPCon Module	APSTM-425/108 (425 Wp)	APSTM-405/108	20.74	108 (Half Cut Cells)	1500	01.09.2023	31.08.2027							
								APSTM-410/108	21.00											
								APSTM-415/108	21.25											
								APSTM-420/108	21.51											
								APSTM-425/108	21.76											
								APSTM-430/108	22.02											
								APSTM-435/108	22.28											
								APSTM-440/108	22.53											
					ii	N-Type TOPCon Module	APSTM-460/120 (460 Wp)	APSTM-445/120	20.57	120 (Half Cut Cells)	1500									
								APSTM-450/120	20.80											
								APSTM-455/120	21.03											
								APSTM-460/120	21.26											
								APSTM-465/120	21.49											
								APSTM-470/120	21.72											
								APSTM-475/120	21.95											
								iii	N-Type TOPCon Module					APSTM-485/120 (485 Wp)	APSTM-480/120	22.18	120 (Half Cut Cells)	1500		
					APSTM-485/120	22.42														
					APSTM-490/120	22.65														
					iv	N-Type TOPCon Module	APSTM-515/132 (515 Wp)	APSTM-495/132	20.86	132 (Half Cut Cells)	1500									
								APSTM-500/132	21.07											
								APSTM-505/132	21.28											
								APSTM-510/132	21.49											
								APSTM-515/132	21.70											
								APSTM-520/132	21.91											
								APSTM-525/132	22.12											
								APSTM-530/132	22.33											
								APSTM-535/132	22.54											
								APSTM-540/132	22.75											
								v	N-Type TOPCon Module					APSTM-565/144 (565 Wp)	APSTM-545/144	21.10	144 (Half Cut Cells)	1500		
															APSTM-550/144	21.29				
					APSTM-555/144	21.48														
					APSTM-560/144	21.68														
					APSTM-565/144	21.87														
					APSTM-570/144	22.07														
					APSTM-575/144	22.26														
					APSTM-580/144	22.45														
					15	M/s. SAEI SOLAR MFG. PRIVATE LIMITED (Model Addition + Capacity Addition)	VILLAGE HUKUMAT SINGH WALA, FEROZEPUR MOGA ROAD, FEROZEPUR,PUNJAB , FEROZEPUR-142052, India	R-97001058	220	i	N-Type TOPCon Module			SL144GTG-600 T (600 Wp)	SL144GTG-595 T	23.06	144 (Half Cut Cells)	1500	31.05.2023	30.05.2027
															SL144GTG-600 T	23.26				

Note: In case of model inclusion or capacity addition / change, through revision in ALMM List, the capacity mentioned against any manufacturing unit, as appearing in the said Revision to the ALMM List, shall be the ALMM enlisted manufacturing capacity for that manufacturing unit (from the date of the said revision), and the capacity enlisted for that manufacturing unit should not be interpreted as Sum of (enlisted capacity for that manufacturing unit in previous ALMM list/ previous revision to ALMM List) and (enlisted capacity in the present revision)

Note: In case of model inclusion or capacity addition / change, through revision in ALMM List, the capacity mentioned against any manufacturing unit, as appearing in the said Revision to the ALMM List, shall be the ALMM enlisted manufacturing capacity for that manufacturing unit (from the date of the said revision), and the capacity enlisted for that manufacturing unit should not be interpreted as Sum of (enlisted capacity for that manufacturing unit in previous ALMM list/ previous revision to ALMM List) and (enlisted capacity in the present revision)

OFFICE MEMORANDUM

Sub: Updation of List I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 – Reg.

- Ref:** (i) MNRE's O.M. No. 283/54/2018-GRID SOLAR–Part(1) dated 10.03.2021
(ii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 10.05.2023;
(iii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 22.03.2024;
(iv) MNRE's O.M. No. 32/33/2024-SPV Division dated 06.05.2025;

Reference is invited to this Ministry's O.M.s of even no. dated 10.03.2021, regarding implementation of Approved Models and Manufacturers of Solar Photovoltaic Modules (Requirement for Compulsory Registration) Order, 2019 and publishing List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019.

2. This Ministry vide its O.M.s referred at (ii), (iii) & (iv) above, inter-alia, directed that only such models of Solar PV Module Manufacturers will be enlisted under ALMM, which comply with the BIS Standards and are having the following minimum module efficiency:

Category	Application/Use	Minimum Module Efficiency required to be eligible for enlistment in ALMM for solar PV modules	
		For c-Si technology based solar PV modules	For CdTe thin film technology based solar PV modules
Category-I	Utility/Grid Scale Power Plants	20.00%	19.00%
Category-II	Rooftop and Solar Pumping	19.50%	18.50%
Category-III	Off-grid projects/applications like solar lamps, solar lights, solar street lights, solar fans, etc. (other than solar powered agricultural pumps and solar PV rooftops) requiring individual capacity of each solar PV module deployed, to be of less than 200 Watt peak	18.00%	18.00%
		(not to be included in main ALMM List-I but to be included in a separate ALMM list called ALMM List-I (DRE)	
Category-IV	Any other application	19.00%	18.00%

3. Post the aforesaid O.M. dated 10.05.2023 and subsequent O.M.s dated 22.03.2024 and 06.05.2025, only such models of Solar PV Modules have been considered for enlistment under ALMM List-I, whose module efficiency is meeting the eligibility criteria as mentioned in table at para-2 above.

4. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 was last updated on 13.10.2025.

5. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 is hereby further revised and the Revision-XLIV (*in the format of additions / modifications to Revision-XLIII*) is enclosed at Annexure-I. The last revision no. XLIII dated 13.10.2025 is at pages after Annexure-I.

6. The ALMM enlistment validity is subject to valid BIS Registration; else deemed to be delisted.

7. The details of Registration No. (R. No.) which has been allotted by BIS is mentioned against each manufacturer / manufacturing unit enlisted in ALMM and further details related to BIS certification like validity, models included, etc. may be checked from BIS website by using the following link:
https://www.crsbis.in/BIS/Lims_registrationc.do?hmode=getLimsData

8. This issues with the approval of competent authority.



(Sanjay G. Karndhar)
Scientist-E

E-mail: karndhar.sg@nic.in

Encl: as above

To: All Concerned

Copy to: Director (Technical), NIC, MNRE for uploading this document on MNRE's website

New additions on 25.11.2025 in the List of Manufacturers and Models of Solar PV Modules Enlisted under ALMM Order																				
S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity								
												From	To (subject to valid BIS Registration; else deemed to be delisted)							
1	M/s. SAEL Solar P6 Private Limited (Model Addition)	Land Kh. No. 354/2, New Kh. No. 844/354, Village Patan, Tehsil Kishangarh, Ajmer - 305801, Rajasthan, India	R-84004898	2374	i	Bifacial N-Type TOPCon Module (Glass to Glass)	SL144GTG-585 T (585 Wp)	SL144GTG-585 T	22.68	144 (Half Cut Cells)	1500	14.10.2024	13.10.2028							
								SL144GTG-590 T	22.87											
								SL144GTG-595 T	23.06											
								SL144GTG-600 T	23.26											
2	M/s. Matri Shree Techno Industries (Model Addition)	Dhauha Mirpur Chunar Mirzapur – 231305, Uttar Pradesh, India	R-93006483	49	i	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	GS 210M (210 Wp)	GS 210M	20.41	72 (Half Cut Cells)	1000	13.08.2025	12.08.2029							
					ii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	GS 210M12 (210 Wp)	GS 210M12	20.41	72 (Half Cut Cells)	1000									
							GS 200M12	19.44												
3	M/s. Sahaj Solar Limited (Model Addition under Co-ALMM)	Co-ALMM with M/s. Cosmic PV Power Private Limited Manufacturing Address: Survey No. 1605/1, Block No. 2098/1/B, Tadkeshvar, Mandavi, Surat- 394170, Gujarat, India	R-72013617	25 (As per CoBranding Agreement)	ii	Bifacial N-Type TOPCon Module (Glass to Glass)	SS TOP-585 (585 Wp)	SS TOP-600	23.22	144 (Half Cut Cells)	1500	25.11.2025	23.06.2027							
								SS TOP-595	23.03											
								SS TOP-590	22.86											
								SS TOP-585	22.67											
								SS TOP-580	22.47											
								SS TOP-575	22.28											
								SS TOP-570	22.08											
								iii	Bifacial N-Type TOPCon Module (Glass to Glass)					SS TOP-535 (535 Wp)	SS TOP-550	22.91	132 (Half Cut Cells)	1500		
					SS TOP-545	22.82														
					SS TOP-540	22.74														
					SS TOP-535	22.53														
					SS TOP-530	22.32														
					SS TOP-525	22.10														
					SS TOP-520	21.90														
					4	M/s. Sirius Solar Energy Systems Pvt Ltd (New Addition in ALMM)	PLOT NO: 30 & 46, ALEAP Industrial Estate, Pragathi Nagar, Gajularamaram, Qutubullapur Mandal, Telangana, India 500090			R-63002038	67				i	Mono c-Si PERC Module			SS144-530MH (530 Wp)	SS144-550MH
								SS144-545MH	21.09											
								SS144-540MH	20.89											
								SS144-535MH	20.70											
SS144-530MH	20.51																			
SS144-525MH	20.70																			
SS144-520MH	20.12																			
SS144-515MH	19.93																			
SS144-510MH	19.73																			
ii	Mono c-Si PERC Module	SS132-490MH (490 Wp)	SS132-505MH	21.28	132 (Half Cut Cells)	1500														
			SS132-500MH	21.07																

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
						Mono c-Si PERC Module	SS120-440MH (440 Wp)	SS132-495MH	20.86	120 (Half Cut Cells)	1500		
								SS132-490MH	20.64				
								SS132-485MH	20.43				
								SS132-480MH	20.22				
								SS132-470MH	19.80				
					iii	Mono c-Si PERC Module	SS120-440MH (440 Wp)	SS120-460MH	21.26	120 (Half Cut Cells)	1500		
								SS120-450MH	20.80				
								SS120-440MH	20.34				
								SS120-430MH	19.87				
								SS120-420MH	19.41				
					iv	Mono c-Si PERC Module	SS108-400MH (400 Wp)	SS108-410MH	21.00	108 (Half Cut Cells)	1500		
								SS108-400MH	20.48				
								SS108-390MH	19.97				
								SS108-380MH	19.46				
					v	Mono c-Si PERC Module	SS96-350MH (350 Wp)	SS96-360MH	20.67	96 (Half Cut Cells)	1500		
								SS96-350MH	20.09				
								SS96-340MH	19.52				
					vi	Mono c-Si PERC Module	SS72-260MH (260 Wp)	SS72-270MH	19.84	72 (Half Cut Cells)	1500		
								SS72-260MH	19.11				
5	M/s. Sova Solar Limited (Model Addition + Capacity Addition)	Layout Plot No: 25, E.P.I.P, Banskopa,Durgapur - 713212, West Bengal, India	R-51000590	1368	i	Bifacial N-Type TOPCon Module (Glass to Glass)	SS595144HCGT (595 Wp)	SS600144HCGT	23.26	144 (Half Cut Cells)	1500	10.03.2023	09.03.2027
								SS595144HCGT	23.06				
								SS590144HCGT	22.87				
								SS585144HCGT	22.68				
6	M/s. Navitas Solar Private Limited (Model Addition + Capacity Addition)	371,371/B,372, 373/A/B, 374/A/B, 334/A, 375, 377, Sisodra, Ankleshwar - 394810, Gujarat, India	R-72011657	1142	i	Bifacial N-Type TOPCon Module (Glass to Glass)	NSG BFT132-G12R-630 (630 Wp)	NSG BFT132-G12R-605	22.39	132 (Half Cut Cells) Cell Size: 182.2mm*105mm	1500	27.03.2025	26.03.2029
								NSG BFT132-G12R-610	22.58				
								NSG BFT132-G12R-615	22.76				
								NSG BFT132-G12R-620	22.95				
								NSG BFT132-G12R-625	23.13				
								NSG BFT132-G12R-630	23.32				
								NSG BFT132-G12R-635	23.50				
								NSG BFT132-G12R-640	23.69				
								NSG BFT132-G12R-645	23.87				
								NSG BFT132-G12R-650	24.06				
								NSG BFT132-G12R-655	24.24				
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	NSG-BFT120-G12R-570 (570 Wp)	NSG-BFT120-G12R-550	22.33	120 (Half Cut Cells) Cell Size: 182.2mm*105mm	1500		
								NSG-BFT120-G12R-555	22.53				
								NSG-BFT120-G12R-560	22.74				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								NSG-BFT120-G12R-565	22.94				
								NSG-BFT120-G12R-570	23.14				
								NSG-BFT120-G12R-575	23.35				
								NSG-BFT120-G12R-580	23.55				
								NSG-BFT120-G12R-585	23.75				
								NSG BFT120-G12R-590	23.95				
								NSG-BFT120-G12R-595	24.16				
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	NSG-BFT108-G12R 515 (515 Wp)	NSG-BFT108-G12R-495	22.27	108 (Half Cut Cells) Cell Size: 182.2mm*105mm	1500		
								NSG-BFT108-G12R-500	22.50				
								NSG-BFT108-G12R-505	22.72				
								NSG-BFT108-G12R-510	22.95				
								NSG-BFT108-G12R 515	23.17				
								NSG-BFT108-G12R-520	23.40				
								NSG-BFT108-G12R-525	23.62				
								NSG-BFT108-G12R-530	23.85				
								NSG-BFT108-G12R-535	24.07				
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	NSG-BFT96-G12R-455 (455 Wp)	NSG-BFT96 G12R-440	22.20	96 (Half Cut Cells) Cell Size: 182.2mm*105mm	1500		
								NSG-BFT96-G12R-445	22.45				
								NSG-BFT96-G12R-450	22.70				
								NSG-BFT96-G12R-455	22.95				
								NSG-BFT96-G12R-460	23.21				
								NSG-BFT96-G12R-465	23.46				
								NSG-BFT96-G12R-470	23.71				
								NSG-BFT96-G12R-475	23.96				
					v	Bifacial N-Type TOPCon Module (Glass to Glass)	NSG-BFT84-G12R-400 (400 Wp)	NSG-BFT84-G12R-385	22.09	84 (Half Cut Cells) Cell Size: 182.2mm*105mm	1500		
								NSG-BFT84-G12R-390	22.38				
								NSG-BFT84-G12R-395	22.66				
								NSG-BFT84-G12R-400	22.95				
								NSG-BFT84-G12R-405	23.24				
								NSG-BFT84-G12R-410	23.52				
								NSG-BFT84-G12R-415	23.81				
					vi	Bifacial N-Type TOPCon Module (Glass to Glass)	NSG-BFT72-G12R-340 (340 Wp)	NSG-BFT72 G12R-330	21.95	72 (Half Cut Cells) Cell Size: 182.2mm*105mm	1500		
								NSG-BFT72-G12R-335	22.28				
								NSG-BFT72-G12R-340	22.61				
								NSG-BFT72-G12R-345	22.94				
								NSG-BFT72-G12R-350	23.28				
								NSG-BFT72-G12R-355	23.61				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity						
												From	To (subject to valid BIS Registration; else deemed to be delisted)					
					vii	Bifacial N-Type TOPCon Module (Glass to Glass)	NSG-BFT60-G12R-285 (285Wp)	NSG-BFT60-G12R-275	21.75	60 (Half Cut Cells) Cell Size: 182.2mm*105mm	1500							
								NSG-BFT60-G12R-280	22.14									
								NSG-BFT60-G12R-285	22.54									
								NSG-BFT60-G12R-290	22.94									
								NSG-BFT60-G12R-295	23.33									
7	M/s. Avaada Electro Private Limited (Capacity Addition)	A-67, MIDC Road, Additional Butibori Industrial Area, Nagpur-441108, Maharashtra, India	R-71040312	6909	i	Bifacial N Type TOPCon Module (Glass to Glass)	AVN66G12G710 (710 Wp)	AVN66G12G720	23.18	132 (Half Cut Cells) (Cell Size: 210 mm * 105 mm)	1500	05.06.2025	04.06.2029					
								AVN66G12G715	23.02									
								AVN66G12G710	22.86									
								AVN66G12G705	22.70									
								AVN66G12G700	22.53									
								ii	Bifacial N Type TOPCon Module (Glass to Glass)					AVN60G12G640 (640 Wp)	AVN60G12G650	22.97	120 (Half Cut Cells) (Cell Size: 210 mm * 105 mm)	1500
															AVN60G12G645	22.79		
															AVN60G12G640	22.61		
															AVN60G12G635	22.44		
															AVN60G12G630	22.26		
					iii	Bifacial N Type TOPCon Module (Glass to Glass)	AVN66G12RG620 (620 Wp)	AVN66G12RG630	23.32	132 (Half Cut Cells) (Cell Size: 182 mm * 105 mm)	1500							
								AVN66G12RG625	23.14									
								AVN66G12RG620	22.95									
								AVN66G12RG615	22.77									
								AVN66G12RG610	22.58									
					iv	Bifacial N Type TOPCon Module (Glass to Glass)	AVN60G12RG560 (560 Wp)	AVN60G12RG570	23.14	120 (Half Cut Cells) (Cell Size: 182 mm * 105 mm)	1500							
								AVN60G12RG565	22.94									
								AVN60G12RG560	22.74									
								AVN60G12RG555	22.53									
								AVN60G12RG550	22.33									
8	M/s. Jeem Energy Private Limited (New Addition in ALMM)	Plot no 1 to 4, Sur No. 211, UKERDA Naknam road, Near Ramdoot Alloy Moviya, Paddhari Rajkot, Gujarat, India - 360110	R-72013773	172	i	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	JE-10MB-BF156-580 (580 Wp)	JE-10MB-BF156-600	21.46	156 (Half Cut Cells)	1500	25.11.2025	24.11.2029					
								JE-10MB-BF156-595	21.28									
								JE-10MB-BF156-590	21.10									
								JE-10MB-BF156-585	20.92									
								JE-10MB-BF156-580	20.74									
								JE-10MB-BF156-575	20.56									
								JE-10MB-BF156-570	20.38									
								JE-10MB-BF156-565	20.20									
								JE-10MB-BF156-560	20.03									
					ii	Mono c-Si PERC Module	JE-10MB-MF156-580 (580 Wp)	JE-10MB-MF156-600	21.46	156 (Half Cut Cells)	1500							
								JE-10MB-MF156-595	21.28									
								JE-10MB-MF156-590	21.10									

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								JE-10MB-MF156-585	20.92				
								JE-10MB-MF156-580	20.74				
								JE-10MB-MF156-575	20.56				
								JE-10MB-MF156-570	20.38				
								JE-10MB-MF156-565	20.20				
								JE-10MB-MF156-560	20.03				
					iii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	JE-10MB-BF144-535 (535 Wp)	JE-10MB-BF144-550	21.29	144 (Half Cut Cells)	1500		
								JE-10MB-BF144-545	21.10				
								JE-10MB-BF144-540	20.90				
								JE-10MB-BF144-535	20.71				
								JE-10MB-BF144-530	20.52				
								JE-10MB-BF144-525	20.32				
					iv	Mono c-Si PERC Module	JE-10MB-MF144-535 (535 Wp)	JE-10MB-BF144-520	20.13	144 (Half Cut Cells)	1500		
								JE-10MB-MF144-550	21.29				
								JE-10MB-MF144-545	21.10				
								JE-10MB-MF144-540	20.90				
								JE-10MB-MF144-535	20.71				
								JE-10MB-MF144-530	20.52				
					v	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	JE-10MB-BF132-490 (490 Wp)	JE-10MB-MF144-525	20.32	132 (Half Cut Cells)	1500		
								JE-10MB-MF144-520	20.13				
								JE-10MB-BF132-510	21.50				
								JE-10MB-BF132-505	21.29				
								JE-10MB-BF132-500	21.08				
								JE-10MB-BF132-495	20.87				
					vi	Mono c-Si PERC Module	JE-10MB-MF132-490 (490 Wp)	JE-10MB-BF132-490	20.65	132 (Half Cut Cells)	1500		
								JE-10MB-BF132-485	20.44				
								JE-10MB-BF132-480	20.23				
								JE-10MB-BF132-475	20.02				
								JE-10MB-BF132-470	19.81				
								JE-10MB-MF132-510	21.50				
								JE-10MB-MF132-505	21.29				
								JE-10MB-MF132-500	21.08				
								JE-10MB-MF132-495	20.87				
								JE-10MB-MF132-490	20.65				
								JE-10MB-MF132-485	20.44				
								JE-10MB-MF132-480	20.23				
								JE-10MB-MF132-475	20.02				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								JE-10MB-MF132-470	19.81				
					vii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	JE-10MB-BF120-440 (440 Wp)	JE-10MB-BF120-460	21.26	120 (Half Cut Cells)	1500		
								JE-10MB-BF120-455	21.03				
								JE-10MB-BF120-450	20.80				
								JE-10MB-BF120-445	20.57				
								JE-10MB-BF120-440	20.34				
								JE-10MB-BF120-435	20.10				
								JE-10MB-BF120-430	19.87				
								JE-10MB-BF120-425	19.64				
								JE-10MB-BF120-420	19.41				
					viii	Mono c-Si PERC Module	JE-10MB-MF120-440 (440 Wp)	JE-10MB-MF120-460	21.26	120 (Half Cut Cells)	1500		
								JE-10MB-MF120-455	21.03				
								JE-10MB-MF120-450	20.80				
								JE-10MB-MF120-445	20.57				
								JE-10MB-MF120-440	20.34				
								JE-10MB-MF120-435	20.10				
								JE-10MB-MF120-430	19.87				
								JE-10MB-MF120-425	19.64				
								JE-10MB-MF120-420	19.41				
					ix	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	JE-10MB-BF108-400 (400 Wp)	JE-10MB-BF108-415	21.15	108 (Half Cut Cells)	1500		
								JE-10MB-BF108-410	20.90				
								JE-10MB-BF108-405	20.64				
								JE-10MB-BF108-400	20.39				
								JE-10MB-BF108-395	20.13				
								JE-10MB-BF108-390	19.88				
								JE-10MB-BF108-385	19.62				
JE-10MB-BF108-380	19.37												
x	Mono c-Si PERC Module	JE-10MB-MF108-400 (400 Wp)	JE-10MB-MF108-415	21.15	108 (Half Cut Cells)	1500							
			JE-10MB-MF108-410	20.90									
			JE-10MB-MF108-405	20.64									
			JE-10MB-MF108-400	20.39									
			JE-10MB-MF108-395	20.13									
			JE-10MB-MF108-390	19.88									
			JE-10MB-MF108-385	19.62									
			JE-10MB-MF108-380	19.37									
xi	Bifacial Mono c-Si PERC Module (Glass to Transparent	JE-10MB-BF72-270 (270 Wp)	JE-10MB-BF72-275	20.76	72 (Half Cut Cells)	1500							
			JE-10MB-BF72-270	20.38									

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
						Backsheet)		JE-10MB-BF72-265	20.01				
					xii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	JE-10MB-BF72-255 (255 Wp)	JE-10MB-BF72-260	19.63	72 (Half Cut Cells)	1500		
								JE-10MB-BF72-255	19.25				
					xiii	Mono c-Si PERC Module	JE-10MB-MF72-270 (270 Wp)	JE-10MB-MF72-275	20.76	72 (Half Cut Cells)	1500		
								JE-10MB-MF72-270	20.38				
								JE-10MB-MF72-265	20.01				
					xiv	Mono c-Si PERC Module	JE-10MB-MF72-255 (255 Wp)	JE-10MB-MF72-260	19.63	72 (Half Cut Cells)	1500		
								JE-10MB-MF72-255	19.25				
					xv	Mono c-Si PERC Module	JE-10MB-MF36-135 (135 Wp)	JE-10MB-MF36-135	19.84	36 (Half Cut Cells)	1500		
								JE-10MB-MF36-130	19.11				
					xvi	Mono c-Si PERC Module	JE-10MB-MF36-125 (125 Wp)	JE-10MB-MF36-125	19.79	36 (Half Cut Cells)	1500		
								JE-10MB-MF36-120	19.00				
					xvii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	JE-10MB-BF36-135 (135 Wp)	JE-10MB-BF36-135	19.84	36 (Half Cut Cells)	1500		
								JE-10MB-BF36-130	19.11				
					xviii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	JE-10MB-BF36-125 (125 Wp)	JE-10MB-BF36-125	19.79	36 (Half Cut Cells)	1500		
								JE-10MB-BF36-120	19.00				
9	M/s. FS Green Energies Private Limited (Capacity Addition)	Block No. 160 - 164, 168 Besides Act Agro Chem Pvt. Ltd., Juni Jithardi Road, Near Karjan Cross Road, NH - 8, Vadodara - 391240, Gujarat, India	R-72011258	5001	i	Bifacial N-Type TOPCon Module (Glass to Glass)	FST-G12R.132G-620 (620 Wp)	FST-G12R.132G-600	22.19	132 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FST-G12R.132G-605	22.38				
								FST-G12R.132G-610	22.56				
								FST-G12R.132G-615	22.75				
								FST-G12R.132G-620	22.93				
								FST-G12R.132G-625	23.12				
								FST-G12R.132G-630	23.30				
								FST-G12R.132G-635	23.49				
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	FST-G12R.120G-560 (560 Wp)	FST-G12R.120G-545	22.13	120 (Half Cut Cells)	1500		
								FST-G12R.120G-550	22.33				
								FST-G12R.120G-555	22.53				
								FST-G12R.120G-560	22.74				
								FST-G12R.120G-565	22.94				
								FST-G12R.120G-570	23.14				
								FST-G12R.120G-575	23.35				
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	FST-G12R.108G-505 (505 Wp)	FST-G12R.108G-485	21.82	108 (Half Cut Cells)	1500		
FST-G12R.108G-490	22.05												

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								FST-G12R.108G-495	22.27				
								FST-G12R.108G-500	22.50				
								FST-G12R.108G-505	22.72				
								FST-G12R.108G-510	22.95				
								FST-G12R.108G-515	23.17				
								FST-G12R.108G-520	23.40				
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	FST-M10.156G-660 (660 Wp)	FST-M10. 156G-680	24.33	156 (Half Cut Cell)	1500		
								FST-M10. 156G-675	24.15				
								FST-M10. 156G-670	23.97				
								FST-M10. 156G-665	23.79				
								FST-M10. 156G-660	23.61				
								FST-M10. 156G-655	23.43				
								FST-M10. 156G-650	23.25				
								FST-M10. 156G-645	23.07				
								FST-M10. 156G-640	22.90				
								FST-M10. 156G-635	22.72				
					v	Bifacial N-Type TOPCon Module (Glass to Glass)	FST-M10.144G-605 (605 Wp)	FST-M10. 144G-625	24.19	144 (Half Cut Cell)	1500		
								FST-M10. 144G-620	24.00				
								FST-M10. 144G-615	23.81				
								FST-M10. 144G-610	23.61				
								FST-M10. 144G-605	23.42				
								FST-M10. 144G-600	23.23				
								FST-M10. 144G-595	23.03				
								FST-M10. 144G-590	22.84				
								FST-M10. 144G-585	22.65				
					vi	Bifacial N-Type TOPCon Module (Glass to Glass)	FST-M10.132G-555 (555 Wp)	FST-M10. 132G-575	24.23	132 (Half Cut Cell)	1500		
								FST-M10. 132G-570	24.02				
								FST-M10. 132G-565	23.80				
								FST-M10. 132G-560	23.59				
								FST-M10. 132G-555	23.38				
								FST-M10. 132G-550	23.17				
								FST-M10. 132G-545	22.96				
								FST-M10. 132G-540	22.75				
								FST-M10. 132G-535	22.54				
					vii	Bifacial N-Type TOPCon Module (Glass to Glass)	FST-M10.120G-505 (505 Wp)	FST-M10. 120G-520	24.03	120 (Half Cut Cell)	1500		
								FST-M10. 120G-515	23.80				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity			
												From	To (subject to valid BIS Registration; else deemed to be delisted)		
								FST-M10. 120G-510	23.57						
								FST-M10. 120G-505	23.34						
								FST-M10. 120G-500	23.11						
								FST-M10. 120G-495	22.88						
								FST-M10. 120G-490	22.65						
								FST-M10. 120G-485	22.42						
					viii	Bifacial N-Type TOPCon Module (Glass to Glass)	FST-M10.108G-455 (455 Wp)	FST-M10. 108G-470	24.05	108 (Half Cut Cell)	1500				
								FST-M10. 108G-465	23.80						
								FST-M10. 108G-460	23.54						
								FST-M10. 108G-455	23.29						
								FST-M10. 108G-450	23.03						
								FST-M10. 108G-445	22.78						
								FST-M10. 108G-440	22.52						
								ix	Bifacial N-Type TOPCon Modules (Glass to Glass)					FST-M10.156G-620 (620 Wp)	FST-M10.156G-630
					FST-M10.156G-625	22.36									
					FST-M10.156G-620	22.18									
					FST-M10.156G-615	22.00									
					FST-M10.156G-610	21.82									
					x	Bifacial N-Type TOPCon Modules (Glass to Glass)	FST-M10.144G-570 (570 Wp)	FST-M10.144G-580	22.45	144 (Half Cut Cells)	1500				
								FST-M10.144G-575	22.26						
								FST-M10.144G-570	22.07						
								FST-M10.144G-565	21.87						
								FST-M10.144G-560	21.68						
					xi	Bifacial N-Type TOPCon Modules (Glass to Glass)	FST-M10.132G-525 (525 Wp)	FST-M10.132G-530	22.33	132 (Half Cut Cells)	1500				
								FST-M10.132G-525	22.12						
								FST-M10.132G-520	21.91						
					xii	Bifacial N-Type TOPCon Modules (Glass to Glass)	FST-M10.120G-475 (475 Wp)	FST-M10.120G-480	22.18	120 (Half Cut Cells)	1500				
								FST-M10.120G-475	21.95						
								FST-M10.120G-470	21.72						
					xiii	Bifacial N-Type TOPCon Modules (Glass to Glass)	FST-M10.108G-430 (430 Wp)	FST-M10.108G-435	22.26	108 (Half Cut Cells)	1500				
								FST-M10.108G-430	22.01						
								FST-M10.108G-425	21.75						
								FST-M10.108G-420	21.50						
					xiv	Bifacial Mono c-Si PERC Module (Glass to Transparent Back sheet)	FSP-M10.156B-585 (585 Wp)	FSP-M10.156B-600	21.46	156 (Half Cut Cells)	1500				
								FSP-M10.156B-595	21.29						
								FSP-M10.156B-590	21.11						
FSP-M10.156B-585	20.93														

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity			
												From	To (subject to valid BIS Registration; else deemed to be delisted)		
								FSP-M10.156B-580	20.75						
								FSP-M10.156B-575	20.57						
								FSP-M10.156B-570	20.39						
								FSP-M10.156B-565	20.21						
								FSP-M10.156B-560	20.03						
					xv	Bifacial Mono c-Si PERC Module (Glass to Transparent Back sheet)	FSP-M10.144B-535 (535 Wp)	FSP-M10.144B-550	21.29	144 (Half Cut Cells)	1500				
								FSP-M10.144B-545	21.10						
								FSP-M10.144B-540	20.90						
								FSP-M10.144B-535	20.71						
								FSP-M10.144B-530	20.52						
								FSP-M10.144B-525	20.32						
								FSP-M10.144B-520	20.13						
					xvi	Bifacial Mono c-Si PERC Module (Glass to Transparent Back sheet)	FSP-M10.132B-495 (495 Wp)	FSP-M10.132B-505	21.28	132 (Half Cut Cells)	1500				
								FSP-M10.132B-500	21.07						
								FSP-M10.132B-495	20.86						
								FSP-M10.132B-490	20.64						
								FSP-M10.132B-485	20.43						
								FSP-M10.132B-480	20.22						
					xvii	Bifacial Mono c-Si PERC Module (Glass to Transparent Back sheet)	FSP-M10.120B-445 (445 Wp)	FSP-M10.120B-460	21.26	120 (Half Cut Cells)	1500				
								FSP-M10.120B-455	21.03						
								FSP-M10.120B-450	20.80						
								FSP-M10.120B-445	20.57						
								FSP-M10.120B-440	20.34						
								FSP-M10.120B-435	20.10						
								FSP-M10.120B-430	19.87						
					xviii	Bifacial Mono c-Si PERC Module (Glass to Transparent Back sheet)	FSP-M10.108B-405 (405 Wp)	FSP-M10.108B-415	21.24	108 (Half Cut Cells)	1500				
								FSP-M10.108B-410	20.98						
								FSP-M10.108B-405	20.73						
								FSP-M10.108B-400	20.47						
								FSP-M10.108B-395	20.22						
								FSP-M10.108B-390	19.96						
					xix	Mono c-Si PERC Module	FSP-M10.156W-580 (580 Wp)	FSP-M10.156W-600	21.46	156 (Half Cut Cells)	1500				
								FSP-M10.156W-595	21.29						
								FSP-M10.156W-590	21.11						
								FSP-M10.156W-585	20.93						
								FSP-M10.156W-580	20.75						

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity			
												From	To (subject to valid BIS Registration; else deemed to be delisted)		
								FSP-M10.156W-575	20.57						
								FSP-M10.156W-570	20.39						
								FSP-M10.156W-565	20.21						
								FSP-M10.156W-560	20.03						
					xx	Mono c-Si PERC Module	FSP-M10.144W-535 (535 Wp)	FSP-M10.144W-550	21.29	144 (Half Cut Cells)	1500				
								FSP-M10.144W-545	21.10						
								FSP-M10.144W-540	20.90						
								FSP-M10.144W-535	20.71						
								FSP-M10.144W-530	20.52						
								FSP-M10.144W-525	20.32						
								FSP-M10.144W-520	20.13						
					xxi	Mono c-Si PERC Module	FSP-M10.132W-490 (490Wp)	FSP-M10.132W-505	21.28	132 (Half Cut Cells)	1500				
								FSP-M10.132W-500	21.07						
								FSP-M10.132W-495	20.86						
								FSP-M10.132W-490	20.64						
								FSP-M10.132W-485	20.43						
								FSP-M10.132W-480	20.22						
					xxii	Mono c-Si PERC Module	FSP-M10.120W-450 (450 Wp)	FSP-M10.120W-460	21.26	120 (Half Cut Cells)	1500				
								FSP-M10.120W-455	21.03						
								FSP-M10.120W-450	20.80						
								FSP-M10.120W-445	20.57						
								FSP-M10.120W-440	20.34						
								FSP-M10.120W-435	20.10						
								FSP-M10.120W-430	19.87						
					xxiii	Mono c-Si PERC Module	FSP-M10.108W-400 (400 Wp)	FSP-M10.108W-415	21.24	108 (Half Cut Cells)	1500				
								FSP-M10.108W-410	20.98						
								FSP-M10.108W-405	20.73						
								FSP-M10.108W-400	20.47						
								FSP-M10.108W-395	20.22						
								FSP-M10.108W-390	19.96						
					xxiv	Bifacial Mono c-Si PERC Module (Glass to Glass)	FSP-M10.144G-540 (540 Wp)	FSP-M10.144G-560	21.68	144 (Half Cut Cells)	1500				
								FSP-M10.144G-555	21.48						
								FSP-M10.144G-550	21.29						
								FSP-M10.144G-545	21.10						
								FSP-M10.144G-540	20.90						
								FSP-M10.144G-535	20.71						
								FSP-M10.144G-530	20.52						

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								FSP-M10.144G-525	20.32				
								FSP-M10.144G-520	20.13				
					xxv	Bifacial Mono c-Si PERC Module (Glass to Glass)	FSP-M10.132G-490 (490 Wp)	FSP-M10.132G-505	21.28	132 (Half Cut Cells)	1500		
								FSP-M10.132G-500	21.07				
								FSP-M10.132G-495	20.86				
								FSP-M10.132G-490	20.64				
								FSP-M10.132G-485	20.43				
								FSP-M10.132G-480	20.22				
					xxvi	Bifacial Mono c-Si PERC Module (Glass to Glass)	FSP-M10.120G-445 (445 Wp)	FSP-M10.120G-460	21.26	120 (Half Cut Cells)	1500		
								FSP-M10.120G-455	21.03				
								FSP-M10.120G-450	20.80				
								FSP-M10.120G-445	20.57				
								FSP-M10.120G-440	20.34				
								FSP-M10.120G-435	20.10				
								FSP-M10.120G-430	19.87				
					xxvii	Bifacial Mono c-Si PERC Module (Glass to Glass)	FSP-M10.108G-405 (405 Wp)	FSP-M10.108G-415	21.24	108 (Half Cut Cells)	1500		
								FSP-M10.108G-410	20.98				
								FSP-M10.108G-405	20.73				
								FSP-M10.108G-400	20.47				
								FSP-M10.108G-395	20.22				
								FSP-M10.108G-390	19.96				

Note: In case of model inclusion or capacity addition / change, through revision in ALMM List, the capacity mentioned against any manufacturing unit, as appearing in the said Revision to the ALMM List, shall be the ALMM enlisted manufacturing capacity for that manufacturing unit (from the date of the said revision), and the capacity enlisted for that manufacturing unit should not be interpreted as Sum of (enlisted capacity for that manufacturing unit in previous ALMM list/ previous revision to ALMM List) and (enlisted capacity in the present revision)

OFFICE MEMORANDUM

Sub: Updation of List I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 – Reg.

- Ref:** (i) MNRE's O.M. No. 283/54/2018-GRID SOLAR-Part(1) dated 10.03.2021
(ii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 10.05.2023;
(iii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 22.03.2024;
(iv) MNRE's O.M. No. 32/33/2024-SPV Division dated 06.05.2025;

Reference is invited to this Ministry's O.M.s of even no. dated 10.03.2021, regarding implementation of Approved Models and Manufacturers of Solar Photovoltaic Modules (Requirement for Compulsory Registration) Order, 2019 and publishing List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019.

2. This Ministry vide its O.M.s referred at (ii), (iii) & (iv) above, inter-alia, directed that only such models of Solar PV Module Manufacturers will be enlisted under ALMM, which comply with the BIS Standards and are having the following minimum module efficiency:

Category	Application/Use	Minimum Module Efficiency required to be eligible for enlistment in ALMM for solar PV modules	
		For c-Si technology based solar PV modules	For CdTe thin film technology based solar PV modules
Category-I	Utility/Grid Scale Power Plants	20.00%	19.00%
Category-II	Rooftop and Solar Pumping	19.50%	18.50%
Category-III	Off-grid projects/applications like solar lamps, solar lights, solar street lights, solar fans, etc. (other than solar powered agricultural pumps and solar PV rooftops) requiring individual capacity of each solar PV module deployed, to be of less than 200 Watt peak	18.00%	18.00%
		(not to be included in main ALMM List-I but to be included in a separate ALMM list called ALMM List-I (DRE)	
Category-IV	Any other application	19.00%	18.00%

3. Post the aforesaid O.M. dated 10.05.2023 and subsequent O.M.s dated 22.03.2024 and 06.05.2025, only such models of Solar PV Modules have been considered for enlistment under ALMM List-I, whose module efficiency is meeting the eligibility criteria as mentioned in table at para-2 above.

4. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 was last updated on 19.09.2025.

5. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 is hereby further revised and the Revision-XLIII (in the format of additions / modifications to Revision-XLII) is enclosed at Annexure-I. The last revision no. XLII dated 19.09.2025 is at pages after Annexure-I.

6. The ALMM enlistment validity is subject to valid BIS Registration; else deemed to be delisted.

7. The details of Registration No. (R. No.) which has been allotted by BIS is mentioned against each manufacturer / manufacturing unit enlisted in ALMM and further details related to BIS certification like validity, models included, etc. may be checked from BIS website by using the following link:
https://www.crsbis.in/BIS/Lims_registrationc.do?hmode=getLimsData

8. This issues with the approval of competent authority.



(Sanjay G. Karndhar)

Scientist-E

E-mail: karndhar.sg@nic.in

Encl: as above

To: All Concerned

Copy to: Director (Technical), NIC, MNRE for uploading this document on MNRE's website

A. Amendments/ Updations in previous lists of ALMM List-I

1. In the ALMM list dated 21st April 2025 (Revision XXXVII) => Sl. No. 15 (M/s. Gautam Solar Pvt. Ltd., Haryana):

=> Sl. No. 6 => Enlisted models : -

G2XBifacial 728-HAD	may be read as	G2XBifacial 1728 -HAD
G2XBifacial 721-HAD	may be read as	G2XBifacial 1721 -HAD
G2XBifacial 715-HAD	may be read as	G2XBifacial 1715 -HAD
G2XBifacial 708-HAD	may be read as	G2XBifacial 1708 -HAD
G2XBifacial 702-HAD	may be read as	G2XBifacial 1702 -HAD
G2XBifacial 695-HAD	may be read as	G2XBifacial 1695 -HAD
G2XBifacial 689-HAD	may be read as	G2XBifacial 1689 -HAD
G2XBifacial 682-HAD	may be read as	G2XBifacial 1682 -HAD
G2XBifacial 676-HAD	may be read as	G2XBifacial 1676 -HAD
G2XBifacial 669-HAD	may be read as	G2XBifacial 1669 -HAD
G2XBifacial 663-HAD	may be read as	G2XBifacial 1663 -HAD

=>Further, from Sl. No. 07 to 10, in the column "enlisted models", extra blank space was there and therefore it is removed and now the names may be read as following: -

Enlisted model	Corrected name
G2XBifacial 1676-HAB	G2XBifacial1676-HAB
G2XBifacial 1669-HAB	G2XBifacial1669-HAB
G2XBifacial 1663-HAB	G2XBifacial1663-HAB
G2XBifacial 1656-HAB	G2XBifacial1656-HAB
G2XBifacial 1650-HAB	G2XBifacial1650-HAB
G2XBifacial 1643-HAB	G2XBifacial1643-HAB
G2XBifacial 1637-HAB	G2XBifacial1637-HAB
G2XBifacial 1630-HAB	G2XBifacial1630-HAB
G2XBifacial 1604-HAA	G2XBifacial1604-HAA
G2XBifacial 1598-HAA	G2XBifacial1598-HAA
G2XBifacial 1591-HAA	G2XBifacial1591-HAA
G2XBifacial 1585-HAA	G2XBifacial1585-HAA
G2XBifacial 1578-HAA	G2XBifacial1578-HAA
G2XBifacial 1572-HAA	G2XBifacial1572-HAA
G2XBifacial 1546-HAY	G2XBifacial1546-HAY
G2XBifacial 1539-HAY	G2XBifacial1539-HAY
G2XBifacial 1533-HAY	G2XBifacial1533-HAY
G2XBifacial 1526-HAY	G2XBifacial1526-HAY
G2XBifacial 1520-HAY	G2XBifacial1520-HAY
G2XBifacial 1507-HAY	G2XBifacial1507-HAY
G2XBifacial 1481-HAX	G2XBifacial1481-HAX
G2XBifacial 1474-HAX	G2XBifacial1474-HAX
G2XBifacial 1468-HAX	G2XBifacial1468-HAX
G2XBifacial 1461-HAX	G2XBifacial1461-HAX
G2XBifacial 1455-HAX	G2XBifacial1455-HAX



B. New additions on 13.10.2025 in the List of Manufacturers and Models of Solar PV Modules Enlisted under ALMM Order																	
S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity					
												From	To (subject to valid BIS Registration; else deemed to be delisted)				
1	M/s. Surana Solar Limited (New Addition in ALMM)	Sy No. 49, 51, 52 to 55, Surana Solar Limited Unit-1, Raviryal, Plot No. 21, Fab City SPV (India) Pvt Ltd., Maheswaram mandal, Ranga Reddi, Telangana, India-501359	R-63004979	174	i	Bifacial N-Type TOPCon Modules (Glass to Glass)	SSL156GG600W (600Wp)	SSL156GG630W	22.53	156 (Half Cut Cells)	1500	13.10.2025	12.10.2029				
								SSL156GG625W	22.35								
								SSL156GG620W	22.17								
								SSL156GG615W	21.99								
								SSL156GG610W	21.81								
								SSL156GG605W	21.63								
								SSL156GG600W	21.46								
								SSL156GG595W	21.28								
								SSL156GG590W	21.10								
								SSL156GG585W	20.92								
								SSL156GG580W	20.74								
								SSL156GG575W	20.56								
					ii	Bifacial N-Type TOPCon Modules (Glass to Glass)	SSL144GG555W (555Wp)	SSL144GG570W	22.07	144 (Half Cut Cells)	1500						
								SSL144GG565W	21.87								
								SSL144GG560W	21.68								
								SSL144GG555W	21.48								
								SSL144GG550W	21.29								
								SSL144GG545W	21.10								
					iii	Bifacial N-Type TOPCon Modules (Glass to Glass)	SSL144GG525W (525Wp)	SSL144GG540W	20.90	144 (Half Cut Cells)	1500						
								SSL144GG535W	20.71								
								SSL144GG530W	20.52								
								SSL144GG525W	20.32								
					iv	Bifacial N-Type TOPCon Modules (Glass to Glass)	SSL132GG495W (495Wp)	SSL144GG520W	20.13	132 (Half Cut Cells)	1500						
								SSL144GG515W	19.94								
								SSL132GG510W	21.48								
								SSL132GG500W	21.06								
					v	Bifacial N-Type TOPCon Modules (Glass to Glass)	SSL132GG470W (470Wp)	SSL132GG495W	20.85	132 (Half Cut Cells)	1500						
								SSL132GG490W	20.64								
								SSL132GG485W	20.42								
								SSL132GG480W	20.21								
					vi	Bifacial N-Type TOPCon Modules (Glass to Glass)	SSL120GG440W (440Wp)	SSL132GG475W	20.00	120 (Half Cut Cells)	1500						
								SSL132GG470W	19.79								
								SSL132GG465W	19.58								
								SSL132GG460W	19.37								
					vii	Bifacial N-Type TOPCon Modules (Glass to Glass)	SSL120GG420W (420Wp)	SSL120GG450W	20.79	120 (Half Cut Cells)	1500						
								SSL120GG445W	20.56								
								SSL120GG440W	20.33								
								SSL120GG435W	20.09								
					viii	Bifacial N-Type TOPCon Modules (Glass to Glass)	SSL108GG400W (400Wp)	SSL120GG430W	19.86	108 (Half Cut Cells)	1500						
								SSL120GG425W	19.63								
								SSL120GG420W	19.40								
								SSL120GG415W	19.17								
					ix	Bifacial N-Type TOPCon Modules	SSL108GG375W (375Wp)	SSL108GG405W	20.74	108 (Half Cut Cells)	1500						
								SSL108GG400W	20.48								
								SSL108GG395W	20.23								
								SSL108GG390W	19.97								
					x	Bifacial N-Type TOPCon Modules (Glass to Glass)	SSL96GG350W (350Wp)	SSL108GG385W	19.72	96 (Half Cut Cells)	1500						
								SSL108GG375W	19.20								
								SSL96GG360W	20.64								
								SSL96GG355W	20.35								
														SSL96GG350W	20.07		
														SSL96GG345W	19.78		

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity			
												From	To (subject to valid BIS Registration; else deemed to be delisted)		
					xi	Bifacial N-Type TOPCon Modules (Glass to Glass)	SSL96GG340W (340Wp)	SSL96GG340W	19.49	96 (Half Cut Cells)	1500				
					xii	Bifacial N-Type TOPCon Modules (Glass to Glass)	SSL84GG310W (310Wp)	SSL84GG320W	20.87	84 (Half Cut Cells)	1500				
								SSL84GG315W	20.55						
								SSL84GG310W	20.22						
								SSL84GG305W	19.89						
					xiii	Bifacial N-Type TOPCon Modules (Glass to Glass)	SSL84GG295W (295Wp)	SSL84GG300W	19.57	84 (Half Cut Cells)	1500				
								SSL84GG295W	19.24						
					xiv	Bifacial N-Type TOPCon Modules (Glass to Glass)	SSL72GG280W (280Wp)	SSL72GG285W	21.52	72 (Half Cut Cells)	1500				
								SSL72GG280W	21.14						
								SSL72GG275W	20.76						
								SSL72GG270W	20.38						
					xv	Bifacial Mono c-Si PERC Module (Glass to Glass)	SSL156MPM580 (580Wp)	SSL156MPM595	21.28	156 (Half Cut Cells)	1500				
								SSL156MPM590	21.10						
								SSL156MPM585	20.92						
								SSL156MPM580	20.74						
								SSL156MPM575	20.56						
								SSL156MPM570	20.38						
					xvi	Bifacial Mono c-Si PERC Module (Glass to Glass)	SSL156MPM550 (550Wp)	SSL156MPM565	20.20	156 (Half Cut Cells)	1500				
								SSL156MPM560	20.03						
								SSL156MPM555	19.85						
								SSL156MPM550	19.67						
								SSL156MPM545	19.49						
								SSL156MPM540	19.31						
					xvii	Bifacial Mono c-Si PERC Module (Glass to Glass)	SSL144MPM540 (540Wp)	SSL144MPM550	21.29	144 (Half Cut Cells)	1500				
								SSL144MPM545	21.10						
								SSL144MPM540	20.90						
								SSL144MPM535	20.71						
								SSL144MPM530	20.52						
								SSL144MPM525	20.32						
					xviii	Bifacial Mono c-Si PERC Module (Glass to Glass)	SSL144MPM510 (510Wp)	SSL144MPM520	20.13	144 (Half Cut Cells)	1500				
								SSL144MPM515	19.94						
								SSL144MPM510	19.74						
								SSL144MPM505	19.55						
								SSL144MPM500	19.36						
								SSL144MPM495	19.16						
					xix	Bifacial Mono c-Si PERC Module (Glass to Glass)	SSL132MPM490 (490Wp)	SSL132MPM500	21.24	132 (Half Cut Cells)	1500				
								SSL132MPM495	21.03						
								SSL132MPM490	20.81						
								SSL132MPM485	20.60						
								SSL132MPM480	20.39						
								SSL132MPM475	20.18						
					xx	Bifacial Mono c-Si PERC Module (Glass to Glass)	SSL132MPM460 (460Wp)	SSL132MPM470	19.96	132 (Half Cut Cells)	1500				
								SSL132MPM465	19.75						
								SSL132MPM460	19.54						
								SSL132MPM455	19.33						
								SSL132MPM450	19.11						
								SSL132MPM455	19.33						
					xxi	Bifacial Mono c-Si PERC Module (Glass to Glass)	SSL120MPM450 (450Wp)	SSL120MPM455	19.33	120 (Half Cut Cells)	1500				
								SSL120MPM450	19.11						
								SSL120MPM445	20.73						
								SSL120MPM440	20.50						
					xxii	Bifacial Mono c-Si PERC Module (Glass to Glass)	SSL120MPM420 (420Wp)	SSL120MPM435	20.26	120 (Half Cut Cells)	1500				
								SSL120MPM430	20.03						
								SSL120MPM425	19.80						

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								SSL120MPM415	19.33				
								SSL120MPM410	19.10				
2	M/s. Bluebird Solar Private Limited (Model Addition + Capacity Addition)	Plot No: 5, Ecotech-II, Udyog Vihar, Khasra No. 739, Greater Noida - 201306, Uttar Pradesh, India	R-93014680	819	i	Bifacial N- Type TOPCon Module (Glass to Glass)	BBS108C430B (430 Wp)	BBS108C430B	21.87	108 (Half Cut Cell)	1500	05.04.2024	04.04.2028
					ii	Bifacial N- Type TOPCon Module (Glass to Glass)	BBS108C455B (455 Wp)	BBS108C435B	22.13	108 (Half Cut Cell)	1500		
								BBS108C440B	22.38				
								BBS108C445B	22.64				
								BBS108C450B	22.89				
								BBS108C455B	23.15				
								BBS108C460B	23.40				
								BBS108C465B	23.66				
								BBS108C470B	23.91				
								BBS108C475B	24.16				
					iii	Bifacial N- Type TOPCon Module (Glass to Glass)	BBS120C495B (495 Wp)	BBS120C480B	22.07	120 (Half Cut Cell)	1500		
								BBS120C485B	22.30				
								BBS120C490B	22.53				
								BBS120C495B	22.75				
								BBS120C500B	22.98				
								BBS120C505B	23.21				
								BBS120C510B	23.44				
					iv	Bifacial N- Type TOPCon Module (Glass to Glass)	BBS132C530B (530 Wp)	BBS132C515B	21.65	132 (Half Cut Cell)	1500		
								BBS132C520B	21.86				
								BBS132C525B	22.07				
								BBS132C530B	22.28				
								BBS132C535B	22.49				
								BBS132C540B	22.70				
								BBS132C545B	22.91				
								BBS132C550B	23.12				
					v	Bifacial N- Type TOPCon Module (Glass to Glass)	BBS144C575B (575 Wp)	BBS144C565B	21.89	144 (Half Cut Cell)	1500		
								BBS144C570B	22.08				
								BBS144C575B	22.28				
								BBS144C580B	22.47				
								BBS144C585B	22.67				
								BBS144C590B	22.86				
								BBS144C595B	23.05				
								BBS144C600B	23.25				
					vi	Bifacial N- Type TOPCon Module (Glass to Glass)	BBS156C625B (625 Wp)	BBS156C605B	21.66	156 (Half Cut Cell)	1500		
								BBS156C610B	21.84				
								BBS156C615B	22.02				
								BBS156C620B	22.20				
								BBS156C625B	22.38				
								BBS156C630B	22.56				
								BBS156C635B	22.74				
								BBS156C640B	22.92				
3	M/s. Rayzon Solar Limited (Formerly known as M/s. Rayzon Solar Private Limited) (Model Addition + Capacity Addition)	Block No. 94/1/1F, 94/1/3, 102/1, 103, 104, 105, 109, 110, 118, 119, 120, Kim Mandvi Road, Near Hariya Talav, B/H Aron Pipe, Kim Mandvi Road, Karanj, Surat - 394110, Gujarat, India.	R-72002305	3406	i	Bifacial N-Type TOPCon Modules (Glass to Glass)	RS600132TGC (600 Wp)	RS630132TGC	23.34	132 (Half Cut Cells) Cell Size: 182*210mm	1500	04.03.2024	03.03.2028
								RS625132TGC	23.16				
								RS620132TGC	22.97				
								RS615132TGC	22.79				
								RS610132TGC	22.60				
								RS605132TGC	22.42				
								RS600132TGC	22.23				
								RS595132TGC	22.05				
								RS590132TGC	21.86				
								RS585132TGC	21.68				
								RS580132TGC	21.49				
								RS575132TGC	21.31				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					ii	Bifacial N-Type TOPCon Modules (Glass to Glass)	RS525120TGC (525 Wp)	RS570132TGC RS550120TGC RS545120TGC RS540120TGC RS535120TGC RS530120TGC RS525120TGC RS520120TGC RS515120TGC RS510120TGC RS505120TGC RS500120TGC	21.12 22.37 22.17 21.96 21.76 21.56 21.35 21.15 20.95 20.74 20.54 20.34	120 (Half Cut Cells) Cell Size: 182*210mm	1500		
					iii	Bifacial N-Type TOPCon Modules (Glass to Glass)	RS475108TGC (475 Wp)	RS495108TGC RS490108TGC RS485108TGC RS480108TGC RS475108TGC RS470108TGC RS465108TGC RS460108TGC RS455108TGC	22.31 22.09 21.86 21.64 21.41 21.19 20.96 20.74 20.51	108 (Half Cut Cells) Cell Size: 182*210mm	1500		
4	M/s. Goldi Sun Private Limited (Model Addition + Capacity Addition)	City Survey No. 920, Vijalpore Road, TA, Distt. Navsari, Gujarat - 396445, India	R-72006149	4522	i	Bifacial N-Type TOPCon Modules (Glass to Glass)	GS12R-T132-GF-610 (610 Wp)	GS12R-T132-GF-620 GS12R-T132-GF-615 GS12R-T132-GF-610 GS12R-T132-GF-605 GS12R-T132-GF-600	22.21 22.40 22.58 22.77 22.95	132 (Half Cut Cells) Cell Size: 182*210mm	1500	27.09.2024	26.09.2028
					ii	Bifacial N-Type TOPCon Modules (Glass to Glass)	GS12R-T120-GF-555 (555 Wp)	GS12R-T120-GF-565 GS12R-T120-GF-560 GS12R-T120-GF-555 GS12R-T120-GF-550 GS12R-T120-GF-545	23.01 22.81 22.61 22.40 22.20	120 (Half Cut Cells) Cell Size: 182*210mm	1500		
					iii	Bifacial N-Type TOPCon Modules (Glass to Glass)	GS12R-T108-GF-500 (500 Wp)	GS12R-T108-GF-510 GS12R-T108-GF-505 GS12R-T108-GF-500 GS12R-T108-GF-495 GS12R-T108-GF-490	23.00 22.78 22.55 22.33 22.10	108 (Half Cut Cells) Cell Size: 182*210mm	1500		
5	M/s. Emmvee Energy Private Limited (Model Addition + Capacity Addition)	Sy. No. 66-70/3, Sompura Industrial Area, Pemmanahalli Village, Sompura Hobli, Nelamangala Taluk, Bengaluru Rural District, Karnataka - 562111, India	R-62004626	3276	i	Bifacial N-Type TOPCon Module (Glass to Glass)	E610HCBG132-T (610 Wp)	E635HCBG132-T E630HCBG132-T E625HCBG132-T E620HCBG132-T E615HCBG132-T E610HCBG132-T E605HCBG132-T E600HCBG132-T E595HCBG132-T E590HCBG132-T E585HCBG132-T	23.51 23.32 23.14 22.95 22.77 22.58 22.40 22.21 22.03 21.84 21.66	132 (Half Cut Cells) Cell Size: 182.3*210mm	1500	08.07.2024	07.07.2028
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	E560HCBG120-T (560 Wp)	E575HCBG120-T E570HCBG120-T E565HCBG120-T E560HCBG120-T E555HCBG120-T E550HCBG120-T E545HCBG120-T	23.33 23.13 22.93 22.73 22.52 22.32 22.12	120 (Half Cut Cells) Cell Size: 182.3*210mm	1500		
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	E505HCBG108-T (505 Wp)	E515HCBG108-T E510HCBG108-T E505HCBG108-T	23.15 22.92 22.70	108 (Half Cut Cells) Cell Size: 182.3*210mm	1500		

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
6	M/s. Gautam Solar Pvt. Ltd. (Model Addition + Capacity Addition)	7 KM Milestone, Tosham Road, Dist - Bhiwani, Bhiwani Khera - 127032, Haryana, India	R-91017574	3224	i	N-Type TOPCon Module (Glass to Glass)	G2G1818NB-UHAD (606 Wp)	E500HCBG108-T	22.47	144 (Half Cut Cells)	1500	21.04.2025	20.04.2029
								E495HCBG108-T	22.25				
								E490HCBG108-T	22.02				
								G2G1830-HAD	23.59				
								G2G1827-UHAD	23.55				
								G2G1824N-UHAD	23.52				
								G2G1821B-UHAD	23.48				
								G2G1818NB-UHAD	23.44				
								G2G1815-HAD	23.40				
								G2G1812-UHAD	23.36				
								G2G1809N-UHAD	23.32				
								G2G1806B-UHAD	23.28				
								G2G1803NB-UHAD	23.24				
								G3G1920K-UHAB (640Wp)	23.69				
								G3G1905K-UHAB	23.51				
7	M/s. Solitech Green Energy Private Limited (New Addition in ALMM)	Block No 210 B, Chhamuchhal, B/H. Karanj Textiles Park, Karanj, Kim - 394110, Surat, Gujarat, India	R-72013358	1321	i	Bifacial N-Type TOPCon Module (Glass to Glass)	SGE - G12R132T16G - 635 (635 Wp)	SGE - G12R132T16G - 650	24.06	132 (Half Cut Cells)	1500	13.10.2025	12.10.2029
								SGE - G12R132T16G - 645	23.88				
								SGE - G12R132T16G - 640	23.69				
								SGE - G12R132T16G - 635	23.51				
								SGE - G12R132T16G - 630	23.32				
								SGE - G12R132T16G - 625	23.14				
								SGE - G12R132T16G - 620	22.95				
								SGE - G12R132T16G - 615	22.77				
								SGE - G12R132T16G - 610	22.58				
								SGE - G12R132T16G - 605	22.40				
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	SGE - G12R132T16G - 600 (600 Wp)	SGE - G12R132T16G - 600	22.21	132 (Half Cut Cells)	1500		
								SGE - G12R132T16G - 595	22.03				
								SGE - G12R132T16G - 590	21.84				
								SGE - G12R132T16G - 585	21.66				
								SGE - G12R120T16G - 590	23.98				
								SGE - G12R120T16G - 585	23.77				
								SGE - G12R120T16G - 580	23.57				
								SGE - G12R120T16G - 575	23.37				
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	SGE - G12R120T16G - 580 (580 Wp)	SGE - G12R120T16G - 570	23.16	120 (Half Cut Cells)	1500		
								SGE - G12R120T16G - 565	22.96				
								SGE - G12R120T16G - 560	22.76				
								SGE - G12R120T16G - 555	22.55				
								SGE - G12R120T16G - 550	22.35				
								SGE - G12R120T16G - 545	22.15				
								SGE - G12R120T16G - 540	21.94				
								SGE - G12R120T16G - 535	21.74				
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	SGE - G12R120T16G - 550 (550 Wp)	SGE - G12R108T16G - 530	23.87	120 (Half Cut Cells)	1500		
								SGE - G12R108T16G - 525	23.64				
								SGE - G12R108T16G - 520	23.42				
								SGE - G12R108T16G - 515	23.19				
								SGE - G12R108T16G - 510	22.97				
								SGE - G12R108T16G - 505	22.74				
								SGE - G12R108T16G - 500	22.52				
								SGE - G12R108T16G - 495	22.29				
								SGE - G12R108T16G - 490	22.07				
								SGE - G12R108T16G - 485	21.84				
					v	Bifacial N-Type TOPCon Module (Glass to Glass)	SGE - G12R108T16G - 505 (505 Wp)	SGE - G12R108T16G - 480	21.62	108 (Half Cut Cells)	1500		
								SGE-M10144T16T-615	23.81				
								SGE-M10144T16T-610	23.61				
								SGE-M10144T16T-605	23.42				
					vi	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SGE - M10144T16T - 605 (605 Wp)	SGE-M10144T16T-600	23.23	144 (Half Cut Cells)	1500		

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity						
												From	To (subject to valid BIS Registration; else deemed to be delisted)					
								SGE-M10144T16T-595	23.03	144 (Half Cut Cells)	1500							
								SGE-M10144T16T-590	22.84									
					vii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SGE - M10144T16T - 570 (570 Wp)	SGE-M10144T16T-585	22.65									
								SGE-M10144T16T-580	22.45									
								SGE-M10144T16T-575	22.26									
								SGE-M10144T16T-570	22.07									
								SGE-M10144T16T-565	21.87									
								SGE-M10144T16T-560	21.68									
								SGE-M10144T16T-555	21.48									
					viii	Bifacial N-Type TOPCon Module (Glass to Glass)	SGE - M10144T16G - 605 (605 Wp)	SGE-M10144T16G-615	23.81	144 (Half Cut Cells)	1500							
								SGE-M10144T16G-610	23.61									
								SGE-M10144T16G-605	23.42									
								SGE-M10144T16G-600	23.23									
								SGE-M10144T16G-595	23.03									
								SGE-M10144T16G-590	22.84									
								SGE-M10144T16G-585	22.65									
					ix	Bifacial N-Type TOPCon Module (Glass to Glass)	SGE - M10144T16G - 570 (570 Wp)	SGE-M10144T16G-580	22.45	144 (Half Cut Cells)	1500							
								SGE-M10144T16G-575	22.26									
								SGE-M10144T16G-570	22.07									
								SGE-M10144T16G-565	21.87									
								SGE-M10144T16G-560	21.68									
								SGE-M10144T16G-555	21.48									
								x	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)					SGE - M10132T16T - 530 (530Wp)	SGE-M10132T16T-555	23.39	132 (Half Cut Cells)	1500
					SGE-M10132T16T-550	23.18												
					SGE-M10132T16T-545	22.97												
					SGE-M10132T16T-540	22.76												
					SGE-M10132T16T-535	22.55												
					SGE-M10132T16T-530	22.34												
					SGE-M10132T16T-525	22.13												
					SGE-M10132T16T-520	21.92												
					SGE-M10132T16T-515	21.71												
					SGE-M10132T16T-510	21.50												
					SGE-M10132T16T-505	21.29												
					xi	Bifacial N-Type TOPCon Module (Glass to Glass)	SGE - M10132T16G - 530 (530 Wp)			SGE-M10132T16G-555	23.39				132 (Half Cut Cells)	1500		
										SGE-M10132T16G-550	23.18							
								SGE-M10132T16G-545	22.97									
								SGE-M10132T16G-540	22.76									
								SGE-M10132T16G-535	22.55									
								SGE-M10132T16G-530	22.34									
								SGE-M10132T16G-525	22.13									
								SGE-M10132T16G-520	21.92									
								SGE-M10132T16G-515	21.71									
								SGE-M10132T16G-510	21.50									
								SGE-M10132T16G-505	21.29									
								xii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SGE - M10120T16T - 500 (500 Wp)	SGE-M10120T16T-510			23.60			120 (Half Cut Cells)	1500
											SGE-M10120T16T-505			23.36				
					SGE-M10120T16T-500	23.13												
					SGE-M10120T16T-495	22.90												
					SGE-M10120T16T-490	22.67												
					xiii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SGE - M10120T16T - 475 (475 Wp)	SGE-M10120T16T-485	22.44	120 (Half Cut Cells)	1500							
								SGE-M10120T16T-480	22.21									
								SGE-M10120T16T-475	21.98									
								SGE-M10120T16T-470	21.75									
								SGE-M10120T16T-465	21.51									
								SGE-M10120T16T-460	21.28									
					xiv	Bifacial N-Type TOPCon Module	SGE - M10120T16G - 500 (500 Wp)	SGE-M10120T16G-510	23.60	120 (Half Cut Cells)	1500							
								SGE-M10120T16G-505	23.36									

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
						(Glass to Glass)		SGE-M10120T16G-500	23.13				
								SGE-M10120T16G-495	22.90				
								SGE-M10120T16G-490	22.67				
					xv	Bifacial N-Type TOPCon Module (Glass to Glass)	SGE - M10120T16G - 475 (475 Wp)	SGE-M10120T16G-485	22.44	120 (Half Cut Cells)	1500		
								SGE-M10120T16G-480	22.21				
								SGE-M10120T16G-475	21.98				
								SGE-M10120T16G-470	21.75				
								SGE-M10120T16G-465	21.51				
								SGE-M10120T16G-460	21.28				
					xvi	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SGE - M10108T16T - 450 (450 Wp)	SGE-M10108T16T-460	23.58	108 (Half Cut Cells)	1500		
								SGE-M10108T16T-455	23.33				
								SGE-M10108T16T-450	23.07				
								SGE-M10108T16T-445	22.81				
								SGE-M10108T16T-440	22.56				
					xvii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SGE - M10108T16T - 425 (425 Wp)	SGE-M10108T16T-435	22.30	108 (Half Cut Cells)	1500		
								SGE-M10108T16T-430	22.05				
								SGE-M10108T16T-425	21.79				
								SGE-M10108T16T-420	21.53				
								SGE-M10108T16T-415	21.28				
					xviii	Bifacial N-Type TOPCon Module (Glass to Glass)	SGE - M10108T16G - 450 (450 Wp)	SGE-M10108T16G-460	23.58	108 (Half Cut Cells)	1500		
								SGE-M10108T16G-455	23.33				
								SGE-M10108T16G-450	23.07				
								SGE-M10108T16G-445	22.81				
								SGE-M10108T16G-440	22.56				
					xix	Bifacial N-Type TOPCon Module (Glass to Glass)	SGE - M10108T16G - 425 (425 Wp)	SGE-M10108T16G-435	22.30	108 (Half Cut Cells)	1500		
								SGE-M10108T16G-430	22.05				
								SGE-M10108T16G-425	21.79				
								SGE-M10108T16G-420	21.53				
								SGE-M10108T16G-415	21.28				
8	M/s. Insolation Green Energy Private Limited (New Addition in ALMM)	Khasra No. 4205/3454, 4207/3460, 3447-3452, 4383/3458, 3488 -3498,3500 -3509, 3511, Village - Sawarda Teh - Mauzamabad - 303348, Dudu, Rajasthan,India	R-84005622	1202	i	Bifacial N-Type TOPCon Module (Glass to Glass)	INA-156THC-GGF-625 (625 Wp)	INA-156THC-GGF-650	23.25	156 (Half Cut Cells)	1500	13.10.2025	12.10.2029
								INA-156THC-GGF-645	23.07				
								INA-156THC-GGF-640	22.90				
								INA-156THC-GGF-635	22.72				
								INA-156THC-GGF-630	22.54				
								INA-156THC-GGF-625	22.36				
								INA-156THC-GGF-620	22.18				
								INA-156THC-GGF-615	22.00				
								INA-156THC-GGF-610	21.82				
								INA-156THC-GGF-605	21.64				
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	INA-144THC-GGF-575 (575 Wp)	INA-144THC-GGF-600	23.23	144 (Half Cut Cells)	1500		
								INA-144THC-GGF-595	23.03				
								INA-144THC-GGF-590	22.84				
								INA-144THC-GGF-585	22.65				
								INA-144THC-GGF-580	22.45				
								INA-144THC-GGF-575	22.26				
								INA-144THC-GGF-570	22.07				
								INA-144THC-GGF-565	21.87				
								INA-144THC-GGF-560	21.68				
								INA-144THC-GGF-555	21.48				
								INA-144THC-GGF-550	21.29				
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	INA-132THC-GGF-525 (525 Wp)	INA-132THC-GGF-540	22.73	132 (Half Cut Cells)	1500		
								INA-132THC-GGF-535	22.52				
								INA-132THC-GGF-530	22.31				
								INA-132THC-GGF-525	22.10				
								INA-132THC-GGF-520	21.89				
								INA-132THC-GGF-500	21.05				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	INA-120THC-GGF-500 (500 Wp)	INA-120THC-GGF-500	23.02	120 (Half Cut Cells)	1500		
					v	Bifacial N-Type TOPCon Module (Glass to Glass)	INA-108THC-GGF-450 (450 Wp)	INA-108THC-GGF-450	22.94	108 (Half Cut Cells)	1500		
9	M/s. Jakson Engineers Limited (Model Addition + Capacity Addition)	Plot No-25, Ecotech-III, Udyog Kendra, Greater Noida-201306, Gautam Budha Nagar, Uttar Pradesh, India	R-93005959	1209	i	Bifacial N-Type TOPCon Module (Glass to Glass)	JN-615GR (615 Wp)	JN-605GR	22.42	132 (Half Cut Cells)	1500	17.08.2023	16.08.2027
								JN-610GR	22.60	Cell Size: 182*210mm			
								JN-615GR	22.79				
10	M/s. Suryanand Solar Cluster Association (New Addition in ALMM)	Opp Prince Steel, Plot No CL 1, Barshi Road, Additional MIDC, Harangul Buzurg, Latur -413531, Maharashtra, India	R-71028959	33	i	Mono c-Si PERC Module	SSCA350WC (350 Wp)	SSCA335WC	19.19	96 (Half Cut Cells)	1500	13.10.2025	12.10.2029
								SSCA340WC	19.47				
								SSCA345WC	19.76				
								SSCA350WC	20.05				
								SSCA355WC	20.33				
								SSCA360WC	20.62				
					iii	Mono c-Si PERC Module	SSCA390WC (390 Wp)	SSCA375WC	19.18	108 (Half Cut Cells)	1500		
								SSCA380WC	19.43				
								SSCA385WC	19.69				
								SSCA390WC	19.94				
								SSCA395WC	20.20				
								SSCA400WC	20.45				
					iii	Mono c-Si PERC Module	SSCA425WC (425 Wp)	SSCA405WC	20.71	120 (Half Cut Cells)	1500		
								SSCA415WC	19.16				
								SSCA420WC	19.39				
								SSCA425WC	19.62				
								SSCA430WC	19.85				
								SSCA435WC	20.08				
					iv	Mono c-Si PERC Module	SSCA450WC (450 Wp)	SSCA440WC	20.31	120 (Half Cut Cells)	1500		
								SSCA445WC	20.54				
								SSCA450WC	20.77				
								SSCA455WC	21.00				
								SSCA460WC	21.23				
								SSCA465WC	19.59				
					v	Mono c-Si PERC Module	SSCA485WC (485 Wp)	SSCA470WC	19.80	132 (Half Cut Cells)	1500		
								SSCA475WC	20.01				
								SSCA480WC	20.22				
								SSCA485WC	20.43				
								SSCA490WC	20.64				
								SSCA495WC	20.85				
					vi	Mono c-Si PERC Module	SSCA525WC (525 Wp)	SSCA500WC	21.06	144 (Half Cut Cells)	1500		
								SSCA505WC	19.57				
								SSCA510WC	19.76				
								SSCA515WC	19.95				
								SSCA520WC	20.15				
								SSCA525WC	20.34				
11	M/s. Axitec Energy India Pvt Ltd	Co-ALMM with M/s. Knack Energy Private Limited	R-72013854	150 (As per	i	Bifacial N-Type TOPCon	AC-640TGB/156TS (640 Wp)	SSCA530WC	20.53	156 (Half Cut Cells)	1500	13.10.2025	10.07.2027
								SSCA535WC	20.73				
								SSCA540WC	20.92				
								SSCA545WC	21.12				
								AC-650TGB/156TS	23.24				
								AC-645TGB/156TS	23.07				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
	(Model Addition under Co-ALMM)	Manufacturing Address: Survey No. 291 & 292, Besides Kamla Amrut Industrial Estate, Budasun, Near Hitachi, Jhonson Kadi, Mehsana - 382715, Gujarat, India		CoBranding Agreement)		Module (Glass to Glass)		AC-640TGB/156TS AC-630TGB/156TS	22.89 22.53				
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	AC-590TGB/144TS (590 Wp)	AC-600TGB/144TS AC-595TGB/144TS AC-590TGB/144TS AC-585TGB/144TS AC-580TGB/144TS AC-575TGB/144TS	23.23 23.03 22.84 22.65 22.26 22.26	144 (Half Cut Cells)	1500		
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	AC-560TGB/144TS (560 Wp)	AC-570TGB/144TS AC-565TGB/144TS AC-560TGB/144TS AC-555TGB/144TS AC-550TGB/144TS AC-545TGB/144TS	22.07 21.87 21.68 21.48 21.29 21.10	144 (Half Cut Cells)	1500		
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	AC-535TGB/132TS (535 Wp)	AC-540TGB/132TS AC-535TGB/132TS AC-530TGB/132TS	22.76 22.55 22.34	132 (Half Cut Cells)	1500		
					v	Bifacial N-Type TOPCon Module (Glass to Glass)	AC-485TGB/120TS (485 Wp)	AC-490TGB/120TS AC-485TGB/120TS AC-480TGB/120TS	22.65 22.42 22.18	120 (Half Cut Cells)	1500		
					vi	Bifacial N-Type TOPCon Module (Glass to Glass)	AC-440TGB/108TS (440 Wp)	AC-445TGB/108TS AC-440TGB/108TS AC-435TGB/108TS	22.68 22.43 22.17	108 (Half Cut Cells)	1500		
12	M/s. Axitec Energy India Pvt Ltd (Model Addition under Co-ALMM)	Co-ALMM with M/s. Rayzon Solar Limited (Formerly Known as M/s. Rayzon Solar Private Limited)) Manufacturing Address: Block No. 94/1/1F, 94/1/3, 102/1,103, 104, 105, 109, 110, 118, 119, 120, City Survey No. NA 94/1/2/A, NA 94/1/2/B, NA 123 & NA 124 B/H Hariya Talav, Kim Mandvi Road, Vill.: Karanj, Ta.: Mandvi, Dist.: Surat - 394110, Gujarat,	R-72005924	150 (As per CoBranding Agreement)	i	Bifacial N Type TOPCon Module (Glass to Glass)	AC-565TGB/144TS (565 Wp)	AC-540TGB/144TS AC-545TGB/144TS AC-550TGB/144TS AC-555TGB/144TS AC-560TGB/144TS AC-565TGB/144TS AC-570TGB/144TS AC-575TGB/144TS AC-580TGB/144TS AC-585TGB/144TS	20.92 21.12 21.31 21.50 21.70 21.89 22.08 22.28 22.47 20.15	144 (Half Cut Cells)	1500	13.10.2025	24.02.2026
					ii	Bifacial N Type TOPCon Module (Glass to Glass)	AC-525TGB/132TS (525 Wp)	AC-520TGB/132TS AC-525TGB/132TS AC-530TGB/132TS	21.91 22.12 22.33	132 (Half Cut Cells)	1500		
					iii	Bifacial N Type TOPCon Module (Glass to Glass)	AC-480TGB/120TS (480 Wp)	AC-475TGB/120TS AC-480TGB/120TS AC-485TGB/120TS	21.93 22.16 22.39	120 (Half Cut Cells)	1500		
					iv	Bifacial N Type TOPCon Module (Glass to Glass)	AC-420TGB/108TS (420 Wp)	AC-405TGB/108TS AC-410TGB/108TS AC-415TGB/108TS AC-420TGB/108TS AC-425TGB/108TS AC-430TGB/108TS AC-435TGB/108TS	20.76 21.01 21.27 21.53 21.78 22.04 22.30	108 (Half Cut Cells)	1500		
13	M/s. Rajasthan Electronics and	Co-ALMM with M/s. Sahaj Solar Limited	R-72013528	10 (As per	i	Mono c-Si PERC Module	RSS-545 (545 Wp)	RSS-540 RSS-545	20.89 21.09	144 (Half Cut Cells)	1500	13.10.2025	18.06.2027

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
	Instruments Limited (REIL) (Model Addition under Co-ALMM)	Manufacturing Address: Plot No. D4, Survey No. 742,745, Gallops Industrial Park, Village Rajoda, Sarkhej – Bavla Road, NH 8B, Ahmedabad, Gujarat – 382220, India		CoBranding Agreement)				RSS-550	21.28				
14	M/s. Luminous Power Technologies Pvt. Ltd (Model Addition under Co-ALMM)	Co-ALMM with M/s. Knack Energy Private Limited Manufacturing Address: Survey No. 291 & 292, Besides Kamla Amrut Industrial Estate, Budasun, Near Hitachi, Jhonson Kadi, Mehsana - 382715,Gujarat, India	R-72013200	19-20 MW/Month (As per CoBranding Agreement)	i	Bifacial N-Type TOPCon Module (Glass to Glass)	LUM 630TG156 KE16B (630 Wp)	LUM 605TG156 KE16B	21.63	156 (Half Cut Cells)	1500	13.10.2025	31.03.2026
								LUM 610TG156 KE16B	21.81				
								LUM 615TG156 KE16B	21.99				
								LUM 620TG156 KE16B	22.17				
								LUM 625TG156 KE16B	22.35				
								LUM 630TG156 KE16B	22.53				
								LUM 635TG156 KE16B	22.71				
								LUM 640TG156 KE16B	22.89				
								LUM 645TG156 KE16B	23.07				
								LUM 650TG156 KE16B	23.24				
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	LUM 630TG156 KE16A (630 Wp)	LUM 605TG156 KE16A	21.63	156 (Half Cut Cells)	1500		
								LUM 610TG156 KE16A	21.81				
								LUM 615TG156 KE16A	21.99				
								LUM 620TG156 KE16A	22.17				
								LUM 625TG156 KE16A	22.35				
								LUM 630TG156 KE16A	22.53				
								LUM 635TG156 KE16A	22.71				
								LUM 640TG156 KE16A	22.89				
								LUM 645TG156 KE16A	23.07				
								LUM 650TG156 KE16A	23.24				
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	LUM 560TG144 KE16B (560 Wp)	LUM 545TG144 KE16B	21.10	144 (Half Cut Cells)	1500		
								LUM 550TG144 KE16B	21.29				
								LUM 555TG144 KE16B	21.48				
								LUM 560TG144 KE16B	21.68				
								LUM 565TG144 KE16B	21.87				
								LUM 570TG144 KE16B	22.07				
								LUM 575TG144 KE16B	22.26				
								LUM 580TG144 KE16B	22.45				
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	LUM 590TG144 KE16B (590 Wp)	LUM 585TG144 KE16B	22.65	144 (Half Cut Cells)	1500		
								LUM 590TG144 KE16B	22.84				
								LUM 595TG144 KE16B	23.03				
								LUM 600TG144 KE16B	23.23				
LUM 545TG144 KE16A	21.10												
LUM 550TG144 KE16A	21.29												
v	Bifacial N-Type TOPCon Module (Glass to Glass)	LUM 560TG144 KE16A (560 Wp)	LUM 555TG144 KE16A	21.48	144 (Half Cut Cells)	1500							
			LUM 560TG144 KE16A	21.68									
			LUM 565TG144 KE16A	21.87									
			LUM 570TG144 KE16A	22.07									
			LUM 575TG144 KE16A	22.26									
			LUM 580TG144 KE16A	22.45									
vi	Bifacial N-Type TOPCon Module (Glass to Glass)	LUM 590TG144 KE16A (590 Wp)	LUM 585TG144 KE16A	22.65	144 (Half Cut Cells)	1500							
			LUM 590TG144 KE16A	22.84									
			LUM 595TG144 KE16A	23.03									
			LUM 600TG144 KE16A	23.23									
			LUM 505MG144 KE10A	19.55									
vii	Bifacial Mono c-Si	LUM 530MG144 KE10A		19.55	144 (Half Cut Cells)	1500							

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
						PERC Module (Glass to Glass)	(530 Wp)	LUM 510MG144 KE10A	19.74				
								LUM 515MG144 KE10A	19.94				
								LUM 520MG144 KE10A	20.13				
								LUM 525MG144 KE10A	20.32				
								LUM 530MG144 KE10A	20.52				
								LUM 535MG144 KE10A	20.71				
								LUM 540MG144 KE10A	20.90				
								LUM 545MG144 KE10A	21.10				
								LUM 550MG144 KE10A	21.29				
								LUM 555MG144 KE10A	21.48				
					viii	Bifacial N-Type TOPCon Module (Glass to Glass)	LUM 515TG132 KE16B (515 Wp)	LUM 495TG132 KE16B	20.87	132 (Half Cut Cells)	1500		
								LUM 500TG132 KE16B	21.08				
								LUM 505TG132 KE16B	21.29				
								LUM 510TG132 KE16B	21.50				
								LUM 515TG132 KE16B	21.71				
								LUM 520TG132 KE16B	21.92				
								LUM 525TG132 KE16B	22.13				
								LUM 530TG132 KE16B	22.34				
								LUM 535TG132 KE16B	22.55				
								LUM 540TG132 KE16B	22.76				
					ix	Bifacial N-Type TOPCon Module (Glass to Glass)	LUM 515TG132 KE16A (515 Wp)	LUM 495TG132 KE16A	20.87	132 (Half Cut Cells)	1500		
								LUM 500TG132 KE16A	21.08				
								LUM 505TG132 KE16A	21.29				
								LUM 510TG132 KE16A	21.50				
								LUM 515TG132 KE16A	21.71				
								LUM 520TG132 KE16A	21.92				
								LUM 525TG132 KE16A	22.13				
								LUM 530TG132 KE16A	22.34				
								LUM 535TG132 KE16A	22.55				
								LUM 540TG132 KE16A	22.76				
					x	Bifacial Mono c-Si PERC Module (Glass to Glass)	LUM 480MG132 KE10A (480 Wp)	LUM 460MG132 KE10A	19.39	132 (Half Cut Cells)	1500		
								LUM 465MG132 KE10A	19.60				
								LUM 470MG132 KE10A	19.81				
								LUM 475MG132 KE10A	20.02				
								LUM 480MG132 KE10A	20.23				
								LUM 485MG132 KE10A	20.44				
								LUM 490MG132 KE10A	20.65				
								LUM 495MG132 KE10A	20.87				
								LUM 500MG132 KE10A	21.08				
					xi	Bifacial N-Type TOPCon Module (Glass to Glass)	AMS 630TG156 KE16B (630 Wp)	AMS 605TG156 KE16B	21.63	156 (Half Cut Cells)	1500		
								AMS 610TG156 KE16B	21.81				
								AMS 615TG156 KE16B	21.99				
								AMS 620TG156 KE16B	22.17				
								AMS 625TG156 KE16B	22.35				
								AMS 630TG156 KE16B	22.53				
								AMS 635TG156 KE16B	22.71				
								AMS 640TG156 KE16B	22.89				
								AMS 645TG156 KE16B	23.07				
								AMS 650TG156 KE16B	23.24				
					xii	Bifacial N-Type TOPCon Module (Glass to Glass)	AMS 630TG156 KE16A (630 Wp)	AMS 605TG156 KE16A	21.63	156 (Half Cut Cells)	1500		
								AMS 610TG156 KE16A	21.81				
								AMS 615TG156 KE16A	21.99				
								AMS 620TG156 KE16A	22.17				
								AMS 625TG156 KE16A	22.35				
								AMS 630TG156 KE16A	22.53				
								AMS 635TG156 KE16A	22.71				
								AMS 640TG156 KE16A	22.89				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
							AMS 560TG144 KE16B (560 Wp)	AMS 645TG156 KE16A	23.07	144 (Half Cut Cells)	1500		
								AMS 650TG156 KE16A	23.24				
					xiii	Bifacial N-Type TOPCon Module (Glass to Glass)	AMS 560TG144 KE16B (560 Wp)	AMS 545TG144 KE16B	21.10				
								AMS 550TG144 KE16B	21.29				
								AMS 555TG144 KE16B	21.48				
								AMS 560TG144 KE16B	21.68				
								AMS 565TG144 KE16B	21.87				
								AMS 570TG144 KE16B	22.07				
					xiv	Bifacial N-Type TOPCon Module (Glass to Glass)	AMS 590TG144 KE16B (590 Wp)	AMS 575TG144 KE16B	22.26				
								AMS 580TG144 KE16B	22.45				
								AMS 585TG144 KE16B	22.65				
								AMS 590TG144 KE16B	22.84				
								AMS 595TG144 KE16B	23.03				
								AMS 600TG144 KE16B	23.23				
					xv	Bifacial N-Type TOPCon Module (Glass to Glass)	AMS 560TG144 KE16A (560 Wp)	AMS 545TG144 KE16A	21.10				
								AMS 550TG144 KE16A	21.29				
								AMS 555TG144 KE16A	21.48				
								AMS 560TG144 KE16A	21.68				
								AMS 565TG144 KE16A	21.87				
								AMS 570TG144 KE16A	22.07				
					xvi	Bifacial N-Type TOPCon Module (Glass to Glass)	AMS 590TG144 KE16A (590 Wp)	AMS 575TG144 KE16A	22.26				
								AMS 580TG144 KE16A	22.45				
								AMS 585TG144 KE16A	22.65				
								AMS 590TG144 KE16A	22.84				
								AMS 595TG144 KE16A	23.03				
								AMS 600TG144 KE16A	23.23				
					xvii	Bifacial Mono c-Si PERC Module (Glass to Glass)	AMS 530MG144 KE10A (530 Wp)	AMS 505MG144 KE10A	19.55				
								AMS 510MG144 KE10A	19.74				
								AMS 515MG144 KE10A	19.94				
								AMS 520MG144 KE10A	20.13				
								AMS 525MG144 KE10A	20.32				
								AMS 530MG144 KE10A	20.52				
								AMS 535MG144 KE10A	20.71				
								AMS 540MG144 KE10A	20.90				
								AMS 545MG144 KE10A	21.10				
								AMS 550MG144 KE10A	21.29				
								AMS 555MG144 KE10A	21.48				
					xviii	Bifacial N-Type TOPCon Module (Glass to Glass)	AMS 515TG132 KE16B (515 Wp)	AMS 495TG132 KE16B	20.87				
								AMS 500TG132 KE16B	21.08				
								AMS 505TG132 KE16B	21.29				
								AMS 510TG132 KE16B	21.50				
								AMS 515TG132 KE16B	21.71				
								AMS 520TG132 KE16B	21.92				
								AMS 525TG132 KE16B	22.13				
								AMS 530TG132 KE16B	22.34				
								AMS 535TG132 KE16B	22.55				
								AMS 540TG132 KE16B	22.76				
								xix	Bifacial N-Type TOPCon Module (Glass to Glass)	AMS 515TG132 KE16A (515 Wp)	AMS 495TG132 KE16A		
					AMS 500TG132 KE16A	21.08							
					AMS 505TG132 KE16A	21.29							
					AMS 510TG132 KE16A	21.50							
					AMS 515TG132 KE16A	21.71							
					AMS 520TG132 KE16A	21.92							
					AMS 525TG132 KE16A	22.13							
					AMS 530TG132 KE16A	22.34							
					AMS 535TG132 KE16A	22.55							
					AMS 540TG132 KE16A	22.76							

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xx	Bifacial Mono c-Si PERC Module (Glass to Glass)	AMS 480MG132 KE10A (480 Wp)	AMS 460MG132 KE10A	19.39	132 (Half Cut Cells)	1500		
								AMS 465MG132 KE10A	19.60				
								AMS 470MG132 KE10A	19.81				
								AMS 475MG132 KE10A	20.02				
								AMS 480MG132 KE10A	20.23				
								AMS 485MG132 KE10A	20.44				
								AMS 490MG132 KE10A	20.65				
								AMS 495MG132 KE10A	20.87				
								AMS 500MG132 KE10A	21.08				

Note: In case of model inclusion or capacity addition / change, through revision in ALMM List, the capacity mentioned against any manufacturing unit, as appearing in the said Revision to the ALMM List, shall be the ALMM enlisted manufacturing capacity for that manufacturing unit (from the date of the said revision), and the capacity enlisted for that manufacturing unit should not be interpreted as Sum of (enlisted capacity for that manufacturing unit in previous ALMM list/ previous revision to ALMM List) and (enlisted capacity in the present revision)

F. No. 283/41/2024-GRID SOLAR

भारत सरकार / Government of India

नवीन और नवीकरणीय ऊर्जा मंत्रालय / Ministry of New & Renewable Energy

ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003.

Dated: 19th September 2025

OFFICE MEMORANDUM

Sub: Updation of List I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 – Reg.

- Ref:** (i) MNRE's O.M. No. 283/54/2018-GRID SOLAR-Part(1) dated 10.03.2021
(ii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 10.05.2023;
(iii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 22.03.2024;
(iv) MNRE's O.M. No. 32/33/2024-SPV Division dated 06.05.2025;

Reference is invited to this Ministry's O.M.s of even no. dated 10.03.2021, regarding implementation of Approved Models and Manufacturers of Solar Photovoltaic Modules (Requirement for Compulsory Registration) Order, 2019 and publishing List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019.

2. This Ministry vide its O.M.s referred at (ii), (iii) & (iv) above, inter-alia, directed that only such models of Solar PV Module Manufacturers will be enlisted under ALMM, which comply with the BIS Standards and are having the following minimum module efficiency:

Category	Application/Use	Minimum Module Efficiency required to be eligible for enlistment in ALMM for solar PV modules	
		For c-Si technology based solar PV modules	For CdTe thin film technology based solar PV modules
Category-I	Utility/Grid Scale Power Plants	20.00%	19.00%
Category-II	Rooftop and Solar Pumping	19.50%	18.50%
Category-III	Off-grid projects/applications like solar lamps, solar lights, solar street lights, solar fans, etc. (other than solar powered agricultural pumps and solar PV rooftops) requiring individual capacity of each solar PV module deployed, to be of less than 200 Watt peak	18.00%	18.00%
		(not to be included in main ALMM List-I but to be included in a separate ALMM list called ALMM List-I (DRE)	
Category-IV	Any other application	19.00%	18.00%

3. Post the aforesaid O.M. dated 10.05.2023 and subsequent O.M.s dated 22.03.2024 and 06.05.2025, only such models of Solar PV Modules have been considered for enlistment under ALMM List-I, whose module efficiency is meeting the eligibility criteria as mentioned in table at para-2 above.

4. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 was last updated on 13.08.2025.

5. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 is hereby further revised and the Revision-XLI (in the format of additions / modifications to Revision-XLI) is enclosed at Annexure-I. The last revision no. XLI dated 13.08.2025 along with provisional enlistments therein (excluding those which have been removed on account of inclusion in main ALMM List-I or inordinate delay in getting final inspection done) is at pages after Annexure-I.

6. The ALMM enlistment validity is subject to valid BIS Registration; else deemed to be delisted.

7. The details of Registration No. (R. No.) which has been allotted by BIS is mentioned against each manufacturer / manufacturing unit enlisted in ALMM and further details related to BIS certification like validity, models included, etc. may be checked from BIS website by using the following link:
https://www.crsbis.in/BIS/Lims_registration.do?hmode=getLimsData

8. This issues with the approval of competent authority.

(Sanjay G. Karndhar)

Scientist-E

E-mail: karndhar.sg@nic.in

Encl: as above

To: All Concerned

Copy to: Director (Technical), NIC, MNRE for uploading this document on MNRE's website

A. Amendments/ Updates in previous lists of ALMM List-I

1. **M/s. Sahaj Solar Privat Ltd** (ALMM list for solar PV modules issued on 27.03.2025 => Sl. No. 24) Name of **Sahaj Solar Private Ltd** has been changed to **Sahaj Solar Limited**
2. **M/s. Onix-Tech Renewable Private Limited** (ALMM list for solar PV modules issued on 13.08.2025 => Sl. No. 3) Name of **Onix-Tech Renewable Private Limited** has been changed to **Nexgenix Solar Manufacturing Private Limited**
3. **M/s. Rayzon Solar Private Limited** (ALMM list for solar PV modules issued on 27.03.2025 => Sl. No. 16) Name of **Rayzon Solar Private Limited** has been changed to **Rayzon Solar Limited** and the Address has also been changed
from
[Block No. 94/1/1F, 94/1/3, 102/1, 103, 104, 105, 109, 110, 118, 119, 120, Kim Mandvi Road, Near Hariya Talav, B/H Aron Pipe, Kim Mandvi Road, Karanj, Surat - 394110, Gujarat, India]
to
Block 94/1/1/F 94/1/3 94/1/1/A 102/1 103 104 105 109 110 112 113 118 119 120 City Survey No.: NA 94/1/2/A NA 94/1/2/B NA 123 & NA 124 B/H Hariya Talav Kim-Mandvi Road Vill.: Karanj Ta.: Mandvi Dist.: Surat - 394110, Gujarat, 394110

Note:

Older names/ addresses of the companies mentioned at (1) (2) and (3) above, even if appearing at places other than those explicitly mentioned above, may also be considered to have been changed accordingly.

4. **M/s. Tata Power Renewable Energy Limited** (Formerly M/s. Tata Power Solar Systems Ltd) (ALMM list for solar PV modules issued on 27.03.2025 => Sl. No. 44) – one of the 'enlisted models' under 'Applied Model' - TP525HG10, is mentioned as 'TP5435HG10' which may be read as '**TP535HG10**'
5. **M/s. Vikram Solar Limited** (ALMM list for solar PV modules issued on 13.08.2025 => Sl. No. 19) Names of 'Enlisted Models' which were added on 13.08.2025, were not completely visible due to limited column width, the same may be read as follows:

Enlisted Models
HYPERSOL VSMDH.66.590.05
HYPERSOL VSMDH.66.595.05
HYPERSOL VSMDH.66.600.05
HYPERSOL VSMDH.66.605.05
HYPERSOL VSMDH.66.610.05
HYPERSOL VSMDH.66.615.05
HYPERSOL VSMDH.66.620.05
HYPERSOL VSMDH.66.625.05
HYPERSOL VSMDH.66.630.05
HYPERSOL VSMDH.66.635.05
HYPERSOL VSMDH.66.640.05
HYPERSOL VSMDH.60.580.05
HYPERSOL VSMDH.60.575.05
HYPERSOL VSMDH.60.570.05
HYPERSOL VSMDH.60.565.05
HYPERSOL VSMDH.60.560.05
HYPERSOL VSMDH.60.555.05
HYPERSOL VSMDH.60.550.05
HYPERSOL VSMDH.60.545.05



B. New additions on 19.09.2025 in the List of Manufacturers and Models of Solar PV Modules Enlisted under ALMM Order

B. New additions on 19.09.2025 in the List of Manufacturers and Models of Solar PV Modules Enlisted under ALMM Order															
S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity			
												From	To (subject to valid BIS Registration; else deemed to be delisted)		
1	M/s. Avaada Electro Private Limited (Capacity Addition)	A-67, MIDC Road, Additional Butibori Industrial Area, Nagpur-441108, Maharashtra, India	R-71040312	4111	i	Bifacial N Type TOPCon Module (Glass to Glass)	AVN66G12G710 (710 Wp)	AVN66G12G720	23.18	132 (Half Cut Cells)	1500	05.06.2025	04.06.2029		
								AVN66G12G715	23.02						
								AVN66G12G710	22.86					120 (Half Cut Cells)	1500
								AVN66G12G705	22.70						
								AVN66G12G700	22.53						
					ii	Bifacial N Type TOPCon Module (Glass to Glass)	AVN60G12G640 (640 Wp)	AVN60G12G650	22.97						
								AVN60G12G645	22.79						
								AVN60G12G640	22.61						
								AVN60G12G635	22.44						
								AVN60G12G630	22.26						
					iii	Bifacial N Type TOPCon Module (Glass to Glass)	AVN66G12RG620 (620 Wp)	AVN66G12RG630	23.32	132 (Half Cut Cells)	1500				
								AVN66G12RG625	23.14						
								AVN66G12RG620	22.95						
								AVN66G12RG615	22.77						
								AVN66G12RG610	22.58						
					iv	Bifacial N Type TOPCon Module (Glass to Glass)	AVN60G12RG560 (560 Wp)	AVN60G12RG570	23.14	120 (Half Cut Cells)	1500				
								AVN60G12RG565	22.94						
								AVN60G12RG560	22.74						
								AVN60G12RG555	22.53						
								AVN60G12RG550	22.33						
2	M/s. Kosol Energie Pvt. Ltd. (Model Addition + Capacity Addition)	Survey No: 415/B, Opp. Super Gas, Village: Bhayla, Bavla-Bagodra Highway, Ta: Bavla, Dist: Ahmedabad - 382220, Gujarat, India.	R-72003417	1526	i	Bifacial N Type TOPCON Module (Glass to Glass)	KE600N (600Wp)	KE620N	23.92	144 (Half Cut Cells)	1500	04.03.2024	03.03.2028		
								KE615N	23.73						
								KE610N	23.54						
								KE605N	23.34						
								KE600N	23.15						
								KE595N	22.96						
								KE590N	22.76						
								KE585N	22.57						
					ii	Bifacial N Type TOPCON Module (Glass to Glass)	KE555N (555Wp)	KE580N	24.35	132(Half Cut Cells)	1500				
								KE575N	24.14						
								KE570N	23.93						
								KE565N	23.72						
								KE560N	23.51						
								KE555N	23.30						
								KE550N	23.09						
								KE545N	22.88						
								KE540N	22.67						
								KE535N	22.46						
					iii	Bifacial N Type TOPCON Module (Glass to Glass)	KE505N (505Wp)	KE530N	24.35	120(Half Cut Cells)	1500				
								KE525N	24.12						
								KE520N	23.89						
								KE515N	23.66						
								KE510N	23.43						
								KE505N	23.20						
								KE500N	22.97						
								KE495N	22.74						
								KE490N	22.51						
								KE485N	22.28						
					iv	Bifacial N Type TOPCON Module (Glass to Glass)	KE455N (455Wp)	KE475N	24.21	108(Half Cut Cells)	1500				
								KE470N	23.95						
								KE465N	23.70						
								KE460N	23.44						
								KE455N	23.19						
								KE450N	22.93						
								KE445N	22.68						
								KE440N	22.42						
								KE435N	22.17						
3	M/s. FS Green Energies Private Limited.	Block No. 160 - 164, 168 Besides Act Agro Chem Pvt. Ltd., Juni Jithardi Road, Near	R-72011258	2896	i	Bifacial N-Type TOPCon Module (Glass to Glass)	FST-G12R.132G-620 (620 Wp)	FST-G12R.132G-600	22.19	132 (Half Cut Cells)	1500	28.10.2024	27.10.2028		
								FST-G12R.132G-605	22.38						
								FST-G12R.132G-610	22.56						
								FST-G12R.132G-615	22.75						

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
	(Model Addition + Capacity Addition)	Karjan Cross Road, NH - 8, Vadodara - 391240, Gujarat, India						FST-G12R.132G-620	22.93				
								FST-G12R.132G-625	23.12				
								FST-G12R.132G-630	23.30				
								FST-G12R.132G-635	23.49				
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	FST-G12R.120G-560 (560 Wp)	FST-G12R.120G-545	22.13	120 (Half Cut Cells)	1500		
								FST-G12R.120G-550	22.33				
								FST-G12R.120G-555	22.53				
								FST-G12R.120G-560	22.74				
								FST-G12R.120G-565	22.94				
								FST-G12R.120G-570	23.14				
								FST-G12R.120G-575	23.35				
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	FST-G12R.108G-505 (505 Wp)	FST-G12R.108G-485	21.82	108 (Half Cut Cells)	1500		
								FST-G12R.108G-490	22.05				
								FST-G12R.108G-495	22.27				
								FST-G12R.108G-500	22.50				
								FST-G12R.108G-505	22.72				
								FST-G12R.108G-510	22.95				
								FST-G12R.108G-515	23.17				
								FST-G12R.108G-520	23.40				
4	M/s. Loom Solar Private Limited. (Model Addition + Capacity Change)	Block Ala, Palwal Logistic Park, Ferozpur, Palwal - 121102, Haryana, India	R-91017728	30	i	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	SHARK555 (555 Wp)	SHARK 560	21.68	144 (Half Cut Cells)	1500	21.04.2025	20.04.2029
								SHARK 555	21.48				
								SHARK 550	21.29				
					ii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	SHARK525 (525 Wp)	SHARK 545	22.96	132 (Half Cut Cells)	1500		
								SHARK 540	22.75				
								SHARK 535	22.54				
								SHARK 530	22.33				
								SHARK 525	22.12				
								SHARK 520	21.91				
								SHARK 515	21.70				
								SHARK 510	21.49				
								SHARK 505	21.28				
								SHARK 500	21.07				
5	M/s. Cosmic PV Power Private Limited (Model Addition + Capacity Addition)	Survey No. 1605/1, Block No. 2098/1/B, Tadkeshvar, Mandavi, Surat- 394170, Gujarat, India	R-72009539	1302	i	Bifacial N-Type TOPCon Modules (Glass to Glass)	COS TOP-575 (575 Wp)	COS TOP-570	22.07	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								COS TOP-575	22.26				
								COS TOP-580	22.45				
								COS TOP-585	22.65				
								COS TOP-590	22.84				
								COS TOP-595	23.03				
								COS TOP-600	23.23				
					ii	Bifacial N-Type TOPCon Modules (Glass to Glass)	COS TOP-535 (535 Wp)	COS TOP-520	21.89	132 (Half Cut Cells)	1500		
								COS TOP-525	22.10				
								COS TOP-530	22.31				
								COS TOP-535	22.52				
								COS TOP-540	22.73				
								COS TOP-545	22.94				
								COS TOP-550	23.15				
					iii	Mono c-Si PERC Modules	COS TWIN-525 (525 Wp)	COS TWIN-510	19.74	144 (Half Cut Cells)	1500		
								COS TWIN-515	19.94				
								COS TWIN-520	20.13				
								COS TWIN-525	20.32				
								COS TWIN-530	20.52				
								COS TWIN-535	20.71				
								COS TWIN-540	20.90				
								COS TWIN-545	21.10				
								COS TWIN-550	21.29				
6	M/s. Raajratna Ventures Limited (Model Addition under Co-ALMM)	Co-ALMM with M/s. Knack Energy Private Limited. Manufacturing Address:	R-72013099	50 (As per CoBranding Agreement)	i	Bifacial N-Type TOPCon Module (Glass to Glass)	R-NG2G-16B-156-630 (630 Wp)	R-NG2G-16B-156-605	21.63	156 (Half Cut Cells)	1500	19.09.2025	23.04.2027
								R-NG2G-16B-156-610	21.81				
								R-NG2G-16B-156-615	21.99				
								R-NG2G-16B-156-620	22.17				
								R-NG2G-16B-156-625	22.35				
								R-NG2G-16B-156-630	22.53				
								R-NG2G-16B-156-635	22.71				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity				
												From	To (subject to valid BIS Registration; else deemd to be delisted)			
7	M/s. Rajasthan Electronics and Instruments Limited (REIL) (Model Addition under Co-ALMM)	Co-ALMM with M/s. Sunbond Energy Private Limited. Manufacturing Address: S.No. 181/P2 Opp. 66 kV substation, Mitana-Padadhari Road , Mitana, Rajkot - 363650, Gujarat, India	R-72013498	10 (As per CoBranding Agreement)	i	Bifacial Mono c-Si PERC Module (Glass to Transperant Backsheet)	RSEPLM10B156-585 (585 Wp)	RSEPLM10B156-565	20.22	156 (Half Cut Cells)	1500	19.09.2025	12.06.2027			
								RSEPLM10B156-570	20.40							
								RSEPLM10B156-575	20.58							
								RSEPLM10B156-580	20.76							
								RSEPLM10B156-585	20.94							
								RSEPLM10B156-590	21.12							
					RSEPLM10B156-595	21.29										
					RSEPLM10B156-600	21.47	144 (Half Cut Cells)	1500								
					ii	Bifacial Mono c-Si PERC Module (Glass to Transperant Backsheet)			RSEPLM10B144-550 (550 Wp)	RSEPLM10B144-540	20.90					
										RSEPLM10B144-545	21.10					
										RSEPLM10B144-550	21.29					
										RSEPLM10B144-555	21.48					
RSEPLM10B144-560	21.68															
iii	Mono c-Si PERC Module	RSEPLM10-545 (545 Wp)	RSEPLM10-540	20.90												
			RSEPLM10-545	21.10												
			RSEPLM10-550	21.29												
			8	M/s. Emmvee Energy Private Limited (New Addition in ALMM)	Ground, 13/1, 13/2, 14, 15/1, 15/2, 16/1, 16/2, 17/1, 17/2 to 22/3, HSK Logistics Assets (India) Pvt Ltd, B & C Block, NH 648, HSK Logistics Assets (India) Pvt Ltd, Kadaranapura Village, Sulibele - 562129, Bengaluru Rural, Karnataka, India	R-62006050	2229	i	Bifacial N-Type TOPCon Module (Glass to Glass)	E595HCBG144-T (595 Wp)	E605HCBG144-T	23.42	144 (Half Cut Cells)	1500	19.09.2025	18.09.2029
											E600HCBG144-T	23.23				
											E595HCBG144-T	23.03				
E590HCBG144-T	22.84															
E585HCBG144-T	22.65															
E580HCBG144-T	22.45															
ii	Bifacial N-Type TOPCon Module (Glass to Glass)	E560HCBG144-T (560 Wp)						E575HCBG144-T	22.26	144 (Half Cut Cells)	1500					
								E570HCBG144-T	22.07							
								E665HCBG144-T	21.87							
								E560HCBG144-T	21.68							
								E555HCBG144-T	21.48							
								E550HCBG144-T	21.29							
iii	Bifacial N-Type TOPCon Module (Glass to Glass)	E515HCBG132-T (515 Wp)	E545HCBG144-T	21.10	132 (Half Cut Cells)	1500										
			E530HCBG132-T	22.29												
			E525HCBG132-T	22.08												
			E520HCBG132-T	21.87												
			E515HCBG132-T	21.66												
			E510HCBG132-T	21.45												
iv	Bifacial N-Type TOPCon Module (Glass to Glass)	E465HCBG120-T (465 Wp)	E505HCBG132-T	21.24	120 (Half Cut Cells).	1500										
			E500HCBG132-T	21.03												
			E480HCBG120-T	22.13												
			E475HCBG120-T	21.90												
			E470HCBG120-T	21.67												
			E465HCBG120-T	21.44												
v	Bifacial N-Type TOPCon Module (Glass to Glass)	E420HCBG108-T (420 Wp)	E460HCBG120-T	21.20	108 (Half Cut Cells)	1500										
			E455HCBG120-T	20.97												
			E435HCBG108-T	22.30												
			E430HCBG108-T	22.05												
			E425HCBG108-T	21.79												
			E420HCBG108-T	21.53												
9	M/s. Lubi Electronics (Model Addition under Co-ALMM)	Co-ALMM with M/s. Solex Energy Limited Plot No 1A, Block 938, Tadkeshwar, Kim Mandvi Road, Mandvi, Surat - 394110, Gujarat, India	40 (As per CoBranding Agreement)	R-72011304	i	Bifacial N-Type TOPCon Module (Glass to Glass)	LE132MBF600H (600 Wp)	E415HCBG108-T	21.28	132 (Half Cut Cells)	1500	19.09.2025	22.08.2026			
								E410HCBG108-T	21.02							
								LE132MBF625H	23.14							
								LE132MBF620H	22.95							
								LE132MBF615H	22.77							
								LE132MBF610H	22.58							
								LE132MBF605H	22.40							
								LE132MBF600H	22.21							
								LE132MBF595H	22.03							
								LE132MBF590H	21.84							
								LE132MBF585H	21.66							
								LE132MBF580H	21.47							
ii	Bifacial N-Type TOPCon Module (Glass to Glass)	LE120MBF540H (540 Wp)	LE132MBF575H	21.29				120 (Half Cut Cells)	1500							
			LE132MBF570H	21.10												
			LE120MBF565H	22.94												
			LE120MBF560H	22.74												
			LE120MBF555H	22.53												

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								LE120MBF540H	21.92				
								LE120MBF535H	21.72				
								LE120MBF530H	21.52				
								LE120MBF525H	21.32				
								LE120MBF520H	21.11				
								LE120MBF515H	20.91				
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	LE108MBF490H (490 Wp)	LE108MBF510H	22.92	108 (Half Cut Cells)	1500		
								LE108MBF505H	22.70				
								LE108MBF500H	22.47				
								LE108MBF495H	22.25				
								LE108MBF490H	22.02				
								LE108MBF485H	21.80				
								LE108MBF480H	21.57				
								LE108MBF475H	21.35				
								LE108MBF470H	21.12				
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	LE96MBF430H (430 Wp)	LE96MBF450H	22.65	96 (Half Cut Cells)	1500		
								LE96MBF445H	22.40				
								LE96MBF440H	22.15				
								LE96MBF435H	21.89				
								LE96MBF430H	21.64				
								LE96MBF425H	21.39				
								LE96MBF420H	21.14				
								LE96MBF415H	20.89				
								LE96MBF410H	20.64				
					v	Bifacial N-Type TOPCon Module (Glass to Glass)	LE84MBF380H (380 Wp)	LE84MBF395H	22.59	84 (Half Cut Cells)	1500		
								LE84MBF390H	22.30				
								LE84MBF585H	22.02				
								LE84MBF380H	21.73				
								LE84MBF375H	21.45				
								LE84MBF370H	21.16				
								LE84MBF365H	20.87				
					vi	Bifacial N-Type TOPCon Module (Glass to Glass)	LE72MBF325H (325 Wp)	LE72MBF340H	22.51	72 (Half Cut Cells)	1500		
								LE72MBF335H	22.18				
								LE72MBF330H	21.85				
								LE72MBF325H	21.52				
								LE72MBF320H	21.19				
								LE72MBF315H	20.85				
								LE72MBF310H	20.52				
					vii	Bifacial N-Type TOPCon Module (Glass to Glass)	LE144MBF585H (585 Wp)	LE144MBF610H	23.61	144 (Half Cut Cells)	1500		
								LE144MBF605H	23.42				
								LE144MBF600H	23.23				
								LE144MBF595H	23.03				
								LE144MBF590H	22.84				
								LE144MBF585H	22.65				
								LE144MBF580H	22.45				
								LE144MBF575H	22.26				
								LE144MBF570H	22.07				
								LE144MBF565H	21.87				
					viii	Bifacial N-Type TOPCon Module (Glass to Glass)	LE132MBF520H (520 Wp)	LE144MBF560H	21.68	132 (Half Cut Cells)	1500		
								LE132MBF535H	22.54				
								LE132MBF530H	22.33				
								LE132MBF525H	22.12				
								LE132MBF520H	21.91				
								LE132MBF515H	21.70				
								LE132MBF510H	21.49				
								LE132MBF505H	21.28				
					ix	Bifacial N-Type TOPCon Module (Glass to Glass)	LE120MBF470H (470 Wp)	LE120MBF485H	22.36	120 (Half Cut Cells)	1500		
								LE120MBF480H	22.13				
								LE120MBF475H	21.90				
								LE120MBF470H	21.67				
								LE120MBF465H	21.44				
								LE120MBF460H	21.20				
					x	Bifacial N-Type TOPCon Module (Glass to Glass)	LE108MBF415H (415 Wp)	LE108MBF435H	22.17	108 (Half Cut Cells)	1500		
								LE108MBF430H	21.92				
								LE108MBF425H	21.66				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity			
												From	To (subject to valid BIS Registration; else deemd to be delisted)		
						Bifacial N-Type TOPCon Module (Glass to Glass)	LE96MBF380H (380Wp)	LE108MBF420H	21.41	96 (Half Cut Cells)	1500				
								LE108MBF415H	21.15						
								LE96MBF390H	22.33						
					LE96MBF385H	22.05									
					LE96MBF380H	21.76									
					LE96MBF375H	21.47									
					xii	Bifacial N-Type TOPCon Module (Glass to Glass)	LE84MBF330H (330 Wp)	LE96MBF370H	21.19	84 (Half Cut Cells)	1500				
								LE84MBF340H	22.13						
								LE84MBF330H	21.48						
					xiii	Bifacial N-Type TOPCon Module (Glass to Glass)	LE72MBF285H (285 Wp)	LE84MBF325H	21.15	72 (Half Cut Cells)	1500				
								LE72MBF290H	21.86						
								LE72MBF285H	21.48						
								LE72MBF280H	21.10						

Note: In case of model inclusion or capacity addition / change, through revision in ALMM List, the capacity mentioned against any manufacturing unit, as appearing in the said Revision to the ALMM List, shall be the ALMM enlisted manufacturing capacity for that manufacturing unit (from the date of the said revision), and the capacity enlisted for that manufacturing unit should not be interpreted as Sum of (enlisted capacity for that manufacturing unit in previous ALMM list/ previous revision to ALMM List) and (enlisted capacity in the present revision)

F. No. 283/41/2024-GRID SOLAR

भारत सरकार / Government of India

नवीन और नवीकरणीय ऊर्जा मंत्रालय / Ministry of New & Renewable Energy

ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003.Dated: 13th August 2025**OFFICE MEMORANDUM****Sub: Updation of List I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 – Reg.**

- Ref:** (i) MNRE's O.M. No. 283/54/2018-GRID SOLAR-Part(1) dated 10.03.2021
(ii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 10.05.2023;
(iii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 22.03.2024;
(iv) MNRE's O.M. No. 32/33/2024-SPV Division dated 06.05.2025;

Reference is invited to this Ministry's O.M.s of even no. dated 10.03.2021, regarding implementation of Approved Models and Manufacturers of Solar Photovoltaic Modules (Requirement for Compulsory Registration) Order, 2019 and publishing List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019.

2. This Ministry vide its O.M.s referred at (ii), (iii) & (iv) above, inter-alia, directed that only such models of Solar PV Module Manufacturers will be enlisted under ALMM, which comply with the BIS Standards and are having the following minimum module efficiency:

Category	Application/Use	Minimum Module Efficiency required to be eligible for enlistment in ALMM for solar PV modules	
		For c-Si technology based solar PV modules	For CdTe thin film technology based solar PV modules
Category-I	Utility/Grid Scale Power Plants	20.00%	19.00%
Category-II	Rooftop and Solar Pumping	19.50%	18.50%
Category-III	Off-grid projects/applications like solar lamps, solar lights, solar street lights, solar fans, etc. (other than solar powered agricultural pumps and solar PV rooftops) requiring individual capacity of each solar PV module deployed, to be of less than 200 Watt peak	18.00%	18.00%
		(not to be included in main ALMM List-I but to be included in a separate ALMM list called ALMM List-I (DRE))	
Category-IV	Any other application	19.00%	18.00%

3. Post the aforesaid O.M. dated 10.05.2023 and subsequent O.M.s dated 22.03.2024 and 06.05.2025, only such models of Solar PV Modules have been considered for enlistment under ALMM List-I, whose module efficiency is meeting the eligibility criteria as mentioned in table at para-2 above.

4. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 was last updated on 30.06.2025.

5. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 is hereby further revised and the Revision-XLI (*in the format of additions / modifications to Revision-XL*) is enclosed at Annexure-I. The last revision no. XL dated 30.06.2025 along with provisional enlistments therein (*excluding those which have been removed on account of inclusion in main ALMM List-I*) is at pages after Annexure-I.

6. The ALMM enlistment validity is subject to valid BIS Registration; else deemed to be delisted.

7. The details of Registration No. (R. No.) which has been allotted by BIS is mentioned against each manufacturer / manufacturing unit enlisted in ALMM and further details related to BIS certification like validity, models included, etc. may be checked from BIS website by using the following link:
https://www.crsbis.in/BIS/Lims_registration.do?hmode=getLimsData

8. This issues with the approval of competent authority.



(Sanjay G. Karndhar)

Scientist-E

E-mail: karndhar.sg@nic.in

Encl: as above

To: All Concerned

Copy to: Director (Technical), NIC, MNRE for uploading this document on MNRE's website

A. Amendments/ Updates in previous lists of ALMM List-I

1. **M/s. TP Solar Limited** (ALMM list for solar PV modules issued on 27.03.2024 => Sl. No. 54) -
The efficiencies of the models at pt. ii, iii, ix & x of ALMM List, are updated as in the table below: -

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)
02	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP520HG10B (520Wp)	TP500HG10B	19.36
			TP505HG10B	19.55
			TP510HG10B	19.74
			TP515HG10B	19.94
			TP520HG10B	20.13
			TP525HG10B	20.32
			TP530HG10B	20.52
			TP535HG10B	20.71
			TP540HG10B	20.90
03	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP550HG10B (550 Wp)	TP545HG10B	21.10
			TP550HG10B	21.29
			TP555HG10B	21.48
09	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	TP520HG10TB (520Wp)	TP500HG10TB	19.36
			TP505HG10TB	19.55
			TP510HG10TB	19.74
			TP515HG10TB	19.94
			TP520HG10TB	20.13
			TP525HG10TB	20.32
			TP530HG10TB	20.52
			TP535HG10TB	20.71
			TP540HG10TB	20.90
10	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	TP550HG10TB (550 Wp)	TP545HG10TB	21.10
			TP550HG10TB	21.29
			TP555HG10TB	21.48



2. **M/s. ADM Solar Power & Infrastructure Pvt. Ltd.** (ALMM list for solar PV modules issued on 27.03.2025 => Sl. No. 66) - The enlisted modules are updated as in the table below:

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (V)
1	Mono c-Si PERC Module	ADM270 (270Wp)	ADM265	20.14	72 (Half Cut Cells)	1500
			ADM270	20.52		
			ADM275	20.90		
2	Mono c-Si PERC Module	ADM360 (360Wp)	ADM350	19.93	96 (Half Cut Cells)	1500
			ADM355	20.22		
			ADM360	20.50		
			ADM365	20.79		
			ADM370	21.07		
3	Mono c-Si PERC Module	ADM405 (405Wp)	ADM400	20.33	108 (Half Cut Cells)	1500
			ADM405	20.58		
			ADM410	20.83		
4	Mono c-Si PERC Module	ADM450 (450Wp)	ADM445	20.43	120 (Half Cut Cells)	1500
			ADM450	20.66		
			ADM455	20.89		
5	Mono c-Si PERC Module	ADM500 (500Wp)	ADM485	20.31	132 (Half Cut Cells)	1500
			ADM490	20.52		
			ADM495	20.73		
			ADM500	20.94		
			ADM505	21.15		
6	Mono c-Si PERC Module	ADM525-144M (525Wp)	ADM520	20.16	144 (Half Cut Cells)	1500
			ADM525	20.35		
			ADM530	20.51		
			ADM535	20.71		
			ADM540	20.90		
			ADM545	21.09		
			ADM550	21.29		
7	Mono c-Si PERC Module	ADM590 (590Wp)	ADM575	20.57	156 (Half Cut Cells)	1500
			ADM580	20.74		
			ADM585	20.92		
			ADM590	21.10		

3. **M/s. Unique Sun Power LLP** (ALMM list for solar PV modules issued on 21.05.2025 => Sl. No. 4)
 4) Name of M/s. Unique Sun Power LLP has been changed to **M/s. Unique Sun Power Private Limited**

B. New additions on 13/08/2025 in the List of Manufacturers and Models of Solar PV Modules Enlisted under ALMM Order													
S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
1	M/s. Arkalight Solar Private Limited (New Addition in ALMM)	Block No. 344, Arkalight Solar Private limited, Karanj, 344, Mandvi, Surat -394110, Gujarat, India	R-72012661	506	i	Bifacial N-Type TOPCon Module (Glass to Glass)	AS-590-N-72H-GG (590 Wp)	AS-570-N-72H-GG	22.07	144 (Half Cut Cells)	1500	13.08.2025	12.08.2029
								AS-575-N-72H-GG	22.26				
								AS-580-N-72H-GG	22.45				
								AS-585-N-72H-GG	22.65				
								AS-590-N-72H-GG	22.84				
								AS-595-N-72H-GG	23.03				
								AS-600-N-72H-GG	23.23				
								AS-605-N-72H-GG	23.42				
								AS-610-N-72H-GG	23.61				
2	M/s. MKTEK Solpower India Private Limited (New Addition in ALMM)	6-16, 6/1/1 1-2, Khewat No. 447, Khasra No. 189/4 2-14 5/1, Bhattu Kalan, Kirdhan, Fatehabad - 125053, Haryana, India	R-91017639	46	i	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	MK144CMB540Wp (540 Wp)	MK144CMB560Wp	21.68	144 (Half Cut Cells)	1500	13.08.2025	12.08.2029
								MK144CMB555Wp	21.48				
								MK144CMB550Wp	21.29				
								MK144CMB545Wp	21.10				
								MK144CMB540Wp	20.90				
								MK144CMB535Wp	20.71				
								MK144CMB530Wp	20.52				
								MK144CMB525Wp	20.32				
								MK144CMB520Wp	20.13				
					ii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	MK132CMB500Wp (500 Wp)	MK132CMB510Wp	21.48	132 (Half Cut Cells)	1500		
								MK132CMB505Wp	21.27				
								MK132CMB500Wp	21.06				
								MK132CMB495Wp	20.85				
								MK132CMB490Wp	20.64				
					iii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	MK120CMB440Wp (440 Wp)	MK120CMB450Wp	20.80	120 (Half Cut Cells)	1500		
								MK120CMB445Wp	20.57				
								MK120CMB440Wp	20.34				
								MK120CMB435Wp	20.10				
								MK120CMB430Wp	19.87				
								MK120CMB425Wp	19.64				
								MK120CMB420Wp	19.41				
					iv	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	MK108CMB400Wp (400 Wp)	MK108CMB410Wp	21.00	108 (Half Cut Cells)	1500		
								MK108CMB405Wp	20.74				
								MK108CMB400Wp	20.48				
								MK108CMB395Wp	20.23				
								MK108CMB390Wp	19.97				
					v	Mono c-Si PERC Module	MK144WMB540Wp (540 Wp)	MK144WMB560Wp	21.68	144 (Half Cut Cells)	1500		
								MK144WMB555Wp	21.48				
								MK144WMB550Wp	21.29				
								MK144WMB545Wp	21.10				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity					
												From	To (subject to valid BIS Registration; else deeedm to be delisted)				
						Mono c-Si PERC Module	MK132WMB500Wp (500 Wp)	MK144WMB540Wp	20.90	132 (Half Cut Cells)	1500						
								MK144WMB535Wp	20.71								
								MK144WMB530Wp	20.52								
								MK144WMB525Wp	20.32								
								MK144WMB520Wp	20.13								
								MK132WMB510Wp	21.48							120 (Half Cut Cells)	1500
								MK132WMB505Wp	21.27								
								MK132WMB500Wp	21.06								
								MK132WMB495Wp	20.85								
								MK132WMB490Wp	20.64								
					vii	Mono c-Si PERC Module	MK120WMB440Wp (440 Wp)	MK120WMB450Wp	20.80	108 (Half Cut Cells)	1500						
								MK120WMB445Wp	20.57								
								MK120WMB440Wp	20.34								
								MK120WMB435Wp	20.10								
								MK120WMB430Wp	19.87								
								MK120WMB425Wp	19.64								
								MK120WMB420Wp	19.41								
					viii	Mono c-Si PERC Module	MK108WMB400Wp (400 Wp)	MK108WMB410Wp	21.00								
								MK108WMB405Wp	20.74								
								MK108WMB400Wp	20.48								
								MK108WMB395Wp	20.23								
								MK108WMB390Wp	19.97								
3	M/s. Onix-Tech Renewable Private Limited (New Addition in ALMM)	Plot No. P212 B, Gate No. 2, Metoda Lodhika, GIDC Metoda-Rajkot Road - 360021, Gujarat, India	R-72012360	56	i	Mono c-Si PERC Module	OTR144CMBF545Wp (545 Wp)	OTR144CMBF560Wp	21.70	144 (Half Cut Cells)	1500	13.08.2025	12.08.2029				
OTR144CMBF555Wp	21.50																
OTR144CMBF550Wp	21.31																
OTR144CMBF545Wp	21.12																
OTR144CMBF540Wp	20.92																
OTR144CMBF535Wp	20.73																
OTR144CMBF530Wp	20.53																
OTR144CMBF525Wp	20.34																
OTR144CMBF520Wp	20.15																
ii	Mono c-Si PERC Module	OTR144CMD535Wp (535 Wp)	OTR144CMD550Wp	21.31	144 (Half Cut Cells)	1500											
			OTR144CMD545Wp	21.12													
			OTR144CMD540Wp	20.92													
			OTR144CMD535Wp	20.73													
			OTR144CMD530Wp	20.53													
			OTR144CMD525Wp	20.34													
			OTR144CMD520Wp	20.15													
4	M/s. Mundra Solar PV Limited (Model Addition +	Survey No 180P, Co Mundra Solar, Technopark Pvt. Ltd,	R-72008532	2185	i	Bifacial N Type-TOPCon (Glass to Glass)	AB-G12R-132-595 (595 Wp)	AB-G12R-132-585	21.68	132 (Half Cut Cells)	1500	24.02.2024	23.02.2028				
								AB-G12R-132-590	21.86								

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
	Capacity Addition)	Electronic manufacturing Cluster EMC, Village Vandh & Tunda, Mundra, Kutch Adani Ports & SEZ, Tunda, Kachchh -370435, Gujarat						AB-G12R-132-595 AB-G12R-132-600 AB-G12R-132-605 AB-G12R-132-610 AB-G12R-132-615 AB-G12R-132-620	22.05 22.23 22.42 22.60 22.79 22.97				
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	ASB-M10-144-585 (585 Wp)	ASB-M10-144-585	22.67	144 (Half Cut Cells)	1500		
5	M/s. Credence Solar Panels Private Limited (Model Addition)	Plot no 18 and 19, Survey No 142/2, RajkotJamnagar highway, Padadhari - 360110, Rajkot, Gujarat, India	R-72006165	495	i	Bifacial N-Type TOPCon Module (Glass to Glass)	CS-QBT725-132 (725 Wp)	CS-QBT715-132 CS-QBT720-132 CS-QBT725-132 CS-QBT730-132	23.02 23.18 23.34 23.50	132 (Half Cut Cells)	1500	21.04.2025	20.04.2029
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	CS-QBT660-120 (660 Wp)	CS-QBT650-120 CS-QBT655-120 CS-QBT660-120 CS-QBT665-120	22.96 23.13 23.31 23.49	120 (Half Cut Cells)	1500		
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	CS-QBT605-110 (605 Wp)	CS-QBT595-110 CS-QBT600-110 CS-QBT605-110 CS-QBT610-110	22.77 22.96 23.15 23.35	110 (Half Cut Cells)	1500		
6	M/s. FS India Solar Ventures Private Limited (Model Addition + Capacity Addition)	Plot No. A-1/1, Sipcot Industrial Park, Pillaipakkam - 602105, Tamil Nadu, India	R-61004316	3433	i	Cadmium Telluride Thin Film Module	FS-7525-TR1 (525 Wp)	FS-7505-TR1 FS-7510-TR1 FS-7515-TR1 FS-7520-TR1 FS-7525-TR1 FS-7530-TR1 FS-7532-TR1 FS-7535-TR1 FS-7540-TR1 FS-7545-TR1	18.06 18.24 18.41 18.59 18.77 18.95 19.02 19.13 19.31 19.49	268 (Thin Film Cells)	1500	29.04.2024	28.04.2028
					ii	Cadmium Telluride Thin Film Module	FS-7525A-TR1 (525 Wp)	FS-7505A-TR1 FS-7510A-TR1 FS-7515A-TR1 FS-7520A-TR1 FS-7525A-TR1 FS-7530A-TR1 FS-7532A-TR1 FS-7535A-TR1 FS-7540A-TR1 FS-7545A-TR1	18.06 18.24 18.41 18.59 18.77 18.95 19.02 19.13 19.31 19.49	268 (Thin Film Cells)	1500		
					iii	Cadmium Telluride Thin Film Module	FS-7545-FT1 (545 Wp)	FS-7545-FT1	19.49	268 (Thin Film Cells)	1500		
					iv	Cadmium Telluride Thin Film Module	FS-7545A-FT1 (545 Wp)	FS-7545A-FT1	19.49	268 (Thin Film Cells)	1500		

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deeedm to be delisted)
	Mehsna, Gujarat (Model Addition + Capacity Change)	Tundali approach road, Behind Honest Restaurant, Near Nadasan Flyover, Mehsna - 382732, Gujarat, India				Module (Glass to Glass)		SGTP156BG-620	22.18				
								SGTP156BG-615	22.00				
								SGTP156BG-610	21.82				
								SGTP156BG-605	21.64				
								SGTP156BG-600	21.46				
								SGTP156BG-595	21.29				
					ii	Bifacial N TypeTOPCon Module (Glass to Glass)	SGTP 144BG-575 (575 WP)	SGTP144BG-600	23.23	144 (Half Cut Cell)	1500		
								SGTP144BG-595	23.03				
								SGTP144BG-590	22.84				
								SGTP144BG-585	22.65				
								SGTP144BG-580	22.45				
								SGTP144BG-575	22.26				
								SGTP144BG-570	22.07				
								SGTP144BG-565	21.87				
								SGTP144BG-560	21.68				
								SGTP144BG-555	21.48				
					iii	Bifacial N TypeTOPCon Module (Glass to Glass)	SGTP 132BG-530 (530 WP)	SGTP132BG-555	23.37	132 (Half Cut Cell)	1500		
								SGTP132BG-550	23.16				
								SGTP132BG-545	22.95				
								SGTP132BG-540	22.74				
								SGTP132BG-535	22.53				
								SGTP132BG-530	22.32				
								SGTP132BG-525	22.11				
								SGTP132BG-520	21.90				
								SGTP132BG-515	21.69				
								SGTP132BG-510	21.48				
					iv	Bifacial N TypeTOPCon Module (Glass to Glass)	SGTP 120BG-480 (480 WP)	SGTP120BG-500	23.10	120 (Half Cut Cell)	1500		
								SGTP120BG-495	22.87				
								SGTP120BG-490	22.63				
								SGTP120BG-485	22.40				
								SGTP120BG-480	22.17				
								SGTP120BG-475	21.94				
								SGTP120BG-470	21.71				
								SGTP120BG-465	21.48				
								SGTP120BG-460	21.25				
					v	Bifacial N TypeTOPCon Module (Glass to Glass)	SGTP 108BG-430 (430 WP)	SGTP108BG-450	23.04	108 (Half Cut Cell)	1500		
								SGTP108BG-445	22.79				
								SGTP108BG-440	22.53				
								SGTP108BG-435	22.28				
								SGTP108BG-430	22.02				
								SGTP108BG-425	21.76				
								SGTP108BG-420	21.51				
								SGTP108BG-415	21.25				
								SGTP108BG-410	21.00				
					vi	Bifacial N-Type TOPCon Module (Glass to Transparent Backseet)	SGTP156BT-615 (615 WP)	SGTP156BT-630	22.54	156 (Half Cut Cell)	1500		
								SGTP156BT-625	22.36				
								SGTP156BT-620	22.18				
								SGTP156BT-615	22.00				
								SGTP156BT-610	21.82				
								SGTP156BT-605	21.64				
								SGTP156BT-600	21.46				
					vii	Bifacial N-Type TOPCon Module (Glass to Transparent Backseet)	SGTP 144BT-575 (575 WP)	SGTP156BT-595	21.29	144 (Half Cut Cell)	1500		
								SGTP144BT-600	23.23				
								SGTP144BT-595	23.03				
								SGTP144BT-590	22.84				
								SGTP144BT-585	22.65				
								SGTP144BT-580	22.45				
								SGTP144BT-575	22.26				
								SGTP144BT-570	22.07				
								SGTP144BT-565	21.87				
								SGTP144BT-560	21.68				
								SGTP144BT-555	21.48				
					viii	Bifacial	SGTP 132BT-530	SGTP132BT-555	23.37	132 (Half Cut Cell)	1500		

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deeeemd to be delisted)
					iv	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	ECE132M490 (490 Wp)	ECE132M480	20.23	132 (Half Cut Cells)	1500		
								ECE132M485	20.44				
								ECE132M490	20.65				
								ECE132M495	20.87				
								ECE132M500	21.08				
					v	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	ECE144M545 (545 Wp)	ECE144M525	20.32	144 (Half Cut Cells)	1500		
								ECE144M530	20.52				
								ECE144M535	20.71				
								ECE144M540	20.90				
								ECE144M545	21.10				
								ECE144M550	21.29				
								ECE144M555	21.48				
								ECE144M560	21.68				
					vi	Bifacial N-Type TOPCon Module (Glass to Glass)	ECE144T580 (580Wp)	ECE144T565	21.87	144 (Half Cut Cells)	1500		
								ECE144T570	22.07				
								ECE144T575	22.26				
								ECE144T580	22.45				
								ECE144T585	22.65				
								ECE144T590	22.84				
								ECE144T595	23.03				
								ECE144T600	23.23				
					vii	Bifacial N-Type TOPCon Module (Glass to Glass)	ECE132T535 (535Wp)	ECE132T515	21.71	132 (Half Cut Cells)	1500		
								ECE132T520	21.92				
								ECE132T525	22.13				
								ECE132T530	22.34				
								ECE132T535	22.55				
								ECE132T540	22.76				
								ECE132T545	22.97				
								ECE132T550	23.18				
					viii	Bifacial N-Type TOPCon Module (Glass to Glass)	ECE120T480 (480Wp)	ECE120T465	21.51	120 (Half Cut Cells)	1500		
								ECE120T470	21.75				
								ECE120T475	21.98				
								ECE120T480	22.21				
								ECE120T485	22.44				
								ECE120T490	22.67				
								ECE120T495	22.90				
								ECE120T500	23.13				
					ix	Bifacial N-Type TOPCon Module (Glass to Glass)	ECE108T435 (435Wp)	ECE108T420	21.53	108 (Half Cut Cells)	1500		
								ECE108T425	21.79				
								ECE108T430	22.05				
								ECE108T435	22.30				
								ECE108T440	22.56				
								ECE108T445	22.81				
								ECE108T450	23.07				
								ECE108T455	23.33				
					x	Bifacial N-Type TOPCon Module (Glass to Glass)	ECE096T390 (390Wp)	ECE096T375	21.56	96 (Half Cut Cells)	1500		
								ECE096T380	21.84				
								ECE096T385	22.13				
								ECE096T390	22.42				
								ECE096T395	22.71				
								ECE096T400	22.99				
					xi	Bifacial N-Type TOPCon Module (Glass to Glass)	ECE096T370 (370Wp)	ECE096T405	23.28	96 (Half Cut Cells)	1500		
								ECE096T370	21.27				
					xii	Bifacial N-Type TOPCon Module (Glass to Glass)	ECE072T295 (295Wp)	ECE072T295	19.23	72 (Half Cut Cells)	1500		
								ECE072T300	19.55				
								ECE072T305	19.88				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity		
												From	To (subject to valid BIS Registration; else deeeemd to be delisted)	
14	M/s. ECE (India) Energies Pvt. Ltd. (Co-ALMM)	Co-ALMM with M/s. Ganesh Green Bharat Limited Manufacturing Address: Survey No. 319/320/321, Tundali, Tundali approach road, Behind Honest Restaurant, Near Nadasan Flyover, Mehsna - 382732, Gujarat, India	R-72012203	100 (As per Co-branding Agreement)	i	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	ECE144M535 (535 Wp)	ECE144M520	20.13	144 (Half Cut Cells)	1500	13.08.2025	18.12.2026	
								ECE144M525	20.32					
								ECE144M530	20.52					
								ECE144M535	20.71					
								ECE144M540	20.90					
								ECE144M545	21.10					
								ECE144M550	21.29					
					ii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	ECE132M455 (455 Wp)	ECE132M455	19.16	132 (Half Cut Cells)	1500			
					iii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	ECE132M480 (480 Wp)	ECE132M460	19.37	132 (Half Cut Cells)	1500			
								ECE132M465	19.58					
								ECE132M470	19.79					
								ECE132M475	20.00					
								ECE132M480	20.21					
								ECE132M485	20.42					
								ECE132M490	20.64					
								ECE132M495	20.85					
								ECE132M500	21.06					
					iv	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	ECE120M435 (435 Wp)	ECE120M415	19.16	120 (Half Cut Cells)	1500			
								ECE120M420	19.39					
								ECE120M425	19.62					
								ECE120M430	19.85					
								ECE120M435	20.08					
								ECE120M440	20.31					
								ECE120M445	20.55					
								ECE120M450	20.78					
					v	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	ECE108M385 (385 Wp)	ECE120M455	21.01	108 (Half Cut Cells)	1500			
								ECE108M375	19.16					
								ECE108M380	19.41					
								ECE108M385	19.67					
								ECE108M390	19.93					
			ECE108M395	20.18										
	15	M/s. Novasys Greenergy Limited (Formerly known as M/s. Novasys Greenergy Private Limited) (Model Addition + Capacity Addition)	Khasra No. 185, Mouza: Mahalgaon, Tehsil: Kamptee, Nagpur-441202, Maharashtra, India	R-71010499	504	i	Bifacial N-Type TOPCon Module (Glass to Glass)	NOVA275TG72 (275 Wp)	NOVA275TG72	20.21	72 (Half Cut Cells)	1500	10.11.2023	09.11.2027
						ii	Bifacial N-Type TOPCon Module (Glass to Glass)	NOVA290TG72 (290 Wp)	NOVA280TG72	20.58	72 (Half Cut Cells)	1500		
									NOVA285TG72	20.94				
NOVA290TG72									21.31					
NOVA295TG72									21.68					
NOVA300TG72									22.05					
iii						Bifacial N-Type TOPCon Module (Glass to Glass)	NOVA335TG84 (335 Wp)	NOVA320TG84	20.39	84 (Half Cut Cells)	1500			
								NOVA325TG84	20.71					
								NOVA330TG84	21.03					
								NOVA335TG84	21.34					
								NOVA340TG84	21.66					
								NOVA345TG84	21.98					
								NOVA350TG84	22.30					
iv						Bifacial N-Type TOPCon Module (Glass to Glass)	NOVA365TG96 (365 Wp)	NOVA365TG96	20.53	96 (Half Cut Cells)	1500			
v						Bifacial N-Type TOPCon Module (Glass to Glass)	NOVA385TG96 (385 Wp)	NOVA370TG96	20.81	96 (Half Cut Cells)	1500			
								NOVA375TG96	21.09					
								NOVA380TG96	21.37					
								NOVA385TG96	21.65					

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
							NOVA430TG108 (430 Wp)	NOVA390TG96	21.93	108 (Half Cut Cells)	1500		
								NOVA395TG96	22.21				
								NOVA400TG96	22.50				
					vi	Bifacial N-Type TOPCon Module (Glass to Glass)	NOVA430TG108 (430 Wp)	NOVA410TG108	20.64	108 (Half Cut Cells)	1500		
								NOVA415TG108	20.89				
								NOVA420TG108	21.14				
								NOVA425TG108	21.39				
								NOVA430TG108	21.64				
								NOVA435TG108	21.89				
								NOVA440TG108	22.15				
								NOVA445TG108	22.40				
								NOVA450TG108	22.65				
					vii	Bifacial N-Type TOPCon Module (Glass to Glass)	NOVA455TG120 (255 Wp)	NOVA455TG120	20.72	120 (Half Cut Cells)	1500		
					viii	Bifacial N-Type TOPCon Module (Glass to Glass)	NOVA480TG120 (480 Wp)	NOVA460TG120	20.95	120 (Half Cut Cells)	1500		
								NOVA465TG120	21.18				
								NOVA470TG120	21.41				
								NOVA475TG120	21.64				
								NOVA480TG120	21.86				
								NOVA485TG120	22.09				
								NOVA490TG120	22.32				
								NOVA495TG120	22.55				
								NOVA500TG120	22.77				
					ix	Bifacial N-Type TOPCon Module (Glass to Glass)	NOVA525TG132 (525 Wp)	NOVA500TG132	20.80	132 (Half Cut Cells)	1500		
								NOVA505TG132	21.01				
								NOVA510TG132	21.21				
								NOVA515TG132	21.42				
								NOVA520TG132	21.63				
								NOVA525TG132	21.84				
								NOVA530TG132	22.05				
								NOVA535TG132	22.25				
								NOVA540TG132	22.46				
								NOVA545TG132	22.67				
								NOVA550TG132	22.88				
					x	Bifacial N-Type TOPCon Module (Glass to Glass)	NOVA575TG144 (575 Wp)	NOVA550TG144	21.08	144 (Half Cut Cells)	1500		
								NOVA555TG144	21.27				
								NOVA560TG144	21.46				
								NOVA565TG144	21.65				
								NOVA570TG144	21.84				
								NOVA575TG144	22.04				
								NOVA580TG144	22.23				
								NOVA585TG144	22.42				
								NOVA590TG144	22.61				
								NOVA595TG144	22.80				
								NOVA600TG144	22.99				
					xi	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	NOVA275TC72 (275 Wp)	NOVA275TC72	20.21	72 (Half Cut Cells)	1500		
					xii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	NOVA290TC72 (290 Wp)	NOVA280TC72	20.58	72 (Half Cut Cells)	1500		
								NOVA285TC72	20.94				
								NOVA290TC72	21.31				
								NOVA295TC72	21.68				
								NOVA300TC72	22.05				
					xiii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	NOVA335TC84 (335 Wp)	NOVA320TC84	20.39	84 (Half Cut Cells)	1500		
								NOVA325TC84	20.71				
								NOVA330TC84	21.03				
								NOVA335TC84	21.34				
								NOVA340TC84	21.66				
								NOVA345TC84	21.98				
								NOVA350TC84	22.30				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deeemd to be delisted)
					xiv	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	NOVA365TC96 (365 Wp)	NOVA365TC96	20.53	96 (Half Cut Cells)	1500		
					xv	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	NOVA385TC96 (385 Wp)	NOVA370TC96	20.81	96 (Half Cut Cells)	1500		
								NOVA375TC96	21.09				
								NOVA380TC96	21.37				
								NOVA385TC96	21.65				
								NOVA390TC96	21.93				
								NOVA395TC96	22.21				
								NOVA400TC96	22.50				
					xvi	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	NOVA430TC108 (430 Wp)	NOVA410TC108	20.64	108 (Half Cut Cells)	1500		
								NOVA415TC108	20.89				
								NOVA420TC108	21.14				
								NOVA425TC108	21.39				
								NOVA430TC108	21.64				
								NOVA435TC108	21.89				
								NOVA440TC108	22.15				
								NOVA445TC108	22.40				
								NOVA450TC108	22.65				
					xvii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	NOVA455TC120 (455 Wp)	NOVA455TC120	20.72	120 (Half Cut Cells)	1500		
					xviii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	NOVA480TC120 (480 Wp)	NOVA460TC120	20.95	120 (Half Cut Cells)	1500		
								NOVA465TC120	21.18				
								NOVA470TC120	21.41				
								NOVA475TC120	21.64				
								NOVA480TC120	21.86				
								NOVA485TC120	22.09				
								NOVA490TC120	22.32				
								NOVA495TC120	22.55				
								NOVA500TC120	22.77				
					xix	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	NOVA525TC132 (525 Wp)	NOVA500TC132	20.80	132 (Half Cut Cells)	1500		
								NOVA505TC132	21.01				
								NOVA510TC132	21.21				
								NOVA515TC132	21.42				
								NOVA520TC132	21.63				
								NOVA525TC132	21.84				
								NOVA530TC132	22.05				
								NOVA535TC132	22.25				
								NOVA540TC132	22.46				
								NOVA545TC132	22.67				
								NOVA550TC132	22.88				
					xx	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	NOVA575TC144 (575 Wp)	NOVA550TC144	21.08	144 (Half Cut Cells)	1500		
								NOVA555TC144	21.27				
								NOVA560TC144	21.46				
								NOVA565TC144	21.65				
								NOVA570TC144	21.84				
								NOVA575TC144	22.04				
								NOVA580TC144	22.23				
								NOVA585TC144	22.42				
								NOVA590TC144	22.61				
								NOVA595TC144	22.80				
					xxi	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	NOVA625TC156 (625 Wp)	NOVA600TC144	22.99	156 (Half Cut Cells)	1500		
								NOVA600TC156	21.27				
								NOVA605TC156	21.45				
								NOVA610TC156	21.63				
								NOVA615TC156	21.81				
								NOVA620TC156	21.98				
								NOVA625TC156	22.16				
								NOVA630TC156	22.34				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deeedm to be delisted)
								NOVA635TC156	22.52				
								NOVA640TC156	22.69				
								NOVA645TC156	22.87				
								NOVA650TC156	23.05				
16	M/s. Avaada Electro Private Limited (Model Addition + Capacity Addition)	Khasra No. 1145, 1146, 1150, 1151, 1152, 1154, 1156, Village - Kot, Tehsil - Dadri, Pargana, Dadri, Gautam Buddha Nagar - 203207, Uttar Pradesh, India	R-93030724	1311	i	Bifacial N-Type TOPCon Module (Glass to Glass)	AVN66M10LG535 (535 Wp)	AVN66M10LG545	22.95	132 (Half Cut Cells)	1500	28.08.2024	27.08.2028
								AVN66M10LG540	22.74				
								AVN66M10LG535	22.53				
								AVN66M10LG530	22.32				
								AVN66M10LG525	22.11				
								AVN72M10LG610	23.61				
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	AVN72M10LG595 (595 Wp)	AVN72M10LG605	23.42	144 (Half Cut Cells)	1500		
								AVN72M10LG600	23.23				
								AVN72M10LG595	23.03				
								AVN72M10LG590	22.84				
								AVN72M10LG585	22.65				
								AVN72M10LG580	22.45				
17	M/s. Citizen Solar Private Limited (Model Addition + Capacity Addition)	New Survey No-966, Village: Indrad, Chhatral Kadi Road, Ta: Kadi, Dist. Mehsana, Gujarat-382715, India.	R-72001929	198	i	Bifacial-N-type TOPCon Module (Glass to Glass)	CSPL-156THC-GF-625 (625 Wp)	CSPL-156THC-GF-605	21.63	156 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								CSPL-156THC-GF-610	21.81				
								CSPL-156THC-GF-615	21.99				
								CSPL-156THC-GF-620	22.17				
								CSPL-156THC-GF-625	22.35				
								CSPL-156THC-GF-630	22.53				
								CSPL-156THC-GF-635	22.71				
								CSPL-156THC-GF-640	22.89				
								CSPL-156THC-GF-645	23.07				
								CSPL-156THC-GF-650	23.24				
					ii	Bifacial-N-type TOPCon Module (Glass to Glass)	CSPL-144THC-GF-580 (580 Wp)	CSPL-144THC-GF-555	21.48	144 (Half Cut Cells)	1500		
								CSPL-156THC-GF-560	21.68				
								CSPL-144THC-GF-565	21.87				
								CSPL-144THC-GF-570	22.07				
								CSPL-144THC-GF-575	22.26				
								CSPL-144THC-GF-580	22.45				
								CSPL-144THC-GF-585	22.65				
								CSPL-144THC-GF-590	22.84				
								CSPL-144THC-GF-595	23.03				
								CSPL-144THC-GF-600	23.23				
					iii	Bifacial-N-type TOPCon Module (Glass to Glass)	CSPL-144THC-GF-545 (545 Wp)	CSPL-144THC-GF-540	20.90	144 (Half Cut Cells)	1500		
								CSPL-144THC-GF-545	21.10				
								CSPL-144THC-GF-550	21.29				
					iv	Bifacial-N-type TOPCon Module (Glass to Glass)	CSPL-132THC-GF-510 (510 Wp)	CSPL-132THC-GF-490	20.65	132 (Half Cut Cells)	1500		
								CSPL-132THC-GF-495	20.87				
								CSPL-132THC-GF-500	21.08				
								CSPL-132THC-GF-505	21.29				
								CSPL-132THC-GF-510	21.50				
								CSPL-132THC-GF-515	21.71				
								CSPL-132THC-GF-520	21.92				
								CSPL-132THC-GF-525	22.13				
								CSPL-132THC-GF-530	22.34				
								CSPL-132THC-GF-535	22.55				
					v	Bifacial-N-type TOPCon Module (Glass to Glass)	CSPL-132THC-GF-485 (485 Wp)	CSPL-132THC-GF-485	20.44	132 (Half Cut Cells)	1500		
								CSPL-132THC-GF-490	20.65				
					vi	Bifacial-N-type TOPCon Module (Glass to Glass)	CSPL-120THC-GF-460 (460 Wp)	CSPL-120THC-GF-440	20.34	120 (Half Cut Cells)	1500		
								CSPL-120THC-GF-445	20.57				
								CSPL-120THC-GF-450	20.80				
								CSPL-120THC-GF-455	21.03				
								CSPL-120THC-GF-460	21.26				
								CSPL-120THC-GF-465	21.49				
								CSPL-120THC-GF-470	21.72				
								CSPL-120THC-GF-475	21.95				
								CSPL-120THC-GF-480	22.18				
					vii	Bifacial-N-type	CSPL-108THC-GF-425	CSPL-108THC-GF-410	20.90	108 (Half Cut Cells)	1500		

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity								
												From	To (subject to valid BIS Registration; else deemed to be delisted)							
						TOPCon Module (Glass to Glass)	(425 Wp)	CSPL-108THC-GF-415	21.15											
								CSPL-108THC-GF-420	21.41											
								CSPL-108THC-GF-425	21.66											
								CSPL-108THC-GF-430	21.92											
								CSPL-108THC-GF-435	22.17											
					viii	Bifacial-N-type TOPCon Module (Glass to Glass)	CSPL-96THC-GF-395 (395 Wp)	CSPL-96THC-GF-380	21.79	96 (Half Cut Cells)	1500									
								CSPL-96THC-GF-385	22.07											
								CSPL-96THC-GF-390	22.36											
								CSPL-96THC-GF-395	22.65											
								CSPL-96THC-GF-400	22.93											
					ix	Mono c-Si PERC Module	CSPL-132MHC-WF-500 (500 Wp)	CSPL-96THC-GF-405	23.22	132 (Half Cut Cells)	1500									
								CSPL-132MHC-WF-500	21.06											
					x	Bifacial-Mono c-Si PERC Module (Glass to Transparent Backsheet)	CSPL-132MHC-TF-500 (500 Wp)	CSPL-132MHC-TF-500	21.06	132 (Half Cut Cells)	1500									
18	M/s. Redren Energy Pvt. Ltd (Capacity Addition)	Survey No. 154/1, 154/2, Opposite Rangpar, Bus Stand, National Highway No. 27, Jalida, Wankaner, Morbi 363621, Gujarat, India	R-72001775	1034	i	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RSM10MP-108HCBF400 (400 Wp)	RSM10MP-108HCBF380	19.44	108 (Half Cut Cells)	1500	05.04.2024	04.04.2028							
								RSM10MP-108HCBF385	19.69											
								RSM10MP-108HCBF390	19.95											
								RSM10MP-108HCBF395	20.20											
								RSM10MP-108HCBF400	20.46											
								RSM10MP-108HCBF405	20.72											
								RSM10MP-108HCBF410	20.97											
								RSM10MP-108HCBF415	21.23											
								RSM10MP-108HCBF420	21.48											
					ii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RSM10MP-120HCBF425 (425 Wp)	RSM10MP-120HCBF415	19.17	120 (Half Cut Cells)	1500									
								RSM10MP-120HCBF420	19.40											
								RSM10MP-120HCBF425	19.63											
								RSM10MP-120HCBF430	19.86											
					iii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RSM10MP-120HCBF450 (450 Wp)	RSM10MP-120HCBF435	20.09	120 (Half Cut Cells)	1500									
								RSM10MP-120HCBF440	20.33											
								RSM10MP-120HCBF445	20.56											
								RSM10MP-120HCBF450	20.79											
					iv	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RSM10MP-132HCBF465 (465 Wp)	RSM10MP-120HCBF455	21.02	132 (Half Cut Cells)	1500									
								RSM10MP-120HCBF460	21.25											
								RSM10MP-132HCBF455	19.16											
								RSM10MP-132HCBF460	19.37											
					v	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RSM10MP-132HCBF495 (495 Wp)	RSM10MP-132HCBF465	19.58	132 (Half Cut Cells)	1500									
								RSM10MP-132HCBF470	19.79											
								RSM10MP-132HCBF475	20.00											
								RSM10MP-132HCBF480	20.21											
					vi	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RSM10MP-144HCBF510 (510 Wp)	RSM10MP-132HCBF485	20.42	144 (Half Cut Cells)	1500									
								RSM10MP-132HCBF490	20.64											
								RSM10MP-132HCBF495	20.85											
								RSM10MP-132HCBF500	21.06											
					vii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RSM10MP-144HCBF520 (520 Wp)	RSM10MP-132HCBF505	21.27	144 (Half Cut Cells)	1500									
								RSM10MP-144HCBF495	19.16											
								RSM10MP-144HCBF500	19.36											
								RSM10MP-144HCBF505	19.55											
					viii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RSM10MP-144HCBF540 (540 Wp)	RSM10MP-144HCBF510	19.74	144 (Half Cut Cells)	1500									
								RSM10MP-144HCBF515	19.94											
								RSM10MP-144HCBF520	20.13											
								RSM10MP-144HCBF525	20.32											
					viii	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-144-590 (590 Wp)	RSM10MP-144HCBF530	20.52	144 (Half Cut Cells)	1500									
								RSM10MP-144HCBF535	20.71											
								RSM10MP-144HCBF540	20.90											
								RSM10MP-144HCBF545	21.10											
																				RSM10MP-144HCBF550
															RS-M10TC-144-610	23.61				
															RS-M10TC-144-605	23.42				
								RS-M10TC-144-600	23.23											

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity							
												From	To (subject to valid BIS Registration; else deemed to be delisted)						
						N-Type TOPCon Module	RSM10CTC144-560 (560 Wp)	RSM10CTC144-590	22.84	144 (Half Cut Cells)	1500								
								RSM10CTC144-585	22.65										
								RSM10CTC144-580	22.45										
								RSM10CTC144-575	22.26										
								RSM10CTC144-570	22.07										
					xxi	N-Type TOPCon Module	RSM10CTC144-560 (560 Wp)	RSM10CTC144-565	21.87	144 (Half Cut Cells)	1500								
								RSM10CTC144-560	21.68										
								RSM10CTC144-555	21.48										
								RSM10CTC144-550	21.29										
								xxii	N-Type TOPCon Module	RSM10CTC132-550 (550 Wp)	RSM10CTC132-560			23.58	132 (Half Cut Cells)	1500			
					RSM10CTC132-555	23.37													
					RSM10CTC132-550	23.16													
					RSM10CTC132-545	22.95													
					RSM10CTC132-540	22.74													
					xxiii	N-Type TOPCon Module	RSM10CTC132-520 (520 Wp)	RSM10CTC132-535	22.53	132 (Half Cut Cells)	1500								
								RSM10CTC132-530	22.32										
								RSM10CTC132-525	22.11										
								RSM10CTC132-520	21.90										
								RSM10CTC132-515	21.69										
					xxiv	N-Type TOPCon Module	RSM10CTC120-490 (490 Wp)	RSM10CTC132-510	21.48	120 (Half Cut Cells)	1500								
								RSM10CTC132-505	21.27										
								RSM10CTC120-505	23.33										
								RSM10CTC120-500	23.10										
								RSM10CTC120-495	22.87										
					xxv	N-Type TOPCon Module	RSM10CTC120-460 (460 Wp)	RSM10CTC120-490	22.63	120 (Half Cut Cells)	1500								
								RSM10CTC120-485	22.40										
								RSM10CTC120-480	22.17										
								RSM10CTC120-475	21.94										
								RSM10CTC120-470	21.71										
					xxvi	N-Type TOPCon Module	RSM10CTC108-440 (440 Wp)	RSM10CTC120-465	21.48	120 (Half Cut Cells)	1500								
								RSM10CTC120-460	21.25										
								RSM10CTC120-455	21.02										
								xxvii	N-Type TOPCon Module	RSM10CTC108-415 (415 Wp)	RSM10CTC108-455			23.27	108 (Half Cut Cells)	1500			
											RSM10CTC108-450			23.02					
					RSM10CTC108-445	22.76													
					RSM10CTC108-440	22.51													
					RSM10CTC108-435	22.25													
					xxviii	N-Type TOPCon Module	RSM10CTC96-390 (390 Wp)	RSM10CTC108-430	21.99	96 (Half Cut Cells)	1500								
								RSM10CTC108-425	21.74										
								RSM10CTC108-420	21.48										
								RSM10CTC108-415	21.23										
								RSM10CTC108-410	20.97										
					xxix	N-Type TOPCon Module	RSM10CTC96-370 (370 Wp)	RSM10CTC96-400	22.95	96 (Half Cut Cells)	1500								
								RSM10CTC96-395	22.66										
								RSM10CTC96-390	22.38										
								RSM10CTC96-385	22.09										
								RSM10CTC96-380	21.80										
					xxx	N-Type TOPCon Module	RSM10CTC84-340 (340 Wp)	RSM10CTC96-375	21.52	84 (Half Cut Cells)	1500								
								RSM10CTC96-370	21.23										
								RSM10CTC96-365	20.94										
								RSM10CTC96-360	20.65										
								RSM10CTC84-350	22.83										
					xxxi	N-Type TOPCon Module	RSM10CTC84-320 (320 Wp)	RSM10CTC84-345	22.50	84 (Half Cut Cells)	1500								
								RSM10CTC84-340	22.18										
								RSM10CTC84-335	21.85										
								RSM10CTC84-330	21.52										
								RSM10CTC84-325	21.20										
					xxxii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC144-590 (590 Wp)	RSM10CTC84-320	20.87	144 (Half Cut Cells)	1500								
								RSM10CTC84-315	20.55										
								RSM10BTC144-610	23.61										
								RSM10BTC144-605	23.42										
								RSM10BTC144-600	23.23										

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity			
												From	To (subject to valid BIS Registration; else deemed to be delisted)		
								RSM10BTC144-585	22.65						
								RSM10BTC144-580	22.45						
								RSM10BTC144-575	22.26						
								RSM10BTC144-570	22.07						
					xxxiii	Bifacial N-Type TOPCon Module (Glass to Transparent)	RSM10BTC144-560 (560 Wp)	RSM10BTC144-565	21.87	144 (Half Cut Cells)	1500				
								RSM10BTC144-560	21.68						
								RSM10BTC144-555	21.48						
								RSM10BTC144-550	21.29						
					xxxiv	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC132-550 (550 Wp)	RSM10BTC132-560	23.58	132 (Half Cut Cells)	1500				
								RSM10BTC132-555	23.37						
								RSM10BTC132-550	23.16						
								RSM10BTC132-545	22.95						
								RSM10BTC132-540	22.74						
								RSM10BTC132-535	22.53						
								RSM10BTC132-530	22.32						
								RSM10BTC132-525	22.11						
					xxxv	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC132-520 (520 Wp)	RSM10BTC132-520	21.90	132 (Half Cut Cells)	1500				
								RSM10BTC132-515	21.69						
								RSM10BTC132-510	21.48						
								RSM10BTC132-505	21.27						
					xxxvi	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC120-490 (490 Wp)	RSM10BTC120-505	23.33	120 (Half Cut Cells)	1500				
								RSM10BTC120-500	23.10						
								RSM10BTC120-495	22.87						
								RSM10BTC120-490	22.63						
								RSM10BTC120-485	22.40						
								RSM10BTC120-480	22.17						
								RSM10BTC120-475	21.94						
								RSM10BTC120-470	21.71						
					xxxvii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC120-460 (460 Wp)	RSM10BTC120-465	21.48	120 (Half Cut Cells)	1500				
								RSM10BTC120-460	21.25						
								RSM10BTC120-455	21.02						
					xxxviii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC108-440 (440 Wp)	RSM10BTC108-455	23.27	108 (Half Cut Cells)	1500				
								RSM10BTC108-450	23.02						
								RSM10BTC108-445	22.76						
								RSM10BTC108-440	22.51						
								RSM10BTC108-435	22.25						
								RSM10BTC108-430	21.99						
								RSM10BTC108-425	21.74						
					xxxix	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC108-415 (415 Wp)	RSM10BTC108-420	21.48	108 (Half Cut Cells)	1500				
								RSM10BTC108-415	21.23						
								RSM10BTC108-410	20.97						
					XL	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC96-390 (390 Wp)	RSM10BTC96-400	22.95	96 (Half Cut Cells)	1500				
								RSM10BTC96-395	22.66						
								RSM10BTC96-390	22.38						
								RSM10BTC96-385	22.09						
					XLI	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC96-370 (370 Wp)	RSM10BTC96-380	21.80	96 (Half Cut Cells)	1500				
								RSM10BTC96-375	21.52						
								RSM10BTC96-370	21.23						
								RSM10BTC96-365	20.94						
					XLII	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC84-345 (345 Wp)	RSM10BTC96-360	20.65	84 (Half Cut Cells)	1500				
								RSM10BTC84-350	22.83						
								RSM10BTC84-345	22.50						
								RSM10BTC84-340	22.18						
					XLIII	Bifacial N-Type	RSM10BTC84-325	RSM10BTC84-335	21.85	84 (Half Cut Cells)	1500				
								RSM10BTC84-330	21.52						

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity			
												From	To (subject to valid BIS Registration; else deeemd to be delisted)		
	(Model Addition + Capacity Addition)	2,Falta, 24 Parganas (South) - 743504, West Bengal, India				(Glass to Glass)	(620 Wp)	YPERSOL VSM DH.66.600.	22.21	*105 mm)					
								YPERSOL VSM DH.66.605.	22.40						
								YPERSOL VSM DH.66.610.	22.58						
								YPERSOL VSM DH.66.615.	22.77						
								YPERSOL VSM DH.66.620.	22.95						
								YPERSOL VSM DH.66.625.	23.14						
								YPERSOL VSM DH.66.630.	23.32						
								YPERSOL VSM DH.66.635.	23.51						
								YPERSOL VSM DH.66.640.	23.69						
								ii	Bifacial N-Type TOPCon Module (Glass to Glass)					HYPER SOL VSM DH.60.560.05 (560 Wp)	YPERSOL VSM DH.60.580.
					YPERSOL VSM DH.60.575.	23.35									
					YPERSOL VSM DH.60.570.	23.14									
					YPERSOL VSM DH.60.565.	22.94									
					YPERSOL VSM DH.60.560.	22.74									
					YPERSOL VSM DH.60.555.	22.53									
					YPERSOL VSM DH.60.550.	22.33									
					YPERSOL VSM DH.60.545.	22.13									
20	M/s. H R Solar Solution Private Limited (Model Addition + Capacity Addition)	Raghudebpur, NH-6, Panchla, Block- Uluberia-II, Uluberia, Howrah - 711322, West Bengal, India	R-51001686	187	i	Mono c-Si PERC Module	H550M144 (550 Wp)	H550M144	21.29	144 (Half Cut Cells)	1500	25.01.2025	24.01.2029		
21	M/s. Saatvik Solar Industries Private Limited (New Addition in ALMM)	Village Mohari, Tehsil- Shahabad, Markanda, Ambala Road District- Kurukshetra -136135, Haryana	R-91017981	1941	i	Bifacial N-Type TOPCon Modules (Glass to Glass)	SGE615-132TGG (615 Wp)	SGE600-132TGG	22.21	132 (Half Cut Cells)	1500	13.08.2025	12.08.2029		
								SGE605-132TGG	22.40						
								SGE610-132TGG	22.58						
								SGE615-132TGG	22.77						
								SGE620-132TGG	22.95						
								SGE625-132TGG	23.14						
					ii	Bifacial N-Type TOPCon Modules (Glass to Glass)	SGE425-108TGG (425 Wp)	SGE410-108TGG	20.97	108 (Half Cut Cells)	1500				
								SGE415-108TGG	21.23						
								SGE420-108TGG	21.48						
								SGE425-108TGG	21.74						
								SGE430-108TGG	21.99						
								SGE435-108TGG	22.25						
					iii	Bifacial N-Type TOPCon Modules (Glass to Glass)	SGE475-120TGG (475 Wp)	SGE440-108TGG	22.51	120 (Half Cut Cells)	1500				
								SGE460-120TGG	21.22						
								SGE465-120TGG	21.45						
								SGE470-120TGG	21.68						
								SGE475-120TGG	21.91						
								SGE480-120TGG	22.14						
					iv	Bifacial N-Type TOPCon Modules (Glass to Glass)	SGE520-132TGG (520 Wp)	SGE485-120TGG	22.37	132 (Half Cut Cells)	1500				
								SGE490-120TGG	22.60						
								SGE510-132TGG	21.46						
								SGE515-132TGG	21.67						
								SGE520-132TGG	21.88						
								SGE525-132TGG	22.09						
					v	Bifacial N-Type TOPCon Modules (Glass to Glass)	SGE580-144TGG (580 Wp)	SGE530-132TGG	22.30	144 (Half Cut Cells)	1500				
								SGE535-132TGG	22.51						
								SGE560-144TGG	21.68						
								SGE565-144TGG	21.87						
								SGE570-144TGG	22.07						
								SGE575-144TGG	22.26						
								SGE580-144TGG	22.45						
								SGE585-144TGG	22.65						
								SGE590-144TGG	22.84						
								SGE595-144TGG	23.03						
								SGE600-144TGG	23.23						
								vi	Bifacial N-Type TOPCon	SGE615-156TGG (615 Wp)	SGE600-156TGG			21.47	156 (Half Cut Cells)
					SGE605-156TGG	21.65									

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
						Modules (Glass to Glass)		SGE610-156TGG SGE615-156TGG SGE620-156TGG SGE625-156TGG SGE630-156TGG	21.83 22.01 22.19 22.37 22.55				
22	M/s. Matri Shree Techno Industries (New Addition in ALMM))	Dhauha Mirpur Chunar Mirzapur – 231305, Uttar Pradesh, India	R-93006483	49	i	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	GS570M-156 (570 Wp)	GS 580M-156 GS 575M-156 GS 570M-156 GS 565M-156 GS 560M-156	20.75 20.57 20.39 20.21 20.03	156 (Half Cut Cells)	1500	13.08.2025	12.08.2029
					ii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	GS540M-144 (540 Wp)	GS 560M-144 GS 555M-144 GS 550M-144 GS 545M-144 GS 540M-144 GS 535M-144 GS 530M-144 GS 525M-144	21.68 21.48 21.29 21.10 20.90 20.71 20.52 20.32	144 (Half Cut Cells)	1500		
					iii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	GS 490M-132 (490 Wp)	GS 500M -132 GS 495M -132 GS 490M -132 GS 485M -132 GS 480M -132	21.07 20.86 20.64 20.43 20.22	132 (Half Cut Cells)	1500		
					iv	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	GS 445M -120 (445 Wp)	GS 455M -120 GS 450M -120 GS 445M -120 GS 440M -120 GS 435M -120	21.03 20.80 20.57 20.34 20.10	120 (Half Cut Cells)	1500		
					v	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	GS340M (340 Wp)	GS340M	21.11	72 (Half Cut Cells)	1000		
					vi	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	GS340M12 (340 Wp)	GS340M12	21.11	72 (Half Cut Cells)	1000		
					vii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	GS320M (320 Wp)	GS320M	20.53	72 (Half Cut Cells)	1000		
					viii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	GS320M12 (320 Wp)	GS320M12	20.53	72 (Half Cut Cells)	1000		
					ix	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	GS220M (220 Wp)	GS220M	20.18	72 (Half Cut Cells)	1000		
					x	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	GS220M12 (220 Wp)	GS220M12	20.18	72 (Half Cut Cells)	1000		

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xi	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	GS160M (160Wp)	GS160M12	20.01	36 (Half Cut Cells)	1000		
23	M/s. Abhishek Solar Industries Private Limited Unit II (Model Addition)	Khata No. 67 Plot No. 53, Mesra, PO – Neori Vikas, Near NH 33, Ranchi, Jharkhand - 835217, India	R-58000140	142	i	Mono c-Si PERC Module	AS-260-M36 (260 Wp)	AS-250-M36	20.95	36 (Half Cut Cells)	1500	24.01.2024	23.01.2028
								AS-260-M36	20.95				
								AS-270-M36	21.27				
					ii	Mono c-Si PERC Module	AS-230-M36 (230 Wp)	AS-220-M36	20.83	36 (Half Cut Cells)	1500		
								AS-230-M36	20.83				
								AS-240-M36	20.83				
					iii	Mono c-Si PERC Module (200 Wp)	AS-200-M36 (200 Wp)	AS-200-M36	20.56	36 (Half Cut Cells)	1500		
								AS-210-M36	20.68				
					iv	Mono c-Si PERC Module	AS-175-M36 (175 Wp)	AS-170-M36	20.43	36 (Half Cut Cells)	1500		
								AS-175-M36	22.46				
								AS-180-M36	20.42				
					v	Mono c-Si PERC Module	AS-160-M36 (160 Wp)	AS-160-M36	20.34	36 (Half Cut Cells)	1500		
					vi	Mono c-Si PERC Module	AS-150-M36 (150 Wp)	AS-150-M36	20.14	36 (Half Cut Cells)	1500		
					vii	Mono c-Si PERC Module	AS-140-M36 (140 Wp)	AS-140-M36	20.02	36 (Half Cut Cells)	1500		
					viii	Mono c-Si PERC Module	AS-125-M36 (125 Wp)	AS-120-M36	19.74	36 (Half Cut Cells)	1500		
								AS-125-M36	19.82				
								AS-130-M36	20.01				
					ix	Mono c-Si PERC Module	AS-110-M36 (110 Wp)	AS-110-M36	20.10	36 (Half Cut Cells)	1500		
					x	Mono c-Si PERC Module	AS-100-M36 (100 Wp)	AS-100-M36	19.35	36 (Half Cut Cells)	1500		
					xi	Mono c-Si PERC Module	AS-90-M36 (90 Wp)	AS-90-M36	19.38	36 (Half Cut Cells)	1500		
					xii	Mono c-Si PERC Module	AS-80-M36 (80 Wp)	AS-80-M36	19.21	36 (Half Cut Cells)	1500		
					xiii	Mono c-Si PERC Module	AS-75-M36 (75 Wp)	AS-75-M36	19.35	36 (Half Cut Cells)	1500		
					xiv	Mono c-Si PERC Module	AS-115-M32 (115 Wp)	AS-110-M32	19.04	32 (Half Cut Cells)	1500		
								AS-115-M32	19.15				
								AS-120-M32	19.99				
					xv	Mono c-Si PERC Module	AS-80-M32 (80 Wp)	AS-80-M32	19.49	32 (Half Cut Cells)	1500		
					xvi	Mono c-Si PERC Module	AS-75-M32 (75 Wp)	AS-75-M32	19.35	32 (Half Cut Cells)	1500		
					24	M/s. Goldi Sun Private Limited (Model Addition + Capacity Addition)	Unit no 6 (Type F) , Block No. 341, Prime Industrial and Logistic Hub, NR. P.P Savani University, NH-48,Gram Panchayat, Dhamdod - 394125, Surat, Gujarat, India	R-72012467	7263	i	Bifacial N-Type TOPCon Module (Glass to Glass)		
GS12R-T132-GF-615	22.77												
GS12R-T132-GF-610	22.58												
GS12R-T132-GF-605	22.40												
GS12R-T132-GF-600	22.21												
ii	Bifacial N-Type TOPCon Module (Glass to Glass)	GS12R-T120-GF-555 (555 Wp)	GS12R-T120-GF-565	23.01						120 (Half Cut Cell)	1500		
			GS12R-T120-GF-560	22.81									
			GS12R-T120-GF-555	22.61									
			GS12R-T120-GF-550	22.40									
			GS12R-T120-GF-545	22.20									
iii	Bifacial N-Type TOPCon Module (Glass to Glass)	GS10-T108-GF-450 (450 Wp)	GS12R-T108-GF-510	23.00						108 (Half Cut Cell)	1500		
			GS12R-T108-GF-505	22.78									
			GS12R-T108-GF-500	22.55									
			GS12R-T108-GF-495	22.33									
			GS12R-T108-GF-490	22.10									

Note: In case of model inclusion or capacity addition / change, through revision in ALMM List, the capacity mentioned against any manufacturing unit, as appearing in the said Revision to the ALMM List, shall be the ALMM enlisted manufacturing capacity for that manufacturing unit (from the date of the said revision), and the capacity enlisted for that manufacturing unit should not be interpreted as Sum of (enlisted capacity for that manufacturing unit in previous ALMM list/ previous revision to ALMM List) and (enlisted capacity in the present revision)

F. No. 283/41/2024-GRID SOLAR
भारत सरकार / Government of India
नवीन और नवीकरणीय ऊर्जा मंत्रालय / Ministry of New & Renewable Energy
ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003.
Dated: 30th June 2025

OFFICE MEMORANDUM

Sub: Updation of List I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 – Reg.

- Ref:** (i) MNRE's O.M. No. 283/54/2018-GRID SOLAR-Part(1) dated 10.03.2021
(ii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 10.05.2023;
(iii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 22.03.2024;
(iv) MNRE's O.M. No. 32/33/2024-SPV Division dated 06.05.2025;

Reference is invited to this Ministry's O.M.s of even no. dated 10.03.2021, regarding implementation of Approved Models and Manufacturers of Solar Photovoltaic Modules (Requirement for Compulsory Registration) Order, 2019 and publishing List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019.

2. This Ministry vide its O.M.s referred at (ii), (iii) & (iv) above, inter-alia, directed that only such models of Solar PV Module Manufacturers will be enlisted under ALMM, which comply with the BIS Standards and are having the following minimum module efficiency:

Category	Application/Use	Minimum Module Efficiency required to be eligible for enlistment in ALMM for solar PV modules	
		For c-Si technology based solar PV modules	For CdTe thin film technology based solar PV modules
Category-I	Utility/Grid Scale Power Plants	20.00%	19.00%
Category-II	Rooftop and Solar Pumping	19.50%	18.50%
Category-III	Off-grid projects/applications like solar lamps, solar lights, solar street lights, solar fans, etc. (other than solar powered agricultural pumps and solar PV rooftops) requiring individual capacity of each solar PV module deployed, to be of less than 200 Watt peak	18.00%	18.00%
Category-IV	Any other application	19.00%	18.00%

3. Post the aforesaid O.M. dated 10.05.2023 and subsequent O.M.s dated 22.03.2024 and 06.05.2025, only such models of Solar PV Modules have been considered for enlistment under ALMM List-I, whose module efficiency is meeting the eligibility criteria as mentioned in table at para-2 above.

4. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 was last updated on 05.06.2025.

5. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 is hereby further revised and the Revision-XL (in the format of additions / modifications to Revision-XXXIX) is enclosed at Annexure-I. The last revision no. XXXIX dated 05.06.2025 along with provisional enlistments therein (excluding those which have been removed on account of inclusion in main ALMM List-I) is at pages after Annexure-I.

6. The ALMM enlistment validity is subject to valid BIS Registration; else deemed to be delisted.

7. The details of Registration No. (R. No.) which has been allotted by BIS is mentioned against each manufacturer / manufacturing unit enlisted in ALMM and further details related to BIS certification like validity, models included, etc. may be checked from BIS website by using the following link:
https://www.crsbis.in/BIS/Lims_registrationc.do?hmode=getLimsData

8. This issues with the approval of competent authority.



(Sanjay G. Karndhar)
Scientist-E
E-mail: karndhar.sg@nic.in

Encl: as above

To: All Concerned

Copy to: Director (Technical), NIC, MNRE for uploading this document on MNRE's website

A. Correction of errors in revisions of ALMM List-I

There were some typographical errors in the revisions of ALMM list-I and the same are hereby corrected as follows:

1. M/s. SASA Energy LLP - Typo error corrected in validity of Models numbers

Part B of Annexure-I to ALMM Revision dated 05.06.2025 => In Sl. No. 2 => for entries corresponding to R. No. 72005681, may be read as from 27.09.2024 to 26.09.2028 (*subject to valid BIS Registration; else deemed to be delisted*).

2. M/s Oswal Solar Structure Pvt. Ltd. - Typo error corrected in validity of Models numbers

Part B of Annexure-I to ALMM Revision dated 21.05.2025 => In Sl. No. 3 => for entries corresponding to R. No. 91013935, may be read as from 24.05.2024 to 23.05.2028 (*subject to valid BIS Registration; else deemed to be delisted*).



B. New additions on 30.06.2025 in the List of Manufacturers and Models of Solar PV Modules Enlisted under ALMM Order													
S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
1	M/s. Jakson Engineers Ltd. (Model Addition & Capacity Change)	Plot No-25, Ecotech-III, Udyog Kendra, Greater Noida-201306, Gautam Budha Nagar, Uttar Pradesh, India	R-93005959	1124	i	Bifacial N- Type TOPCon Module (Glass to Glass)	JN-595G (595 Wp)	JN-600G	23.25	144 (Half Cut Cells)	1500	17.08.2023	16.08.2027
								JN-595G	23.05				
								JN-590G	22.86				
								JN-585G	22.67				
					ii	Bifacial N- Type TOPCon Module (Glass to Glass)	JN-540G (540 Wp)	JN-540G	22.76	132 (Half Cut Cells)	1500		
								JN-535G	22.55				
					iii	Bifacial N- Type TOPCon Module (Glass to Glass)	JN-490G (490Wp)	JN-490G	22.62	120 (Half Cut Cells)	1500		
					iv	Bifacial N- Type TOPCon Module (Glass to Glass)	JN-440G (440 Wp)	JN-440G	22.55	108 (Half Cut Cells)	1500		
2	M/s. Nithin Sai Renewables Private Limited (New Addition in ALMM)	Plot No. 75-A, 2nd Phase, Kiadb- Industrial Area, Chintamani Taluk, Mastenahalli Industrial Area, Chikkaballapur - 563128, Karnataka, India	R-62005509	473	i	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	NS-P10-144HT-535 (535 Wp)	NS-P10-144HT-550	21.29	144 (Half Cut Cells)	1500	30.06.2025	29.06.2029
								NS-P10-144HT-545	21.10				
								NS-P10-144HT-540	20.90				
								NS-P10-144HT-535	20.71				
								NS-P10-144HT-530	20.52				
								NS-P10-144HT-525	20.32				
								NS-P10-144HT-520	20.13				
								NS-P10-144HT-520	20.13				
					ii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	NS-P10-132HT-490 (490 Wp)	NS-P10-132HT-500	21.05	132 (Half Cut Cells)	1500		
								NS-P10-132HT-495	20.84				
								NS-P10-132HT-490	20.63				
								NS-P10-132HT-485	20.41				
								NS-P10-132HT-480	20.20				
					iii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	NS-P10-120HT-440 (440 Wp)	NS-P10-120HT-450	20.72	120 (Half Cut Cells)	1500		
								NS-P10-120HT-445	20.49				
								NS-P10-120HT-440	20.26				
								NS-P10-120HT-435	20.03				
								NS-P10-120HT-435	20.03				
					iv	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	NS-P10-108HT-395 (108 Wp)	NS-P10-108HT-405	20.64	108 (Half Cut Cells)	1500		
								NS-P10-108HT-400	20.39				
								NS-P10-108HT-395	20.13				
								NS-P10-108HT-390	19.88				
								NS-P10-108HT-390	19.88				
3	M/s. Orb Energy Private Limited (Model Addition & Capacity Change)	No. 95, Digital Park Road, 2nd Stage, Yeshwanthapura, Bangalore - 560022, Karnataka, India	R-62001708	72	i	Mono c-Si (PERC) Module	Orb545M144-15 (545 Wp)	Orb545M144-15	21.13	144 (Half Cut Cells)	1500	01.09.2023	31.08.2027
								Orb550M144-15	21.32				
					ii	Mono c-Si (PERC) Module	Orb500M132-15 (500 Wp)	Orb495M132-15	20.86	132 (Half Cut Cells)	1500		
								Orb500M132-15	21.07				
					iii	Mono c-Si (PERC) Module	Orb455M120-15 (455 Wp)	Orb455M120-15	21.01	120 (Half Cut Cells)	1500		
								Orb450M120-15	20.78				
					iv	Bifacial N-Type TOPCon Module (Glass to Transparent backsheet)	Orb580T144-15 (580 Wp)	Orb580T144-15	22.48	144 (Half Cut Cells)	1500		
								Orb575T144-15	22.29				
								Orb570T144-15	22.09				
					v	Bifacial N-Type TOPCon Module (Glass to Transparent backsheet)	Orb530T132-15 (530 Wp)	Orb530T132-15	22.34	132 (Half Cut Cells)	1500		
								Orb525T132-15	22.13				
								Orb520T132-15	21.92				
								Orb500T132-15	21.07				
					vi	Bifacial N-Type TOPCon Module (Glass to Transparent backsheet)	Orb480T120-15 (480 Wp)	Orb480T120-15	22.17	120 (Half Cut Cells)	1500		
								Orb475T120-15	21.94				
								Orb470T120-15	21.71				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
4	M/s. Worldone Energies Private Limited (New Addition in ALMM)	D 18, Umred, MIDC Umred, Umred MIDC Road, Nagpur - 441203, Maharashtra, India	R-71039837	164	i	Bifacial N-Type TOPCon Module (Glass to Glass)	WE630W (630 Wp)	WE605W	21.69	156 (Half Cut Cells)	1500	30.06.2025	29.06.2029
								WE610W	21.87				
								WE615W	22.05				
								WE620W	22.23				
								WE625W	22.41				
								WE630W	22.59				
								WE635W	22.76				
								WE640W	22.94				
								WE645W	23.12				
								WE650W	23.30				
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	WE575W (575 Wp)	WE550W	21.32	144 (Half Cut Cells)	1500		
								WE555W	21.51				
								WE560W	21.71				
								WE565W	21.90				
								WE570W	22.09				
								WE575W	22.29				
								WE580W	22.48				
								WE585W	22.68				
								WE590W	22.87				
								WE595W	23.06				
								WE600W	23.26				
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	WE525W (525 Wp)	WE500W	21.06	132 (Half Cut Cells)	1500		
								WE510W	21.49				
								WE520W	21.91				
								WE530W	22.33				
								WE535W	22.54				
								WE540W	22.75				
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	WE470W (470 Wp)	WE545W	22.96	120 (Half Cut Cells)	1500		
								WE450W	20.79				
								WE460W	21.26				
								WE470W	21.72				
								WE480W	22.18				
								WE490W	22.64				
5	M/s. Pahal Solar Private Limited (Model Addition & Capacity Change)	Ground Floor, Block No. 71, 72 Plot No. 167 to 171, 180 to 189, 19, E-172, 173,178, 179. Opp. Shiv Shakti Estate, Olpad, Surat -394540, Gujarat, India	R-72001848	264	i	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GA625 (625 Wp)	PSN_GA595	21.19	156 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								PSN_GA600	21.37				
								PSN_GA605	21.55				
								PSN_GA610	21.73				
								PSN_GA615	21.90				
								PSN_GA620	22.08				
								PSN_GA625	22.26				
								PSN_GA630	22.44				
								PSN_GA635	22.62				
								PSN_GA640	22.79				
								PSN_GA645	22.97				
								PSN_GA650	23.15				
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GC510 (510 Wp)	PSN_GC500	21.08	132 (Half Cut Cells)	1500		
								PSN_GC505	21.29				
								PSN_GC510	21.50				
								PSN_GC515	21.71				
								PSN_GC520	21.92				
								PSN_GC525	22.13				
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GC545 (545 Wp)	PSN_GC530	22.34	132 (Half Cut Cells)	1500		
								PSN_GC535	22.55				
								PSN_GC540	22.76				
								PSN_GC545	22.97				
								PSN_GC550	23.18				
								PSN_GC555	23.39				
								PSN_GC560	23.61				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GB560 (560 Wp)	PSN_GB545 PSN_GB550 PSN_GB555 PSN_GB560 PSN_GB565 PSN_GB570 PSN_GB575 PSN_GB580	21.10 21.29 21.48 21.68 21.87 22.07 22.26 22.45	144 (Half Cut Cells)	1500		
					v	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GB600 (600 Wp)	PSN_GB585 PSN_GB590 PSN_GB595 PSN_GB600 PSN_GB605 PSN_GB610 PSN_GB615 PSN_GB620	22.65 22.84 23.03 23.23 23.42 23.61 23.81 24.00	144 (Half Cut Cells)	1500		
					vi	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GD470 (470 Wp)	PSN_GD455 PSN_GD460 PSN_GD465 PSN_GD470 PSN_GD475 PSN_GD480	21.03 21.26 21.49 21.72 21.95 22.18	120 (Half Cut Cells)	1500		
					vii	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GD500 (500 Wp)	PSN_GD485 PSN_GD490 PSN_GD495 PSN_GD500 PSN_GD505 PSN_GD510	22.42 22.65 22.88 23.11 23.34 23.57	120 (Half Cut Cells)	1500		
					viii	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GL155 (155 Wp)	PSN_GL150 PSN_GL155 PSN_GL160	19.64 20.30 20.95	40 (Half Cut Cells)	1000		
					ix	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GL175 (175 Wp)	PSN_GL165 PSN_GL170 PSN_GL175	21.61 22.26 22.92	40 (Half Cut Cells)	1000		
					x	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GL180 (180 Wp)	PSN_GL180	23.57	40 (Half Cut Cells)	1000		
					xi	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GK210 (210 Wp)	PSN_GK200 PSN_GK205 PSN_GK210 PSN_GK215	19.03 19.51 19.99 20.46	56 (Half Cut Cells)	1500		
					xii	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GK230 (230 Wp)	PSN_GK220 PSN_GK225 PSN_GK230 PSN_GK235 PSN_GK240	20.94 21.41 21.89 22.37 22.84	56 (Half Cut Cells)	1500		
					xiii	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GJ250 (250 Wp)	PSN_GJ245 PSN_GJ250 PSN_GJ255	20.80 21.22 21.64	64 (Half Cut Cells)	1500		
					xiv	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GJ265 (265 Wp)	PSN_GJ260 PSN_GJ265 PSN_GJ270	22.07 22.49 22.92	64 (Half Cut Cells)	1500		
					xv	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GI285 (285 Wp)	PSN_GI275 PSN_GI280 PSN_GI285 PSN_GI290	20.76 21.14 21.52 21.89	72 (Half Cut Cells)	1500		
					xvi	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GI300 (300 Wp)	PSN_GI295 PSN_GI300 PSN_GI305	22.27 22.65 23.03	72 (Half Cut Cells)	1500		
					xvii	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GH315 (315 Wp)	PSN_GH305 PSN_GH310 PSN_GH315 PSN_GH320	20.87 21.21 21.55 21.89	80 (Half Cut Cells)	1500		

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity						
												From	To (subject to valid BIS Registration; else deemed to be delisted)					
					xviii	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GH335 (335 Wp)	PSN_GH325	22.24	80 (Half Cut Cells)	1500							
								PSN_GH330	22.58									
								PSN_GH335	22.92									
								PSN_GH340	23.26									
					xix	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GG330 (330 Wp)	PSN_GG320	20.87	84 (Half Cut Cells)	1500							
								PSN_GG325	21.20									
								PSN_GG330	21.52									
								PSN_GG335	21.85									
					xx	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GG350 (350 Wp)	PSN_GG340	22.18	84 (Half Cut Cells)	1500							
								PSN_GG345	22.50									
								PSN_GG350	22.83									
								PSN_GG355	23.15									
					xxi	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GF370 (370 Wp)	PSN_GF360	20.64	96 (Half Cut Cells)	1500							
								PSN_GF365	20.93									
								PSN_GF370	21.21									
								PSN_GF375	21.50									
								PSN_GF380	21.79									
					xxii	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GF400 (400 Wp)	PSN_GF385	22.07	96 (Half Cut Cells)	1500							
								PSN_GF390	22.36									
								PSN_GF395	22.65									
								PSN_GF400	22.93									
								PSN_GF405	23.22									
								PSN_GF410	23.51									
					xxiii	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GE420 (420 Wp)	PSN_GE410	21.00	108 (Half Cut Cells)	1500							
								PSN_GE415	21.25									
								PSN_GE420	21.51									
								PSN_GE425	21.76									
								PSN_GE430	22.02									
					xxiv	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GE450 (450 Wp)	PSN_GE435	22.28	108 (Half Cut Cells)	1500							
								PSN_GE440	22.53									
								PSN_GE445	22.79									
								PSN_GE450	23.04									
								PSN_GE455	23.30									
								PSN_GE460	23.56									
6	M/s. TP Solar Limited (Model Addition & Capacity Change)	Plot No. A 109, Near Elcot Road, TP Solar Limited, Sipcot Road and SR Park, Gangaikondan Road, Sipcot Industrial Park, Gangaikondan Industrial Park, Tirunelveli -627352, Tamil Nadu, India	R-61004146	5035	i	Bifacial N-Type TOPCon Module (Glass to Glass)	TP605LG10NB (605 Wp)	TP630LG10NB	22.62	156 (Half Cut Cells)	1500	22.03.2024	21.03.2028					
								TP625LG10NB	22.44									
								TP620LG10NB	22.26									
								TP615LG10NB	22.08									
								TP610LG10NB	21.90									
								TP605LG10NB	21.72									
								TP600LG10NB	21.54									
								TP595LG10NB	21.36									
								TP590LG10NB	21.18									
								TP585LG10NB	21.00									
								TP580LG10NB	20.83									
								ii	Bifacial N-Type TOPCon Module (Glass to Glass)					TP555HG10NB (555 Wp)	TP580HG10NB	22.45	144 (Half Cut Cells)	1500
															TP575HG10NB	22.26		
															TP570HG10NB	22.07		
					TP565HG10NB	21.87												
					TP560HG10NB	21.68												
					TP555HG10NB	21.48												
					TP550HG10NB	21.29												
					TP545HG10NB	21.10												
					TP540HG10NB	20.90												
					TP535HG10NB	20.71												
					TP530HG10NB	20.52												

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	TP505VG10NB (505 Wp)	TP530VG10NB TP525VG10NB TP520VG10NB TP515VG10NB TP510VG10NB TP505VG10NB TP500VG10NB TP495VG10NB TP490VG10NB TP485VG10NB TP480VG10NB	22.11 21.90 21.69 21.48 21.27 21.07 20.86 20.65 20.44 20.23 20.02	132 (Half Cut Cells)	1500		
7	M/s. Rajasthan Electronics and Instruments Limited (REIL) (Co-ALMM)	Co-ALMM with M/s. Icon Solar En Power Technologies Private Limited Manufacturing Address : PH No. 09, Gram Dighari Mandir Hasaud, The Arang, Raipur-492001, Chhattisgarh, India	R-59000558	10 (As per co-branding agreement)	i	Mono c-Si PERC Module	RISEN575 (575 Wp)	RISEN590 RISEN585 RISEN580 RISEN575 RISEN570 RISEN565 RISEN560	21.11 20.93 20.75 20.57 20.39 20.21 20.03	156 (Half Cut Cells)	1500	30.06.2025	29.04.2027
								RISEN555 RISEN550 RISEN545 RISEN540	21.48 21.30 21.10 20.90	144 (Half Cut Cells)	1500		
					ii	Mono c-Si PERC Module	RISEN550 (550 Wp)	SWT15BG0440 SWT15BG0445 SWT15BG0450	22.53 22.79 23.04	108 (Half Cut Cells)	1500		
								SWT15BG6585 SWT15BG6590 SWT15BG6595 SWT15BG6600	22.65 22.84 23.03 23.23	144 (Half Cut Cells)	1500		
								SWT15BG4535 SWT15BG4540 SWT15BG4545 SWT15BG4550	22.53 22.74 22.95 23.16	132 (Half Cut Cells)	1500		
								SWT15BG2485 SWT15BG2490 SWT15BG2495 SWT15BG2500	22.40 22.63 22.87 23.10	120 (Half Cut Cells)	1500		
								SWT15BG8635 SWT15BG8640 SWT15BG8645 SWT15BG8650	22.72 22.90 23.07 23.25	156 (Half Cut Cells)	1500		
					vi	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SWT15BT0415 (415Wp)	SWT15BT0385 SWT15BT0390 SWT15BT0395 SWT15BT0400 SWT15BT0405 SWT15BT0410 SWT15BT0415 SWT15BT0420 SWT15BT0425 SWT15BT0430	19.72 19.97 20.23 20.48 20.74 21.00 21.25 21.51 21.76 22.02	108 (Half Cut Cells)	1500		
								SWT15BT2430 SWT15BT2435 SWT15BT2440 SWT15BT2445 SWT15BT2450 SWT15BT2455	19.86 20.09 20.33 20.56 20.79 21.02	120 (Half Cut Cells)	1500		
					vii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SWT15BT2445 (445 Wp))						
8	M/s Swelect HHV Solar Photovoltaics Pvt. Ltd (Model Addition & Capacity Change)	SF – No. 169, 166 Sembagoundan Pudur, Kuppapalayam Village, Coimbatore, Coimbatore North Taluk, Coimbatore District, Tamil Nadu - 641107	R-61003433	807	i	Bifacial N-Type TOPCon Module (Glass to Glass)	SWT15BG0445 (445 Wp)	SWT15BG0440 SWT15BG0445 SWT15BG0450	22.53 22.79 23.04	108 (Half Cut Cells)	1500	31.05.2023	30.05.2027
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	SWT15BG6595 (595 Wp)	SWT15BG6585 SWT15BG6590 SWT15BG6595 SWT15BG6600	22.65 22.84 23.03 23.23	144 (Half Cut Cells)	1500		
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	SWT15BG4545 (545 Wp)	SWT15BG4535 SWT15BG4540 SWT15BG4545 SWT15BG4550	22.53 22.74 22.95 23.16	132 (Half Cut Cells)	1500		
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	SWT15BG2495 (495 Wp)	SWT15BG2485 SWT15BG2490 SWT15BG2495 SWT15BG2500	22.40 22.63 22.87 23.10	120 (Half Cut Cells)	1500		
					v	Bifacial N-Type TOPCon Module (Glass to Glass)	SWT15BG8645 (645 Wp)	SWT15BG8635 SWT15BG8640 SWT15BG8645 SWT15BG8650	22.72 22.90 23.07 23.25	156 (Half Cut Cells)	1500		
					vi	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SWT15BT0415 (415Wp)	SWT15BT0385 SWT15BT0390 SWT15BT0395 SWT15BT0400 SWT15BT0405 SWT15BT0410 SWT15BT0415 SWT15BT0420 SWT15BT0425 SWT15BT0430	19.72 19.97 20.23 20.48 20.74 21.00 21.25 21.51 21.76 22.02	108 (Half Cut Cells)	1500		
					vii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SWT15BT2445 (445 Wp))	SWT15BT2430 SWT15BT2435 SWT15BT2440 SWT15BT2445 SWT15BT2450 SWT15BT2455	19.86 20.09 20.33 20.56 20.79 21.02	120 (Half Cut Cells)	1500		

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					viii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SWT15BT2470 (470 Wp)	SWT15BT2460	21.25	120 (Half Cut Cells)	1500		
								SWT15BT2465	21.48				
								SWT15BT2470	21.71				
								SWT15BT2475	21.94				
								SWT15BT2480	22.17				
					ix	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SWT15BT4490 (490 Wp)	SWT15BT4475	20.00	132 (Half Cut Cells)	1500		
								SWT15BT4480	20.21				
								SWT15BT4485	20.42				
								SWT15BT4490	20.64				
								SWT15BT4495	20.85				
								SWT15BT4500	21.06				
					x	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SWT15BT4520 (520 Wp)	SWT15BT4505	21.27	132 (Half Cut Cells)	1500		
								SWT15BT4510	21.48				
								SWT15BT4515	21.69				
								SWT15BT4520	21.90				
								SWT15BT4525	22.11				
								SWT15BT4530	22.32				
					xi	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SWT15BT6535 (535 Wp)	SWT15BT6520	20.13	144 (Half Cut Cells)	1500		
								SWT15BT6525	20.32				
								SWT15BT6530	20.52				
								SWT15BT6535	20.71				
								SWT15BT6540	20.90				
								SWT15BT6545	21.10				
								SWT15BT6550	21.29				
					xii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SWT15BT6570 (570 Wp)	SWT15BT6555	21.48	144 (Half Cut Cells)	1500		
								SWT15BT6560	21.68				
								SWT15BT6565	21.87				
								SWT15BT6570	22.07				
								SWT15BT6575	22.26				
								SWT15BT6580	22.45				
					xiii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SWT15BT8580 (580 Wp)	SWT15BT8565	20.21	156 (Half Cut Cells)	1500		
								SWT15BT8570	20.39				
								SWT15BT8575	20.57				
								SWT15BT8580	20.75				
								SWT15BT8585	20.93				
								SWT15BT8590	21.11				
								SWT15BT8595	21.29				
								SWT15BT8600	21.46				
					xiv	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SWT15BT8615 (615 Wp)	SWT15BT8605	21.64	156 (Half Cut Cells)	1500		
								SWT15BT8610	21.82				
								SWT15BT8615	22.00				
								SWT15BT8620	22.18				
								SWT15BT8625	22.36				
								SWT15BT8630	22.54				

Note: In case of model inclusion or capacity addition / change, through revision in ALMM List, the capacity mentioned against any manufacturing unit, as appearing in the said Revision to the ALMM List, shall be the ALMM enlisted manufacturing capacity for that manufacturing unit (from the date of the said revision), and the capacity enlisted for that manufacturing unit should not be interpreted as Sum of (enlisted capacity for that manufacturing unit in previous ALMM list/ previous revision to ALMM List) and (enlisted capacity in the present revision)

F. No. 283/41/2024-GRID SOLAR
भारत सरकार / Government of India
नवीन और नवीकरणीय ऊर्जा मंत्रालय / Ministry of New & Renewable Energy
ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003.
Dated: 5th June 2025

OFFICE MEMORANDUM

Sub: Updation of List I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 – Reg.

- Ref:** (i) MNRE's O.M. No. 283/54/2018-GRID SOLAR-Part(1) dated 10.03.2021
(ii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 10.05.2023;
(iii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 22.03.2024;
(iv) MNRE's O.M. No. 32/33/2024-SPV Division dated 06.05.2025;

Reference is invited to this Ministry's O.M.s of even no. dated 10.03.2021, regarding implementation of Approved Models and Manufacturers of Solar Photovoltaic Modules (Requirement for Compulsory Registration) Order, 2019 and publishing List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019.

2. This Ministry vide its O.M.s referred at (ii), (iii) & (iv) above, inter-alia, directed that only such models of Solar PV Module Manufacturers will be enlisted under ALMM, which comply with the BIS Standards and are having the following minimum module efficiency:

Category	Application/Use	Minimum Module Efficiency required to be eligible for enlistment in ALMM for solar PV modules	
		For c-Si technology based solar PV modules	For CdTe thin film technology based solar PV modules
Category-I	Utility/Grid Scale Power Plants	20.00%	19.00%
Category-II	Rooftop and Solar Pumping	19.50%	18.50%
Category-III	Off-grid projects/applications like solar lamps, solar lights, solar street lights, solar fans, etc. (other than solar powered agricultural pumps and solar PV rooftops) requiring individual capacity of each solar PV module deployed, to be of less than 200 Watt peak	18.00%	18.00%
Category-IV	Any other application	19.00%	18.00%

3. Post the aforesaid O.M. dated 10.05.2023 and subsequent O.M.s dated 22.03.2024 and 06.05.2025, only such models of Solar PV Modules have been considered for enlistment under ALMM List-I, whose module efficiency is meeting the eligibility criteria as mentioned in table at para-2 above.

4. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 was last updated on 21.05.2025.

5. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 is hereby further revised and the Revision-XXXIX (in the format of additions / modifications to Revision-XXXVIII) is enclosed at Annexure-I. The last revision no. XXXVIII dated 21.05.2025 is at pages after Annexure-I.

6. The ALMM enlistment validity is subject to valid BIS Registration; else deemed to be delisted.

7. The details of Registration No. (R. No.) which has been allotted by BIS is mentioned against each manufacturer / manufacturing unit enlisted in ALMM and further details related to BIS certification like validity, models included, etc. may be checked from BIS website by using the following link:
https://www.crsbis.in/BIS/Lims_registrationc.do?hmode=getLimsData

8. This issues with the approval of competent authority.



(Sanjay G. Karndhar)
Scientist-E
E-mail: karndhar.sg@nic.in

Encl: as above

To: All Concerned

Copy to: Director (Technical), NIC, MNRE for uploading this document on MNRE's website

A. Modification / Correction of errors in ALMM List-I dated 27.03.2025 / Revision dated 21.05.2025

(a). ALMM enlistment validity of solar PV modules with R. No. 72008389 under Co-ALMM of Brand Owner [ECE (India) Energies P. Ltd.] with O.E.M. [Navitas Green Solutions P. Ltd.], which were enlisted at Sl. No. 15 of ALMM List dated 27.03.2025, has expired on 28.05.2025. Hence the same are hereby deleted from ALMM List-I for solar PV modules.

(b). There were some typographical errors in the Revision dated 21.05.2025 to ALMM list and the same are hereby corrected as follows:

1. M/s. Renewsys India Pvt. Ltd., Rangareddy District Telangana - Typo error corrected in capacity

Part B of Annexure-I to ALMM Revision dated 21.05.2025 => Sl. No. 16 => The capacity may be read as 1,733 MW/Year instead of 1,773 MW/Year

2. M/s. Premier Energies Global Environment (P) Limited - Typo error corrected in name of model numbers and efficiency

Part B of Annexure-I to ALMM Revision dated 21.05.2025 => Sl. No. 17 => Sl. Nos => (ii to iii) => Correction of Enlisted Model Number and efficiencies as below:

S. No.	Type of Module	Applied Model	Enlisted Model	Efficiency (%)
ii	Bifacial N-Type TOPCon Module (Glass to Glass)	PE-132-615THGB-G12R (615 Wp)	PE-132-600THGB-G12R	22.21
			PE-132-605THGB-G12R	22.40
			PE-132-610THGB-G12R	22.58
			PE-132-615THGB-G12R	22.77
			PE-132-620THGB-G12R	22.95
			PE-132-625THGB-G12R	23.14
			PE-132-630THGB-G12R	23.32
iii	Bifacial N-Type TOPCon Module (Glass to Glass)	PE-132-695THGB-G12 (695 Wp)	PE-132-680THGB-G12	21.89
			PE-132-685THGB-G12	22.05
			PE-132-690THGB-G12	22.21
			PE-132-695THGB-G12	22.37
			PE-132-700THGB-G12	22.53
			PE-132-705THGB-G12	22.70
			PE-132-710THGB-G12	22.86

3. M/s. Sri Savitr Solar Pvt. Ltd. – Typo error corrected in name of model numbers

Part B of Annexure-I to ALMM Revision dated 21.05.2025 => Sl. No. 21 => Sl. Nos => (ix to xxiii) => there was a typo error as one "S" was missing in following models (S. No. ix to xxiii). The correct Model numbers are as below:

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (V)
ix	Mono c-Si Module	SSSPL-36-260 (260 Wp)	SSSPL-36-260	20.95	36 (Half Cut Cells)	1500
x	Mono c-Si Module	SSSPL-36-270 (270 Wp)	SSSPL-36-270	21.27	36 (Half Cut Cells)	1500
xi	Mono c-Si Module	SSSPL-36-230 (230 Wp)	SSSPL-36-230	20.83	36 (Half Cut Cells)	1500
xii	Mono c-Si Module	SSSPL-36-240 (240 Wp)	SSSPL-36-240	20.83	36 (Half Cut Cells)	1500
xiii	Mono c-Si Module	SSSPL-36-250 (250 Wp)	SSSPL-36-250	20.95	36 (Half Cut Cells)	1500
xiv	Mono c-Si Module	SSSPL-36-200 (200 Wp)	SSSPL-36-200	20.56	36 (Half Cut Cells)	1500
xv	Mono c-Si Module	SSSPL-36-210 (210 Wp)	SSSPL-36-210	20.68	36 (Half Cut Cells)	1500
xvi	Mono c-Si Module	SSSPL-36-220 (220 Wp)	SSSPL-36-220	20.83	36 (Half Cut Cells)	1500

SA

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (V)
xvii	Mono c-Si Module	SSSPL-36-180 (180 Wp)	SSSPL-36-180	20.42	36 (Half Cut Cells)	1500
xviii	Mono c-Si Module	SSSPL-36-175 (175 Wp)	SSSPL-36-175	20.47	36 (Half Cut Cells)	1500
xix	Mono c-Si Module	SSSPL-36-170 (170 Wp)	SSSPL-36-170	20.43	36 (Half Cut Cells)	1500
xx	Mono c-Si Module	SSSPL-36-160 (160 Wp)	SSSPL-36-160	20.34	36 (Half Cut Cells)	1500
xxi	Mono c-Si Module	SSSPL-36-150 (150 Wp)	SSSPL-36-150	20.14	36 (Half Cut Cells)	1500
xxii	Mono c-Si Module	SSSPL-36-140 (140 Wp)	SSSPL-36-140	20.02	36 (Half Cut Cells)	1500
xxiii	Mono c-Si Module	SSSPL-36-130 (130 Wp)	SSSPL-36-130	20.01	36 (Half Cut Cells)	1500
xxiv	Mono c-Si Module	SSSPL-36-125 (125 Wp)	SSSPL-36-125	19.82	36 (Half Cut Cells)	1500
xxv	Mono c-Si Module	SSSPL-36-120 (120 Wp)	SSSPL-36-120	19.74	36 (Half Cut Cells)	1500
xxvi	Mono c-Si Module	SSSPL-36-100 (100 Wp)	SSSPL-36-100	19.35	36 (Half Cut Cells)	1500
xxvii	Mono c-Si Module	SSSPL-36-90 (90 Wp)	SSSPL-36-90	19.38	36 (Half Cut Cells)	1500
xxviii	Mono c-Si Module	SSSPL-36-80 (80 Wp)	SSSPL-36-80	19.21	36 (Half Cut Cells)	1500
xxix	Mono c-Si Module	SSSPL-36-75 (75 Wp)	SSSPL-36-75	19.05	36 (Half Cut Cells)	1500
xxx	Mono c-Si Module	SSSPL-36-70 (70 Wp)	SSSPL-36-70	19.03	36 (Half Cut Cells)	1500
xxxi	Mono c-Si Module	SSSPL-36-60 (60 Wp)	SSSPL-36-60	19.02	36 (Half Cut Cells)	1500
xxxii	Mono c-Si Module	SSSPL-36-50 (50 Wp)	SSSPL-36-50	19.01	36 (Half Cut Cells)	1500
xxxiii	Mono c-Si Module	SSSPL-36-40 (40 Wp)	SSSPL-36-40	19.05	36 (Half Cut Cells)	1500

B. New additions on 05.06.2025 in the List of Manufacturers and Models of Solar PV Modules Enlisted under ALMM Order

B. New additions on 05.06.2025 in the List of Manufacturers and Models of Solar PV Modules Enlisted under ALMM Order															
S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity			
												From	To (subject to valid BIS Registration; else deemed to be delisted)		
1	M/s. Avaada Electro Private Limited (New Addition in ALMM)	A-67, MIDC Road, Additional Butibori Industrial Area, Nagpur-441108, Maharashtra, India	R-71040312	1272	i	Bifacial N- Type TOPCon Module (Glass to Glass)	AVN66G12G710 (710 Wp)	AVN66G12G720	23.18	132 (Half Cut Cells) (Cell Size: 210 mm * 210 mm)	1500	05.06.2025	04.06.2029		
								AVN66G12G715	23.02						
								AVN66G12G710	22.86					120 (Half Cut Cells) (Cell Size: 210 mm * 210 mm)	1500
								AVN66G12G705	22.70						
								AVN66G12G700	22.53						
					ii	Bifacial N- Type TOPCon Module (Glass to Glass)	AVN60G12G640 (640 Wp)	AVN60G12G650	22.97						
								AVN60G12G645	22.79						
								AVN60G12G640	22.61						
								AVN60G12G635	22.44						
								AVN60G12G630	22.26						
					iii	Bifacial N- Type TOPCon Module (Glass to Glass)	AVN66G12RG620 (620 Wp)	AVN66G12RG630	23.32	132 (Half Cut Cells) (Cell Size: 182 mm * 210 mm)	1500				
								AVN66G12RG625	23.14						
								AVN66G12RG620	22.95						
								AVN66G12RG615	22.77						
								AVN66G12RG610	22.58						
					iv	Bifacial N- Type TOPCon Module (Glass to Glass)	AVN60G12RG560 (560 Wp)	AVN60G12RG570	23.14	120 (Half Cut Cells) (Cell Size: 182 mm * 210 mm)	1500				
								AVN60G12RG565	22.94						
								AVN60G12RG560	22.74						
								AVN60G12RG555	22.53						
								AVN60G12RG550	22.33						
2	M/s. SASA Energy LLP (Model Addition & Capacity Change)	S.No. 193, Opposite Dargah, MorbiHalvad Road, At-Nichi Mandal, Morbi – Rajkot, Gujarat - 363642, India	R-72005681	98	i	Bifacial N-Type TOPCon Module (Glass to Glass)	SASA580T-144 (580 Wp)	SASA555T-144	21.48	144 (Half Cut Cells)	1500	31.01.2025	24.01.2027		
								SASA560T-144	21.68						
								SASA565T-144	21.87						
								SASA570T-144	22.07						
								SASA575T-144	22.26						
								SASA580T-144	22.45						
								SASA585T-144	22.65						
								SASA590T-144	22.84						
								SASA595T-144	23.03						
								SASA600T-144	23.23						
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	SASA530T-132 (530 Wp)	SASA505T-132	21.27	132 (Half Cut Cells)	1500				
								SASA510T-132	21.48						
								SASA515T-132	21.69						
								SASA520T-132	21.90						
								SASA530T-132	22.32						
								SASA535T-132	22.53						
								SASA540T-132	22.74						
								SASA545T-132	22.95						
								SASA550T-132	23.16						
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	SASA455T-120 (455 Wp)	SASA455T-120	20.95	120 (Half Cut Cells)	1500				
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	SASA480T-120 (480 Wp)	SASA460T-120	21.18	120 (Half Cut Cells)	1500				
								SASA465T-120	21.41						
								SASA470T-120	21.64						
								SASA475T-120	21.87						
								SASA480T-120	22.10						
								SASA485T-120	22.33						
								SASA490T-120	22.56						
								SASA495T-120	22.79						
								SASA500T-120	23.02						

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
3	M/s. Reliance Industries Limited (New Addition in ALMM)	At Navagam Via Khodiyar Colony, I, Po Navagam/ Kana Chhikari, GSFC Reliance Complex, Jamnagar- 361006, Gujarat, India	R-72011452	1716	i	Bifacial Hetero-junction Monocrystalline Silicon (HJT) Module (Glass to Glass)	RNE705AA-66-BGG (705 Wp)	RNE690AA-66-BGG	22.16	132 (Half Cut Cells)	1500	05.06.2025	04.06.2029
								RNE695AA-66-BGG	22.32				
								RNE700AA-66-BGG	22.48				
								RNE705AA-66-BGG	22.64				
								RNE710AA-66-BGG	22.80				
								RNE715AA-66-BGG	22.96				
								RNE720AA-66-BGG	23.12				
					ii	Bifacial Hetero-junction Monocrystalline Silicon (HJT) Module (Glass to Glass)	RNE640AA-60-BGG (640 Wp)	RNE630AA-60-BGG	22.20	120 (Half Cut Cells)	1500		
								RNE635AA-60-BGG	22.37				
								RNE640AA-60-BGG	22.55				
								RNE645AA-60-BGG	22.72				
								RNE650AA-60-BGG	22.90				
					iii	Bifacial Hetero-junction Monocrystalline Silicon (HJT) Module (Glass to Glass)	RNE575AA-54-BGG (575 Wp)	RNE565AA-54-BGG	22.02	108 (Half Cut Cells)	1500		
								RNE570AA-54-BGG	22.22				
								RNE575AA-54-BGG	22.41				
								RNE580AA-54-BGG	22.61				
								RNE585AA-54-BGG	22.80				
					iv	Bifacial Hetero-junction Monocrystalline Silicon (HJT) Module (Glass to Glass)	RNE510AA-48-BGG (510 Wp)	RNE505AA-48-BGG	22.29	96 (Half Cut Cells)	1500		
								RNE510AA-48-BGG	22.51				
								RNE515AA-48-BGG	22.73				
								RNE520AA-48-BGG	22.95				
								RNE520AA-48-BGG	22.95				
					v	Hetero-junction Monocrystalline Silicon (HJT) Module	RNE555AA-54-WBS (555 Wp)	RNE540AA-54-WBS	21.05	108 (Half Cut Cells)	1500		
								RNE545AA-54-WBS	21.24				
								RNE550AA-54-WBS	21.44				
								RNE555AA-54-WBS	21.63				
								RNE560AA-54-WBS	21.83				
								RNE565AA-54-WBS	22.02				
								RNE570AA-54-WBS	22.22				
					vi	Hetero-junction Monocrystalline Silicon (HJT) Module	RNE455AA-44-WBK (455 Wp)	RNE440AA-44-WBK	20.85	88 (Half Cut Cells)	1000		
								RNE445AA-44-WBK	21.09				
								RNE450AA-44-WBK	21.33				
								RNE455AA-44-WBK	21.57				
								RNE460AA-44-WBK	21.80				
								RNE465AA-44-WBK	22.04				
								RNE470AA-44-WBK	22.28				
					vii	Hetero-junction Monocrystalline Silicon (HJT) Module	RNE415AA-40-WBK (415 Wp)	RNE430AA-40-WBK	22.32	80 (Half Cut Cells)	1000		
								RNE425AA-40-WBK	22.06				
								RNE420AA-40-WBK	21.80				
								RNE415AA-40-WBK	21.54				
								RNE410AA-40-WBK	21.28				
								RNE405AA-40-WBK	21.02				
								RNE400AA-40-WBK	20.76				
					viii	Bifacial Hetero-junction Monocrystalline Silicon (HJT) Module (Glass to Glass)	RNE665AA-66-BGG (665 Wp)	RNE650AA-66-BGG	20.88	132 (Half Cut Cells)	1500		
								RNE655AA-66-BGG	21.04				
								RNE660AA-66-BGG	21.20				
								RNE665AA-66-BGG	21.36				
								RNE670AA-66-BGG	21.52				
								RNE675AA-66-BGG	21.68				
								RNE680AA-66-BGG	21.84				
								RNE685AA-66-BGG	22.00				

Note: In case of model inclusion or capacity addition / change, through revision in ALMM List, the capacity mentioned against any manufacturing unit, as appearing in the said Revision to the ALMM List, shall be the ALMM enlisted manufacturing capacity for that manufacturing unit (from the date of the said revision), and the capacity enlisted for that manufacturing unit should not be interpreted as Sum of (enlisted capacity for that manufacturing unit in previous ALMM list/ previous revision to ALMM List) and (enlisted capacity in the present revision)

F. No. 283/41/2024-GRID SOLAR

भारत सरकार / Government of India

नवीन और नवीकरणीय ऊर्जा मंत्रालय / Ministry of New & Renewable Energy

ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi - 110003.Dated: 21st May 2025**OFFICE MEMORANDUM****Sub: Updation of List I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 – Reg.**

- Ref: (i) MNRE's O.M. No. 283/54/2018-GRID SOLAR-Part(1) dated 10.03.2021
(ii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 10.05.2023;
(iii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 22.03.2024;
(iv) MNRE's O.M. No. 32/33/2024-SPV Division dated 06.05.2025;

Reference is invited to this Ministry's O.M.s of even no. dated 10.03.2021, regarding implementation of Approved Models and Manufacturers of Solar Photovoltaic Modules (Requirement for Compulsory Registration) Order, 2019 and publishing List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019.

2. This Ministry vide its O.M.s referred at (ii), (iii) & (iv) above, inter-alia, directed that only such models of Solar PV Module Manufacturers will be enlisted under ALMM, which comply with the BIS Standards and are having the following minimum module efficiency:

Category	Application/Use	Minimum Module Efficiency required to be eligible for enlistment in ALMM for solar PV modules	
		For c-Si technology based solar PV modules	For CdTe thin film technology based solar PV modules
Category-I	Utility/Grid Scale Power Plants	20.00%	19.00%
Category-II	Rooftop and Solar Pumping	19.50%	18.50%
Category-III	Off-grid projects/applications like solar lamps, solar lights, solar street lights, solar fans, etc. (other than solar powered agricultural pumps and solar PV rooftops) requiring individual capacity of each solar PV module deployed, to be of less than 200 Watt peak	18.00%	18.00%
		(not to be included in main ALMM List-I but to be included in a separate ALMM list called ALMM List-I (DRE))	
Category-IV	Any other application	19.00%	18.00%

3. Post the aforesaid O.M. dated 10.05.2023 and subsequent O.M.s dated 22.03.2024 and 06.05.2025, only such models of Solar PV Modules have been considered for enlistment under ALMM List-I, whose module efficiency is meeting the eligibility criteria as mentioned in table at para-2 above.

4. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 was last updated on 21.04.2025.

5. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 is hereby further revised and the Revision-XXXVIII (in the format of additions / modifications to Revision-XXXVII) is enclosed at Annexure-I. The last revision no. XXXVII dated 21.04.2025 along with provisional enlistments therein (excluding those which have been removed on account of inclusion in main ALMM List-I) is at pages after Annexure-I.

6. The ALMM enlistment validity is subject to valid BIS Registration; else deemed to be delisted.

7. The details of Registration No. (R. No.) which has been allotted by BIS is mentioned against each manufacturer / manufacturing unit enlisted in ALMM and further details related to BIS certification like validity, models included, etc. may be checked from BIS website by using the following link:
https://www.crsbis.in/BIS/Lims_registration.do?hmode=getLimsData

8. This issues with the approval of competent authority.

(Sanjay G. Karndhar)
Scientist-E

E-mail: karndhar.sg@nic.in

Encl: as above

To: All Concerned

Copy to: Director (Technical), NIC, MNRE for uploading this document on MNRE's website

A. Correction of errors in revision of ALMM List-I dated 27.03.2025

There were some typographical errors in the ALMM list published on 27.03.2025 and the same are hereby corrected as follows:

1. **M/s. Australian Premium Solar (India) Pvt. Ltd - Typo error corrected in validity of Model numbers.**

In. Sl. No. 40=> Sl.Nos. (vii) to (xiv)=> ALMM enlistment validity may be read as from 01.09.2023 to 31.08.2027 (*subject to valid BIS Registration, else deemed to be delisted*)

2. **M/s. Mundra Solar PV Limited, co-ALMM with Goldi Sun Private Limited - Typo Error corrected in validity of Model numbers.**

In. Sl. No. 52=> for entries corresponding to R. No. 72012025, ALMM enlistment validity may be read as from 27.03.2025 to 16.01.2026 (*subject to valid BIS Registration, else deemed to be delisted*)

3. **M/s. PV Power Technologies Private Limited, co-ALMM with Rayzon Solar Private Limited - Typo Error corrected in validity of Model numbers.**

In. Sl. No. 70=> for entries corresponding to R. No. 72012084, ALMM enlistment validity may be read as from 27.03.2025 to 01.09.2026 (*subject to valid BIS Registration, else deemed to be delisted*)



B. New additions on 21.05.2025 in the List of Manufacturers and Models of Solar PV Modules Enlisted under ALMM Order													
S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
1	M/s. Agrawal Renewable Energy Pvt. Ltd (Renewal & Model Addition)	Plot No. 66/0, Dhoop Building, Volvoi Road, Culti, Ponda - 403401, South Goa, India	R-71013536	125	i	Mono c-Si PERC Modules	DHOOP PM72 385 (385Wp)	DHOOP PM72 370Wp	19.01	72 (Full Cells)	1500	21.05.2025	20.05.2029
								DHOOP PM72 375Wp	19.26				
								DHOOP PM72 380Wp	19.52				
								DHOOP PM72 385Wp	19.78				
								DHOOP PM72 390Wp	20.04				
								DHOOP PM72 395Wp	20.29				
					ii	Bifacial Mono c-Si PERC Module (Glass to Glass)	DHF-72HG-520 (520 Wp)	DHOOP PM72 400Wp	20.55	144 (Half Cut Cells)	1500		
								DHF-72HG-495	19.11				
								DHF-72HG-500	19.30				
								DHF-72HG-505	19.50				
								DHF-72HG-510	19.69				
								DHF-72HG-515	19.88				
								DHF-72HG-520	20.08				
								DHF-72HG-525	20.27				
								DHF-72HG-530	20.46				
								DHF-72HG-535	20.66				
					iii	Bifacial Mono c-Si PERC Module (Glass to Glass)	DHF-72HG-545 (545 Wp)	DHF-72HG-540	20.85	144 (Half Cut Cells)	1500		
								DHF-72HG-545	21.04				
								DHF-72HG-550	21.24				
					iv	Bifacial Mono c-Si PERC Module (Glass to Glass)	DHF-66HG-470 (470 Wp)	DHF-66HG-455	19.12	132 (Half Cut Cells)	1500		
								DHF-66HG-460	19.33				
								DHF-66HG-465	19.54				
								DHF-66HG-470	19.75				
								DHF-66HG-475	19.96				
								DHF-66HG-480	20.17				
					v	Bifacial Mono c-Si PERC Module (Glass to Glass)	DHF-66HG-495 (495 Wp)	DHF-66HG-485	20.38	132 (Half Cut Cells)	1500		
								DHF-66HG-490	20.59				
								DHF-66HG-495	20.80				
								DHF-66HG-500	21.01				
					vi	Bifacial Mono c-Si PERC Module (Glass to Glass)	DHF-54HG-380 (380 Wp)	DHF-66HG-505	21.22	108 (Half Cut Cells)	1500		
								DHF-54HG-375	19.13				
								DHF-54HG-380	19.38				
								DHF-54HG-385	19.64				
								DHF-54HG-390	19.89				
					vii	Bifacial Mono c-Si PERC Module (Glass to Glass)	DHF-54HG-405 (405 Wp)	DHF-54HG-395	20.15	108 (Half Cut Cells)	1500		
								DHF-54HG-400	20.40				
					viii	Bifacial Mono c-Si PERC Module (Glass to Glass)	DHF-60HG-575 (575 Wp)	DHF-54HG-405	20.66	120 (Half Cut Cells)	1500		
								DHF-54HG-410	20.91				
								DHF-60HG-600	20.75				
								DHF-60HG-595	20.58				
								DHF-60HG-590	20.40				
								DHF-60HG-585	20.23				
								DHF-60HG-580	20.06				
								DHF-60HG-575	19.88				
								DHF-60HG-570	19.71				
								DHF-60HG-565	19.54				
								DHF-60HG-560	19.37				
					ix	Bifacial Mono c-Si PERC Module (Glass to Glass)	DHF-54HG-515 (515 Wp)	DHF-60HG-555	19.19	108 (Half Cut Cells)	1500		
								DHF-60HG-550	19.20				
								DHF-54HG-540	20.78				
								DHF-54HG-535	20.58				
								DHF-54HG-530	20.39				
								DHF-54HG-525	20.20				
								DHF-54HG-520	20.01				
								DHF-54HG-515	19.81				
								DHF-54HG-510	19.62				
								DHF-54HG-505	19.43				
								DHF-54HG-500	19.24				
								DHF-54HG-495	19.05				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
					x	Bifacial Mono c-Si PERC Module (Glass to Glass)	DHF-48HG-460 (460 Wp)	DHF-48HG-475	20.48	96 (Half Cut Cells)	1500		
								DHF-48HG-470	20.26				
								DHF-48HG-465	20.05				
								DHF-48HG-460	19.83				
								DHF-48HG-455	19.62				
								DHF-48HG-450	19.40				
					xi	Mono c-Si PERC Module	DHF-72H-525 (525 Wp)	DHF-48HG-445	19.18	144 (Half Cut Cells)	1500		
								DHF-72H-550	21.24				
								DHF-72H-545	21.04				
								DHF-72H-540	20.85				
								DHF-72H-535	20.66				
								DHF-72H-530	20.46				
								DHF-72H-525	20.27				
								DHF-72H-520	20.08				
								DHF-72H-515	19.88				
								DHF-72H-510	19.69				
					xii	Mono c-Si PERC Module	DHF-72H-500 (500 Wp)	DHF-72H-505	19.50	144 (Half Cut Cells)	1500		
								DHF-72H-500	19.30				
					xiii	Mono c-Si PERC Module	DHF-66H-490 (490 Wp)	DHF-72H-495	19.11	132 (Half Cut Cells)	1500		
								DHF-66H-505	21.22				
								DHF-66H-500	21.01				
								DHF-66H-495	20.80				
								DHF-66H-490	20.59				
								DHF-66H-485	20.38				
								DHF-66H-480	20.17				
								DHF-66H-475	19.96				
					xiv	Mono c-Si PERC Module	DHF-66H-460 (460 Wp)	DHF-66H-470	19.75	132 (Half Cut Cells)	1500		
								DHF-66H-465	19.54				
					xv	Mono c-Si PERC Module	DHF-54H-400 (400 Wp)	DHF-66H-460	19.33	108 (Half Cut Cells)	1500		
								DHF-66H-455	19.12				
								DHF-54H-410	20.91				
								DHF-54H-405	20.66				
								DHF-54H-400	20.40				
					xvi	Mono c-Si PERC Module	DHF-54H-380 (380 Wp)	DHF-54H-395	20.15	108 (Half Cut Cells)	1500		
								DHF-54H-390	19.89				
								DHF-54H-385	19.64				
								DHF-54H-380	19.38				
								DHF-54H-375	19.13				
					xvii	Mono c-Si PERC Module	DHF-60H-575 (575 Wp)	DHF-60H-600	20.76	120 (Half Cut Cells)	1500		
								DHF-60H-595	20.58				
								DHF-60H-590	20.40				
								DHF-60H-585	20.23				
								DHF-60H-580	20.06				
								DHF-60H-575	19.88				
								DHF-60H-570	19.71				
								DHF-60H-565	19.54				
								DHF-60H-560	19.37				
								DHF-60H-555	19.19				
					xviii	Mono c-Si PERC Module	DHF-54H-515 (515 Wp)	DHF-60H-550	19.02	108 (Half Cut Cells)	1500		
								DHF-54H-540	20.78				
								DHF-54H-535	20.58				
								DHF-54H-530	20.39				
								DHF-54H-525	20.20				
								DHF-54H-520	20.01				
								DHF-54H-515	19.81				
								DHF-54H-510	19.62				
								DHF-54H-505	19.43				
								DHF-54H-500	19.24				
					xix	Mono c-Si PERC Module	DHF-48H-460	DHF-54H-495	19.05	96 (Half Cut Cells)	1500		
								DHF-48H-480	20.69				
								DHF-48H-475	20.48				
								DHF-48H-470	20.26				
								DHF-48H-465	20.05				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
					vii	Mono PERC C-Si Module	SUN120P445 (445 Wp)	SUN120P450	20.79	120 (Half Cut Cell)	1500		
								SUN120P445	20.55				
								SUN120P440	20.30				
								SUN120P435	20.07				
					viii	Mono PERC C-Si Module	SUN108P410 (410 Wp)	SUN108P420	21.43	108 (Half Cut Cell)	1500		
								SUN108P415	21.16				
								SUN108P410	20.90				
								SUN108P405	20.65				
								SUN108P400	20.39				
5	M/s. Insolation Green Energy Pvt. Ltd (Model Addition & Capacity Addition)	Khasra No 11/1, 1136/9, Chomu, Jatavali, Jaipur-302001, Rajasthan, India	R-84003549	637	i	N-Type TOPCon Module	INA-144THC-WF-560 (560 Wp)	INA-144THC-WF-580	22.45	144 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								INA-144THC-WF-575	22.26				
								INA-144THC-WF-570	22.07				
								INA-144THC-WF-565	21.87				
								INA-144THC-WF-560	21.68				
								INA-144THC-WF-555	21.48				
								INA-144THC-WF-550	21.29				
								INA-144THC-WF-545	21.10				
					ii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	INA-144THC-TF-560 (560 Wp)	INA-144THC-TF-580	22.45	144 (Half Cut Cells)	1500		
								INA-144THC-TF-575	22.26				
								INA-144THC-TF-570	22.07				
								INA-144THC-TF-565	21.87				
								INA-144THC-TF-560	21.68				
								INA-144THC-TF-555	21.48				
								INA-144THC-TF-550	21.29				
								INA-144THC-TF-545	21.10				
					iii	N-Type TOPCon Module	INA-132THC-WF-520 (520 Wp)	INA-132THC-WF-545	22.94	132 (Half Cut Cells)	1500		
								INA-132THC-WF-540	22.73				
								INA-132THC-WF-535	22.52				
								INA-132THC-WF-530	22.31				
								INA-132THC-WF-525	22.10				
								INA-132THC-WF-520	21.89				
								INA-132THC-WF-515	21.68				
								INA-132THC-WF-510	21.47				
								INA-132THC-WF-505	21.26				
								INA-132THC-WF-500	21.05				
					iv	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	INA-132THC-TF-520 (520 Wp)	INA-132THC-TF-545	22.94	132 (Half Cut Cells)	1500		
								INA-132THC-TF-540	22.73				
								INA-132THC-TF-535	22.52				
								INA-132THC-TF-530	22.31				
								INA-132THC-TF-525	22.10				
								INA-132THC-TF-520	21.89				
								INA-132THC-TF-515	21.68				
								INA-132THC-TF-510	21.47				
								INA-132THC-TF-505	21.26				
								INA-132THC-TF-500	21.05				
					v	N-Type TOPCon Module	INA-120THC-WF-475 (475 Wp)	INA-120THC-WF-495	22.79	120 (Half Cut Cells)	1500		
								INA-120THC-WF-490	22.56				
								INA-120THC-WF-485	22.33				
								INA-120THC-WF-480	22.10				
								INA-120THC-WF-475	21.87				
								INA-120THC-WF-470	21.64				
								INA-120THC-WF-465	21.41				
								INA-120THC-WF-460	21.18				
								INA-120THC-WF-455	20.95				
					vi	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	INA-120THC-TF-475 (475 Wp)	INA-120THC-TF-495	22.79	120 (Half Cut Cells)	1500		
								INA-120THC-TF-490	22.56				
								INA-120THC-TF-485	22.33				
								INA-120THC-TF-480	22.10				
								INA-120THC-TF-475	21.87				
								INA-120THC-TF-470	21.64				
								INA-120THC-TF-465	21.41				
								INA-120THC-TF-460	21.18				
								INA-120THC-TF-455	20.95				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
					v	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	NSM-BF144-M10-545 (545 Wp)	NSM-BF144-M10-535	20.71	144 (Half Cut Cells)	1500		
								NSM-BF144-M10-540	20.90				
								NSM-BF144-M10-545	21.10				
								NSM-BF144-M10-550	21.29				
								NSM-BF144-M10-555	21.48				
								NSM-BF144-M10-560	21.68				
					vi	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	NSM-BF156-M10-575 (575 Wp)	NSM-BF156-M10-560	20.03	156 (Half Cut Cells)	1500		
								NSM-BF156-M10-565	20.21				
								NSM-BF156-M10-570	20.39				
								NSM-BF156-M10-575	20.57				
								NSM-BF156-M10-580	20.75				
								NSM-BF156-M10-585	20.93				
8	M/s. Pahal Solar Private Limited (Model Addition)	Ground Floor, Block No. 71, 72 Plot No. 167 to 171, 180 to 189, 19, E-172, 173,178, 179. Opp. Shiv Shakti Estate, Olpad, Surat-394540, Gujarat, India	R-72001848	282	i	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	PSN_600 (600 Wp)	PSN_585	22.65	144 (Half cut cells)	1500	10.11.2023	09.11.2027
								PSN_590	22.84				
								PSN_595	23.03				
								PSN_600	23.23				
								PSN_605	23.42				
								PSN_610	23.61				
9	M/s. ReNew Photovoltaics Private Limited (Model Addition)	Plot No. 232, TP-2/A, Dholera Special Investment Region, Dholera, Ahmedabad - 382455, Gujarat, India	R-72009903	1766	i	Bifacial Mono c-Si PERC Module (Glass to Glass)	RSP2MH72BD515 (515 Wp)	RSP2MH72BD505	19.55	144 (Half cut cells)	1500	10.04.2024	09.04.2028
								RSP2MH72BD510	19.74				
								RSP2MH72BD515	19.94				
								RSP2MH72BD520	20.13				
								RSP2MH72BD525	20.32				
10	M/s. SAN Energy and Solution (Model Addition)	Plot No. 356, San Energy Solution, Near Girdharia Mod, Sheosagar, NH2, Sasaram, Rohtas- 821111, Bihar, India	R-53000221	27	i	Mono c-Si PERC Module	SG420WP (420 Wp)	SG410WP	20.65	72 (Full Cells)	1500	23.01.2025	22.01.2029
								SG420WP	21.16				
11	M/s. Surya International Enterprise Private Limited (Model Addition)	Plot No. S4-E1-21, EMC Park, Infovally II, Harekrushnapur, Jatani, Bhubaneswar-751019, Orissa, India	R-52000175	77	i	Mono c-Si PERC Module	SI500M10-132 (500 Wp)	SI500M10-132	21.05	132 (Half Cut Cells)	1500	16.11.2023	15.11.2027
					ii	Mono c-Si PERC Module	SI120M10-32 (120 Wp)	SI120M10-32	19.66	32 (Half Cut Cells)	1500		
12	M/s. Indosol Solar Private Limited (New Addition in ALMM)	Sy. Nos. 584/9,584/10,584/11, Chevuru Village, Gudluru Mandal, Nellore District - 500016, Andhra Pradesh , India	R-66003000	472	i	Bifacial Mono c-Si PERC Module (Glass to Glass)	ISBD1M10BN0380 (380 Wp)	ISBD1M10BN0375	19.20	108 (Half Cut Cells)	1500	21.05.2025	20.05.2029
								ISBD1M10BN0380	19.46				
								ISBD1M10BN0385	19.72				
								ISBD1M10BN0390	19.97				
								ISBD1M10BN0395	20.23				
					ii	Bifacial Mono c-Si PERC Module (Glass to Glass)	ISBD1M10BN1420 (420 Wp)	ISBD1M10BN1415	19.18	120 (Half Cut Cells)	1500		
								ISBD1M10BN1420	19.41				
								ISBD1M10BN1425	19.64				
								ISBD1M10BN1430	19.87				
								ISBD1M10BN1435	20.10				
					iii	Bifacial Mono c-Si PERC Module (Glass to Glass)	ISBD1M10BN1445 (445 Wp)	ISBD1M10BN1440	20.34	120 (Half Cut Cells)	1500		
								ISBD1M10BN1445	20.57				
								ISBD1M10BN1450	20.80				
								ISBD1M10BN1455	21.03				
								ISBD1M10BN2455	19.18				
					iv	Bifacial Mono c-Si PERC Module (Glass to Glass)	ISBD1M10BN2460 (460 Wp)	ISBD1M10BN2460	19.39	132 (Half Cut Cells)	1500		
								ISBD1M10BN2465	19.60				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)			
												From	To		
						(Glass to Glass)		ISBD1M10BN2470	19.81	132 (Half Cut Cells)	1500				
					v	Bifacial Mono c-Si PERC Module (Glass to Glass)	ISBD1M10BN2490 (490 Wp)	ISBD1M10BN2475	20.02						
								ISBD1M10BN2480	20.23						
								ISBD1M10BN2485	20.44						
								ISBD1M10BN2490	20.65						
								ISBD1M10BN2495	20.87						
								ISBD1M10BN2500	21.08						
					vi	Bifacial Mono c-Si PERC Module (Glass to Glass)	ISBD1M10BN4510 (510 Wp)	ISBD1M10BN4495	19.16						
								ISBD1M10BN4500	19.36						
								ISBD1M10BN4505	19.55						
								ISBD1M10BN4510	19.74						
								ISBD1M10BN4515	19.94						
								ISBD1M10BN4520	20.13						
					vii	Bifacial Mono c-Si PERC Module (Glass to Glass)	ISBD1M10BN4540 (540 Wp)	ISBD1M10BN4525	20.32						
								ISBD1M10BN4530	20.52						
								ISBD1M10BN4535	20.71						
								ISBD1M10BN4540	20.90						
								ISBD1M10BN4545	21.10						
								ISBD1M10BN4550	21.29						
					13	M/s. Solex Energy Limited (Model Addition + Capacity Addition)	Plot No 1A, Block 938, Tadkeshwar, Kim Mandvi Road, Mandvi, Surat - 394110, Gujarat	R-72008125	1348	i	Bifacial N- type Topcon Module (Glass to Glass)			STGP132R210B16-600 (600 Wp)	STGP132R210B16-625
STGP132R210B16-620	22.95														
STGP132R210B16-615	22.77														
STGP132R210B16-610	22.58														
STGP132R210B16-605	22.40														
STGP132R210B16-600	22.21														
STGP132R210B16-595	22.03														
STGP132R210B16-590	21.84														
STGP132R210B16-585	21.66														
STGP132R210B16-580	21.47														
STGP132R210B16-575	21.29														
STGP132R210B16-570	21.10														
ii	Bifacial N- type Topcon Module (Glass to Glass)	STGP120R210B16-540 (540 Wp)	STGP120R210B16-565	22.94						120 (Half Cut Cells)	1500				
			STGP120R210B16-560	22.74											
			STGP120R210B16-555	22.53											
			STGP120R210B16-550	22.33											
			STGP120R210B16-545	22.13											
			STGP120R210B16-540	21.92											
			STGP120R210B16-535	21.72											
			STGP120R210B16-530	21.52											
			STGP120R210B16-525	21.32											
			STGP120R210B16-520	21.11											
			STGP120R210B16-515	20.91											
iii	Bifacial N- type Topcon Module (Glass to Glass)	STGP108R210B16-490 (490 Wp)	STGP108R210B16-510	22.92						108 (Half Cut Cells)	1500				
			STGP108R210B16-505	22.70											
			STGP108R210B16-500	22.47											
			STGP108R210B16-495	22.25											
			STGP108R210B16-490	22.02											
			STGP108R210B16-485	21.80											
			STGP108R210B16-480	21.57											
			STGP108R210B16-475	21.35											
iv	Bifacial N- type Topcon Module (Glass to Glass)	STGP96R210B16-430 (430 Wp)	STGP108R210B16-470	21.12						96 (Half Cut Cells)	1500				
			STGP96R210B16-450	22.65											
			STGP96R210B16-445	22.40											
			STGP96R210B16-440	22.15											
			STGP96R210B16-435	21.89											
			STGP96R210B16-430	21.64											
			STGP96R210B16-425	21.39											
			STGP96R210B16-420	21.14											
			STGP96R210B16-415	20.89											
			STGP96R210B16-410	20.64											
	Bifacial N- type Topcon	STGP84R210B16-380	STGP84R210B16-395	22.59											
			STGP84R210B16-390	22.30											
			STGP84R210B16-385	22.02											

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)			
												From	To		
					v	Module (Glass to Glass)	STGP84R210B16-380 (380 Wp)	STGP84R210B16-380	21.73	84 (Half Cut Cells)	1500				
					STGP84R210B16-375	21.45									
					STGP84R210B16-370	21.16									
					STGP84R210B16-365	20.87									
					vi	Bifacial N- type Topcon Module (Glass to Glass)	STGP72R210B16-325 (325 Wp)	STGP72R210B16-340	22.51	72 (Half Cut Cells)	1500				
								STGP72R210B16-335	22.18						
								STGP72R210B16-330	21.85						
								STGP72R210B16-325	21.52						
								STGP72R210B16-320	21.19						
								STGP72R210B16-315	20.85						
					vii	Bifacial N- type Topcon Module (Glass to Glass)	LR8-SMF-66HGD-610M (610 Wp)	STGP72R210B16-310	20.52	132 (Half Cut Cells)	1500				
								LR8-SMF-66HGD-625M	23.14						
								LR8-SMF-66HGD-620M	22.95						
								LR8-SMF-66HGD-615M	22.77						
								LR8-SMF-66HGD-610M	22.58						
								LR8-SMF-66HGD-605M	22.40						
					viii	Bifacial N- type Topcon Module (Glass to Glass)	STGP144M10B16-585 (585 Wp)	LR8-SMF-66HGD-600M	22.21	144 (Half Cut Cells)	1500				
								LR8-SMF-66HGD-595M	22.03						
								STGP144M10B16-610	23.61						
								STGP144M10B16-605	23.42						
								STGP144M10B16-600	23.23						
								STGP144M10B16-595	23.03						
								STGP144M10B16-590	22.84						
								STGP144M10B16-585	22.65						
								STGP144M10B16-580	22.45						
								STGP144M10B16-575	22.26						
					ix	Bifacial N- type Topcon Module (Glass to Glass)	STGP132M10B16-515 (515 Wp)	STGP144M10B16-570	22.07	132 (Half Cut Cells)	1500				
								STGP144M10B16-565	21.87						
								STGP144M10B16-560	21.68						
								STGP132M10B16-535	22.54						
								STGP132M10B16-530	22.33						
								STGP132M10B16-525	22.12						
								STGP132M10B16-520	21.91						
								STGP132M10B16-515	21.70						
					x	Bifacial N- type Topcon Module (Glass to Glass)	STGP120M10B16-465 (465 Wp)	STGP132M10B16-510	21.49	120 (Half Cut Cells)	1500				
								STGP132M10B16-505	21.28						
								STGP132M10B16-500	21.07						
								STGP132M10B16-495	20.86						
								STGP132M10B16-490	20.64						
								STGP120M10B16-485	22.36						
								STGP120M10B16-480	22.13						
								STGP120M10B16-475	21.90						
					xi	Bifacial N- type Topcon Module (Glass to Glass)	STGP108M10B16-415 (415 Wp)	STGP120M10B16-470	21.67	108 (Half Cut Cells)	1500				
								STGP120M10B16-465	21.44						
								STGP120M10B16-460	21.20						
								STGP120M10B16-455	20.97						
								STGP120M10B16-450	20.74						
								STGP120M10B16-445	20.51						
								STGP108M10B16-435	22.17						
								STGP108M10B16-430	21.92						
					xii	Bifacial N- type Topcon Module (Glass to Glass)	STGP96M10B16-375 (375 Wp)	STGP108M10B16-425	21.66	96 (Half Cut Cells)	1500				
								STGP108M10B16-420	21.41						
								STGP108M10B16-415	21.15						
								STGP108M10B16-410	20.90						
								STGP108M10B16-405	20.64						
								STGP108M10B16-400	20.39						
								STGP108M10B16-395	20.13						
								STGP96M10B16-390	22.33						
								STGP96M10B16-385	22.05						
								STGP96M10B16-380	21.76						
								STGP96M10B16-375	21.47						
								STGP96M10B16-370	21.19						
								STGP96M10B16-365	20.90						

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
					xiii	Bifacial N- type Topcon Module (Glass to Glass)	STGP84M10B16-325 (325 Wp)	STGP96M10B16-360 STGP84M10B16-340 STGP84M10B16-335 STGP84M10B16-330 STGP84M10B16-325 STGP84M10B16-320 STGP84M10B16-315 STGP84M10B16-310	20.61 22.13 21.80 21.48 21.15 20.83 20.50 20.17	84 (Half Cut Cells)	1500		
					xiv	Bifacial N- type Topcon Module (Glass to Glass)	STGP72M10B16-280 (280 Wp)	STGP72M10B16-290 STGP72M10B16-285 STGP72M10B16-280 STGP72M10B16-275 STGP72M10B16-270	21.86 21.48 21.10 20.73 20.35	72 (Half Cut Cells)	1500		
14	M/s. Mundra Solar PV Limited (Model Addition under Co-ALMM)	Co-ALMM with M/s Goldi Sun Private Limited Manufacturing Address: City Survey No. 920, Vijalpore Road, TA, Distt. Navsari, Gujarat – 396445, India	R-72012025	187 MW (As per CoBranding Agreement)	i	Bifacial N Type TOPCon	ASB-M10-144-535 (535 Wp)	ASB-M10-144-520 ASB-M10-144-525 ASB-M10-144-530 ASB-M10-144-535 ASB-M10-144-540 ASB-M10-144-545 ASB-M10-144-550	20.12 20.31 20.51 20.70 20.89 21.09 21.28	144 (Half Cut cells)	1500	27.03.2025	16.01.2026
					ii	Bifacial N Type TOPCon	ASB-M10-144-580 (580 Wp)	ASB-M10-144-580	22.45	144 (Half Cut cells)	1500		
15	M/s. Pravanya Solar India Private Limited (New Addition in ALMM)	C-2, Industrial Area, Madhya Marg, Bahadarabad, SIDCUL, Haridwar - 249403, Uttarakhand	R-83011754	79	i	Mono c-Si PERC Modules	PSI550W/24V	PSI550W/24V PSI545W/24V	21.32 21.13	144 (Half Cut Cells)	1500	21.05.2025	20.05.2029
					ii	Mono c-Si PERC Modules	PSI500W/24V	PSI500W/24V	20.91	132 (Half Cut Cells)	1500		
					iii	Mono c-Si PERC Modules	PSI200W/12V	PSI200W/12V	20.18	39 (Half Cut Cells)	1000		
					iv	Mono c-Si PERC Modules	PSI165W/12V	PSI165W/12V	19.88	36 (Half Cut Cells)	1000		
					v	Mono c-Si PERC Modules	PSI120W/12V	PSI120W/12V	19.73	36 (Half Cut Cells)	1000		
					vi	Mono c-Si PERC Modules	PSI110W/12V	PSI110W/12V	20.54	36 (Half Cut Cells)	1000		
16	M/s.Renewsys India Pvt. Ltd (Capacity Addition)	Sy .No. 114/P, Srinagar (V) , Fabcity, Maheswaram (M), Ranga Reddy District - 501359,Telangana,India	R-63000760	1773	i	Bifacial N type TOPCon Modules (Glass to Glass)	DESERV EXTREME-450 (450 Wp)	DESERV EXTREME-450 DESERV EXTREME-445 DESERV EXTREME-440 DESERV EXTREME-435 DESERV EXTREME-430 DESERV EXTREME-425 DESERV EXTREME-420 DESERV EXTREME-415	22.97 22.72 22.46 22.21 21.95 21.70 21.44 21.18	108 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					ii	Bifacial N type TOPCon Modules (Glass to Glass)	DESERV EXTREME-500 (500 Wp)	DESERV EXTREME-500 DESERV EXTREME-495 DESERV EXTREME-490 DESERV EXTREME-485 DESERV EXTREME-480 DESERV EXTREME-475 DESERV EXTREME-470 DESERV EXTREME-465	23.06 22.83 22.60 22.37 22.13 21.90 21.67 21.44	120 (Half Cut Cells)	1500		
					iii	Bifacial N type TOPCon Modules (Glass to Glass)	DESERV EXTREME-600 (600 Wp)	DESERV EXTREME-600 DESERV EXTREME-595 DESERV EXTREME-590 DESERV EXTREME-585 DESERV EXTREME-580 DESERV EXTREME-575 DESERV EXTREME-570 DESERV EXTREME-565	23.26 23.06 22.87 22.68 22.48 22.29 22.09 21.90	144 (Half Cut Cells)	1500		
								DESERV EXTREME-650 DESERV EXTREME-645	23.30 23.12				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
					iv	Bifacial N type TOPCon Modules (Glass to Glass)	DESERV EXTREME-645 (645 Wp)	DESERV EXTREME-640	22.94	156 (Half Cut Cells)	1500		
								DESERV EXTREME-635	22.76				
								DESERV EXTREME-630	22.59				
								DESERV EXTREME-625	22.41				
								DESERV EXTREME-620	22.23				
					v	N type TOPCon Modules	DESERV SGALACTIC-635 (635 Wp)	DESERV EXTREME-615	22.05	156 (Half Cut Cells)	1500		
								DESERV SGALACTIC-635	22.76				
								DESERV SGALACTIC-630	22.59				
								DESERV SGALACTIC-625	22.41				
								DESERV SGALACTIC-620	22.23				
					vi	N type TOPCon Modules	DESERV SGALACTIC-590 (590 Wp)	DESERV SGALACTIC-615	22.05	144 (Half Cut Cells)	1500		
								DESERV SGALACTIC-590	22.87				
								DESERV SGALACTIC-585	22.68				
								DESERV SGALACTIC-580	22.48				
								DESERV SGALACTIC-575	22.29				
					vii	N type TOPCon Modules	DESERV SGALACTIC-490 (490 Wp)	DESERV SGALACTIC-570	22.09	120 (Half Cut Cells)	1500		
								DESERV SGALACTIC-565	21.90				
								DESERV SGALACTIC-490	22.60				
								DESERV SGALACTIC-485	22.37				
								DESERV SGALACTIC-480	22.13				
					viii	N type TOPCon Modules	DESERV SGALACTIC-440 (440 Wp)	DESERV SGALACTIC-475	21.90	108 (Half Cut Cells)	1500		
								DESERV SGALACTIC-470	21.67				
								DESERV SGALACTIC-465	21.44				
								DESERV SGALACTIC-440	22.46				
								DESERV SGALACTIC-435	22.21				
17	M/s. Premier Energies Global Environment (P) Limited (New Addition in ALMM)	Plot No S-95,S-96,S-100,S-101,S-102,S-103 and S-104/Part 1, E-City , Raviryala, Maheswaram, Rangareddy - 501359, Telangana, India	R-63004740	1085	i	Bifacial Mono c-Si PERC Module (Glass to Glass)	PEI-144-550HGB-M10 (550 Wp)	DESERV SGALACTIC-430	21.95	144 (Half Cut Cells)	1500	21.05.2025	20.05.2029
								DESERV SGALACTIC-425	21.70				
								DESERV SGALACTIC-420	21.44				
								DESERV SGALACTIC-415	21.18				
								PEI-144-535HGB-M10	20.70				
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	PEI-132-615THGB-G12R (615 Wp)	PEI-144-540HGB-M10	20.89	132 (Half Cut Cells) Cell size: 182*210mm 16 BB	1500		
								PEI-144-545HGB-M10	21.09				
								PEI-144-550HGB-M10	21.28				
								PEI-144-555HGB-M10	21.48				
								PEI-144-560HGB-M10	21.67				
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	PEI-132-695THGB-G12 (695 Wp)	PEI-132-600THGB-G12R	19.32	132 (Half Cut Cells) Cell size: 210*210mm 18 BB	1500		
								PEI-132-605THGB-G12R	19.48				
								PEI-132-610THGB-G12R	19.64				
								PEI-132-615THGB-G12R	19.80				
								PEI-132-620THGB-G12R	19.96				
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	PEI-144-570THGB-M10 (570 Wp)	PEI-132-625THGB-G12R	20.12	144 (Half Cut Cells)	1500		
								PEI-132-630THGB-G12R	20.28				
								PEI-132-680THGB-G12	21.89				
								PEI-132-685THGB-G12	22.05				
								PEI-132-690THGB-G12	22.21				
18	M/s. ADM Solar Power &	Plot No: 22/1, The Printer House Private Limited,	R-93011576	514		Bifacial Mono c-Si PERC Module	ADM545	PEI-132-695THGB-G12	22.37			24.05.2024	23.05.2028
								PEI-132-700THGB-G12	22.53				
								PEI-132-705THGB-G12	22.70				
								PEI-132-710THGB-G12	22.86				
								PEI-144-545THGB-M10	21.09				
								PEI-144-550THGB-M10	21.28				
								PEI-144-555THGB-M10	21.48				
								PEI-144-560THGB-M10	21.67				
								PEI-144-565THGB-M10	21.86				
								PEI-144-570THGB-M10	22.06				
								PEI-144-575THGB-M10	22.25				
								PEI-144-580THGB-M10	22.44				
								PEI-144-585THGB-M10	22.64				
								PEI-144-590THGB-M10	22.83				
								ADM540	20.93				
								ADM545	21.13				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
	Infrastructure Pvt Ltd. (Model Addition + Capacity Addition)	Mathura Road, Ballabgarh, Sikri Industrial Area, Faridabad, Haryana - 121004, India			i	Module (Glass to Transperent Backsheet)	ADM545 (545Wp)	ADM550	21.32	144 (Half Cut Cells)	1500		
					ii	Mono c-Si PERC Module	ADM120 (120 Wp)	ADM120	19.73	32 (Half Cut Cells)	1000		
					iii	Mono c-Si PERC Module	ADMS90 (90 Wp)	ADMS90	19.29	36 (Half Cut Cells)	600		
19	M/s. Green Brilliance Renewable Energy LLP (New Addition in ALMM List)	Plot No 1408 G.I.D.C. Industrial Estate, Waghodia, Vadodara - 391760, Gujarat, India	R-72002119	32	i	N-Type TOPCon Module	GB120HC505 (505 Wp)	GB120HC490	22.67	120 (Half Cut Cells)	1500	21.05.2025	20.05.2029
								GB120HC495	22.90				
								GB120HC500	23.13				
								GB120HC505	23.36				
								GB120HC510	23.60				
								GB120HC515	23.83				
					ii	N-Type TOPCon Module	GB132HC545 (545 Wp)	GB120HC520	24.06	132 (Half Cut Cells)	1500		
								GB132HC530	22.30				
								GB132HC535	22.51				
								GB132HC540	22.72				
								GB132HC545	22.93				
								GB132HC550	23.14				
					iii	N-Type TOPCon Module	GB144HC585 (585 Wp)	GB132HC555	23.35	144 (Half Cut Cells)	1500		
								GB132HC560	23.56				
								GB144HC570	22.07				
								GB144HC575	22.26				
								GB144HC580	22.45				
								GB144HC585	22.65				
					iv	N-Type TOPCon Module	GB156HC635 (635 Wp)	GB144HC590	22.84	156 (Half Cut Cells)	1500		
								GB144HC595	23.03				
								GB144HC600	23.23				
								GB156HC620	22.19				
								GB156HC625	22.37				
								GB156HC630	22.55				
20	M/s. Goldi Sun Private Limited (Capacity Addition)	Unit no 6 (Type F) , Block No. 341, Prime Industrial and Logistic Hub, NR. P.P Savani University, NH-48,Gram Panchayat, Dhamdod - 394125, Surat, Gujarat, India	R-72012467	4588	i	Bifacial N-Type TOPCon Module (Glass to Glass)	GS10-T144-GF-575 (575 Wp)	GB156HC635	22.73	144 (Half Cut Cell)	1500	27.03.2025	26.03.2029
								GB156HC640	22.90				
								GB156HC645	23.08				
								GB156HC650	23.26				
								GS10-T144-GF-595	23.03				
								GS10-T144-GF-590	22.84				
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	GS10-T132-GF-535 (535 Wp)	GS10-T144-GF-585	22.65	132 (Half Cut Cell)	1500		
								GS10-T144-GF-580	22.45				
								GS10-T144-GF-575	22.26				
								GS10-T144-GF-570	22.07				
								GS10-T144-GF-565	21.87				
								GS10-T144-GF-560	21.68				
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	GS10-T120-GF-480 (480 Wp)	GS10-T144-GF-555	21.48	120 (Half Cut Cell)	1500		
								GS10-T144-GF-550	23.15				
								GS10-T132-GF-545	22.94				
								GS10-T132-GF-540	22.73				
								GS10-T132-GF-535	22.52				
								GS10-T132-GF-530	22.31				
								GS10-T132-GF-525	22.10				
								GS10-T132-GF-520	21.89				
								GS10-T132-GF-515	21.68				
								GS10-T120-GF-500	23.08				
								GS10-T120-GF-495	22.85				
								GS10-T120-GF-490	22.62				
			GS10-T120-GF-485	22.39									
			GS10-T120-GF-480	22.16									
			GS10-T120-GF-475	21.93									
			GS10-T120-GF-470	21.70									
			GS10-T120-GF-465	21.47									
			GS10-T108-GF-450	22.94									

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	GS10-T108-GF-450 (450 Wp)	GS10-T108-GF-445 GS10-T108-GF-440 GS10-T108-GF-435 GS10-T108-GF-430 GS10-T108-GF-425 GS10-T108-GF-420 GS10-T108-GF-415	22.68 22.43 22.17 21.92 21.66 21.41 21.15	108 (Half Cut Cell)	1500		
21	M/s. Gautam Solar Pvt. Ltd. (Model Addition + Capacity Addition)	7 KM Milestone, Tosham Road, Dist - Bhiwani, Bhiwani Khara - 127032, Haryana, India	R-91017574	852	i	N-Type TOPCon Module	G2X1785N-UHAD (595Wp) (567Wp - 600Wp)	G2X1800N-UHAD G2X1797N-UHAD G2X1794N-UHAD G2X1791N-UHAD G2X1788N-UHAD G2X1785N-UHAD G2X1782N-UHAD G2X1779N-UHAD G2X1776N-UHAD G2X1773N-UHAD G2X1770N-UHAD G2X1767N-UHAD G2X1764N-UHAD G2X1761N-UHAD G2X1758N-UHAD G2X1755N-UHAD G2X1752N-UHAD G2X1749N-UHAD G2X1746N-UHAD G2X1743N-UHAD G2X1740N-UHAD G2X1737N-UHAD G2X1734N-UHAD G2X1731N-UHAD G2X1728N-UHAD G2X1725N-UHAD G2X1722N-UHAD G2X1719N-UHAD G2X1716N-UHAD G2X1713N-UHAD G2X1710N-UHAD G2X1707N-UHAD G2X1704N-UHAD G2X1701N-UHAD	23.21 23.17 23.13 23.09 23.05 23.01 22.97 22.94 22.90 22.86 22.82 22.78 22.74 22.70 22.66 22.63 22.59 22.55 22.51 22.47 22.43 22.39 22.36 22.32 22.28 22.24 22.20 22.16 22.12 22.08 22.05 22.01 21.97 21.93	144 (Half Cut Cells)	1500	21.04.2025	20.04.2029
					ii	N-Type TOPCon	G2X1650N-UHAB (550Wp) (535Wp-560Wp)	G2X1680N-UHAB G2X1677N-UHAB G2X1674N-UHAB G2X1671N-UHAB G2X1668N-UHAB G2X1665N-UHAB G2X1662N-UHAB G2X1659N-UHAB G2X1656N-UHAB G2X1653N-UHAB G2X1650N-UHAB G2X1647N-UHAB G2X1644N-UHAB G2X1641N-UHAB G2X1638N-UHAB G2X1635N-UHAB G2X1632N-UHAB G2X1629N-UHAB G2X1626N-UHAB G2X1623N-UHAB G2X1620N-UHAB G2X1617N-UHAB	23.57 23.53 23.49 23.45 23.40 23.36 23.32 23.28 23.23 23.19 23.15 23.11 23.07 23.02 22.98 22.94 22.90 22.86 22.81 22.77 22.73 22.69	132 (Half Cut Cells)	1500		

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)			
												From	To		
					iii	N-Type TOPCon	G2X1560N-UHAB (520Wp) (505-530Wp)	G2X1614N-UHAB	22.65	132 (Half Cut Cells)	1500				
								G2X1611N-UHAB	22.60						
								G2X1608N-UHAB	22.56						
								G2X1605N-UHAB	22.52						
								G2X1590N-UHAB	22.31						
								G2X1575N-UHAB	22.10						
								G2X1560N-UHAB	21.89						
								G2X1545N-UHAB	21.68						
								G2X1530N-UHAB	21.47						
								G2X1515N-UHAB	21.26						
								G2X1545N-UHAA	23.78						
								G2X1542N-UHAA	23.73						
					G2X1539N-UHAA	23.68									
					G2X1536N-UHAA	23.64									
					G2X1533N-UHAA	23.59									
					G2X1530N-UHAA	23.55									
					G2X1527N-UHAA	23.50									
					G2X1524N-UHAA	23.45									
					G2X1521N-UHAA	23.41									
					G2X1518N-UHAA	23.36									
					G2X1515N-UHAA	23.32									
					G2X1512N-UHAA	23.27									
					G2X1509N-UHAA	23.22									
					G2X1506N-UHAA	23.18									
					G2X1503N-UHAA	23.13									
					G2X1500N-UHAA	23.08									
					G2X1497N-UHAA	23.04									
					G2X1494N-UHAA	22.99									
					G2X1491N-UHAA	22.95									
					G2X1488N-UHAA	22.90									
					G2X1485N-UHAA	22.85									
					G2X1482N-UHAA	22.81									
					G2X1479N-UHAA	22.76									
					G2X1476N-UHAA	22.72									
					G2X1473N-UHAA	22.67									
					G2X1470N-UHAA	22.62									
					G2X1467N-UHAA	22.58									
					G2X1464N-UHAA	22.53									
					G2X1461N-UHAA	22.48									
					G2X1458N-UHAA	22.44									
					G2X1455N-UHAA	22.39									
					G2X1440N-UHAA	22.16									
					G2X1425N-UHAA	21.93									
					v	N-Type TOPCon	G2X1350N-UHAY (450Wp) (430Wp - 470Wp)	G2X1410N-UHAY	24.04	108 (Half Cut Cells)	1500				
								G2X1407N-UHAY	23.99						
								G2X1404N-UHAY	23.94						
								G2X1401N-UHAY	23.89						
								G2X1398N-UHAY	23.84						
								G2X1395N-UHAY	23.78						
								G2X1392N-UHAY	23.73						
								G2X1389N-UHAY	23.68						
								G2X1386N-UHAY	23.63						
								G2X1383N-UHAY	23.58						
								G2X1380N-UHAY	23.53						
								G2X1377N-UHAY	23.48						
								G2X1374N-UHAY	23.43						
								G2X1371N-UHAY	23.38						
								G2X1368N-UHAY	23.32						
								G2X1365N-UHAY	23.27						
								G2X1362N-UHAY	23.22						
								G2X1359N-UHAY	23.17						
								G2X1356N-UHAY	23.12						
								G2X1353N-UHAY	23.07						

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemd to be delisted)	
												From	To
								G2X1350N-UHAY	23.02				
								G2X1347N-UHAY	22.97				
								G2X1344N-UHAY	22.92				
								G2X1341N-UHAY	22.86				
								G2X1338N-UHAY	22.81				
								G2X1335N-UHAY	22.76				
								G2X1332N-UHAY	22.71				
								G2X1329N-UHAY	22.66				
								G2X1326N-UHAY	22.61				
								G2X1323N-UHAY	22.56				
								G2X1320N-UHAY	22.51				
								G2X1305N-UHAY	22.25				
								G2X1290N-UHAY	21.99				
								G2X1260N-UHAX	24.08				
								G2X1245N-UHAX	23.79				
					G2X1230N-UHAX	23.51							
					G2X1215N-UHAX	23.22							
					G2X1200N-UHAX	22.93							
					G2X1185N-UHAX	22.65							
					G2X1170N-UHAX	22.36							
					G2X1155N-UHAX	22.07							
					G2X1140N-UHAX	21.79							
					G2X1110N-UHAC	24.10							
					G2X1095N-UHAC	23.77							
					G2X1080N-UHAC	23.45							
					G2X1065N-UHAC	23.12							
					G2X1050N-UHAC	22.79							
					G2X1035N-UHAC	22.47							
					G2X1020N-UHAC	22.14							
					G2X1800NW-UHAD	23.21							
					G2X1797NW-UHAD	23.17							
					G2X1794NW-UHAD	23.13							
					G2X1791NW-UHAD	23.09							
					G2X1788NW-UHAD	23.05							
					G2X1785NW-UHAD	23.01							
					G2X1782NW-UHAD	22.97							
					G2X1779NW-UHAD	22.94							
					G2X1776NW-UHAD	22.90							
					G2X1773NW-UHAD	22.86							
					G2X1770NW-UHAD	22.82							
					G2X1767NW-UHAD	22.78							
					G2X1764NW-UHAD	22.74							
					G2X1761NW-UHAD	22.70							
					G2X1758NW-UHAD	22.66							
					G2X1755NW-UHAD	22.63							
					G2X1752NW-UHAD	22.59							
					G2X1749NW-UHAD	22.55							
					G2X1746NW-UHAD	22.51							
					G2X1743NW-UHAD	22.47							
					G2X1740NW-UHAD	22.43							
					G2X1737NW-UHAD	22.39							
					G2X1734NW-UHAD	22.36							
					G2X1731NW-UHAD	22.32							
					G2X1728NW-UHAD	22.28							
					G2X1725NW-UHAD	22.24							
					G2X1722NW-UHAD	22.20							
					G2X1719NW-UHAD	22.16							
					G2X1716NW-UHAD	22.12							
					G2X1713NW-UHAD	22.08							
					G2X1710NW-UHAD	22.05							
					G2X1707NW-UHAD	22.01							
					G2X1704NW-UHAD	21.97							
					G2X1701NW-UHAD	21.93							

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
					ix	N-Type TOPCon	G2X1650NW-UHAB (550Wp) (535Wp - 560Wp)	G2X1680NW-UHAB	23.57	132 (Half Cut Cells)	1500		
								G2X1677NW-UHAB	23.53				
								G2X1674NW-UHAB	23.49				
								G2X1671NW-UHAB	23.45				
								G2X1668NW-UHAB	23.40				
								G2X1665NW-UHAB	23.36				
								G2X1662NW-UHAB	23.32				
								G2X1659NW-UHAB	23.28				
								G2X1656NW-UHAB	23.23				
								G2X1653NW-UHAB	23.19				
								G2X1650NW-UHAB	23.15				
								G2X1647NW-UHAB	23.11				
								G2X1644NW-UHAB	23.07				
								G2X1641NW-UHAB	23.02				
								G2X1638NW-UHAB	22.98				
								G2X1635NW-UHAB	22.94				
								G2X1632NW-UHAB	22.90				
								G2X1629NW-UHAB	22.86				
								G2X1626NW-UHAB	22.81				
								G2X1623NW-UHAB	22.77				
								G2X1620NW-UHAB	22.73				
								G2X1617NW-UHAB	22.69				
								G2X1614NW-UHAB	22.65				
								G2X1611NW-UHAB	22.60				
								G2X1608NW-UHAB	22.56				
								G2X1605NW-UHAB	22.52				
					x	N-Type TOPCon	G2X1560NW-UHAB (520Wp) (505Wp - 530Wp)	G2X1590NW-UHAB	22.31	132 (Half Cut Cells)	1500		
								G2X1575NW-UHAB	22.10				
								G2X1560NW-UHAB	21.89				
								G2X1545NW-UHAB	21.68				
								G2X1530NW-UHAB	21.47				
					xi	N-Type TOPCon	G2X1530NW-UHAA (510Wp) (501Wp - 515Wp)	G2X1515NW-UHAB	21.26	120 (Half Cut Cells)	1500		
								G2X1545NW-UHAA	23.78				
								G2X1542NW-UHAA	23.73				
								G2X1539NW-UHAA	23.68				
								G2X1536NW-UHAA	23.64				
								G2X1533NW-UHAA	23.59				
								G2X1530NW-UHAA	23.55				
								G2X1527NW-UHAA	23.50				
								G2X1524NW-UHAA	23.45				
								G2X1521NW-UHAA	23.41				
								G2X1518NW-UHAA	23.36				
								G2X1515NW-UHAA	23.32				
								G2X1512NW-UHAA	23.27				
								G2X1509NW-UHAA	23.22				
					xii	N-Type TOPCon	G2X1470NW-UHAA (490Wp) (470Wp - 500Wp)	G2X1506NW-UHAA	23.18	120 (Half Cut Cells)	1500		
								G2X1503NW-UHAA	23.13				
								G2X1500NW-UHAA	23.08				
								G2X1497NW-UHAA	23.04				
								G2X1494NW-UHAA	22.99				
								G2X1491NW-UHAA	22.95				
								G2X1488NW-UHAA	22.90				
								G2X1485NW-UHAA	22.85				
								G2X1482NW-UHAA	22.81				
								G2X1479NW-UHAA	22.76				
								G2X1476NW-UHAA	22.72				
								G2X1473NW-UHAA	22.67				
								G2X1470NW-UHAA	22.62				
								G2X1467NW-UHAA	22.58				
								G2X1464NW-UHAA	22.53				
								G2X1461NW-UHAA	22.48				
								G2X1458NW-UHAA	22.44				
								G2X1455NW-UHAA	22.39				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
								G2X1440NW-UHAA	22.16				
								G2X1425NW-UHAA	21.93				
								G2X1410NW-UHAA	21.70				
					xiii	N-Type TOPCon	G2X1350NW-UHAY (450Wp) (425Wp - 465Wp)	G2X1395NW-UHAY	23.78	108 (Half Cut Cells)	1500		
								G2X1392NW-UHAY	23.73				
								G2X1389NW-UHAY	23.68				
								G2X1386NW-UHAY	23.63				
								G2X1383NW-UHAY	23.58				
								G2X1380NW-UHAY	23.53				
								G2X1377NW-UHAY	23.48				
								G2X1374NW-UHAY	23.43				
								G2X1371NW-UHAY	23.38				
								G2X1368NW-UHAY	23.32				
								G2X1365NW-UHAY	23.27				
								G2X1362NW-UHAY	23.22				
								G2X1359NW-UHAY	23.17				
								G2X1356NW-UHAY	23.12				
								G2X1353NW-UHAY	23.07				
								G2X1350NW-UHAY	23.02				
								G2X1347NW-UHAY	22.97				
								G2X1344NW-UHAY	22.92				
								G2X1341NW-UHAY	22.86				
								G2X1338NW-UHAY	22.81				
								G2X1335NW-UHAY	22.76				
								G2X1332NW-UHAY	22.71				
								G2X1329NW-UHAY	22.66				
								G2X1326NW-UHAY	22.61				
								G2X1323NW-UHAY	22.56				
								G2X1320NW-UHAY	22.51				
								G2X1305NW-UHAY	22.25				
								G2X1290NW-UHAY	21.99				
					xiv	N-Type TOPCon	G2X1200NW-UHAX (400Wp) (380Wp-415Wp)	G2X1245NW-UHAX	23.79	96 (Half Cut Cells)	1500		
								G2X1230NW-UHAX	23.51				
								G2X1215NW-UHAX	23.22				
								G2X1200NW-UHAX	22.93				
								G2X1185NW-UHAX	22.65				
								G2X1170NW-UHAX	22.36				
								G2X1155NW-UHAX	22.07				
					xv	N-Type TOPCon	G2X1065NW-UHAC (355Wp) (340Wp - 365Wp)	G2X1140NW-UHAX	21.79	84 (Half Cut Cells)	1500		
								G2X1095NW-UHAC	23.77				
								G2X1080NW-UHAC	23.45				
								G2X1065NW-UHAC	23.12				
								G2X1050NW-UHAC	22.79				
					xvi	N-Type TOPCon	G2X900NW-UHAF (300Wp) (285Wp-315Wp)	G2X1035NW-UHAC	22.47	72 (Half Cut Cells)	1500		
								G2X1020NW-UHAC	22.14				
								G2X945NW-UHAF	23.78				
								G2X930NW-UHAF	23.40				
								G2X915NW-UHAF	23.03				
								G2X900NW-UHAF	22.65				
								G2X885NW-UHAF	22.27				
								G2X870NW-UHAF	21.89				
								G2X855NW-UHAF	21.52				
								G2G1800-HAD	23.21				
								G2G1797-UHAD	23.17				
								G2G1794N-UHAD	23.13				
								G2G1791B-UHAD	23.09				
								G2G1788NB-UHAD	23.05				
								G2G1785-HAD	23.01				
								G2G1782-UHAD	22.97				
								G2G1779N-UHAD	22.94				
								G2G1776B-UHAD	22.90				
								G2G1773NB-UHAD	22.86				
								G2G1770-HAD	22.82				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
					xvii	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1785-HAD (595Wp) (567Wp - 600Wp)	G2G1767-UHAD	22.78	144 (Half Cut Cells)	1500		
								G2G1764N-UHAD	22.74				
								G2G1761B-UHAD	22.70				
								G2G1758NB-UHAD	22.66				
								G2G1755-HAD	22.63				
								G2G1752-UHAD	22.59				
								G2G1749N-UHAD	22.55				
								G2G1746B-UHAD	22.51				
								G2G1743NB-UHAD	22.47				
								G2G1740-HAD	22.43				
								G2G1737-UHAD	22.39				
								G2G1734N-UHAD	22.36				
								G2G1731B-UHAD	22.32				
								G2G1728NB-UHAD	22.28				
								G2G1725-HAD	22.24				
								G2G1722-UHAD	22.20				
								G2G1719N-UHAD	22.16				
								G2G1716B-UHAD	22.12				
								G2G1713NB-UHAD	22.08				
								G2G1710-HAD	22.05				
								G2G1707-UHAD	22.01				
								G2G1704N-UHAD	21.97				
								G2G1701B-UHAD	21.93				
					xviii	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1650-HAB (550Wp) (531Wp - 560Wp)	G2G1680-HAB	23.57	132 (Half Cut Cells)	1500		
								G2G1677-UHAB	23.53				
								G2G1674N-UHAB	23.49				
								G2G1671B-UHAB	23.45				
								G2G1668NB-UHAB	23.40				
								G2G1665-HAB	23.36				
								G2G1662-UHAB	23.32				
								G2G1659N-UHAB	23.28				
								G2G1656B-UHAB	23.23				
								G2G1653NB-UHAB	23.19				
								G2G1650-HAB	23.15				
								G2G1647-UHAB	23.11				
								G2G1644N-UHAB	23.07				
								G2G1641B-UHAB	23.02				
								G2G1638NB-UHAB	22.98				
								G2G1635-HAB	22.94				
								G2G1632-UHAB	22.90				
								G2G1629N-UHAB	22.86				
								G2G1626B-UHAB	22.81				
								G2G1623NB-UHAB	22.77				
								G2G1620-HAB	22.73				
								G2G1617-UHAB	22.69				
								G2G1614N-UHAB	22.65				
								G2G1611B-UHAB	22.60				
								G2G1608NB-UHAB	22.56				
								G2G1605-HAB	22.52				
								G2G1602-UHAB	22.48				
								G2G1599N-UHAB	22.44				
								G2G1596B-UHAB	22.39				
								G2G1593NB-UHAB	22.35				
								G2G1590-HAB	22.31				
								G2G1587-UHAB	22.27				
								G2G1584N-UHAB	22.22				
								G2G1581B-UHAB	22.18				
								G2G1578NB-UHAB	22.14				
								G2G1575-HAB	22.10				
								G2G1572-UHAB	22.06				
								G2G1569N-UHAB	22.01				
								G2G1566B-UHAB	21.97				
								G2G1563NB-UHAB	21.93				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
					xix	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1560-HAB (520Wp) (505Wp - 530Wp)	G2G1560-HAB	21.89	132 (Half Cut Cells)	1500		
								G2G1557-UHAB	21.85				
								G2G1554N-UHAB	21.80				
								G2G1551B-UHAB	21.76				
								G2G1548NB-UHAB	21.72				
								G2G1545-HAB	21.68				
								G2G1542-UHAB	21.64				
								G2G1539N-UHAB	21.59				
								G2G1536B-UHAB	21.55				
								G2G1533NB-UHAB	21.51				
								G2G1530-HAB	21.47				
								G2G1527-UHAB	21.42				
								G2G1524N-UHAB	21.38				
								G2G1521B-UHAB	21.34				
								G2G1518NB-UHAB	21.30				
								G2G1515-HAB	21.26				
					xx	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1485-HAA (495Wp) (470Wp - 510Wp)	G2G1530-HAA	23.56	120 (Half Cut Cells)	1500		
								G2G1527-UHAA	23.51				
								G2G1524N-UHAA	23.47				
								G2G1521B-UHAA	23.42				
								G2G1518NB-UHAA	23.37				
								G2G1515-HAA	23.33				
								G2G1512-UHAA	23.28				
								G2G1509N-UHAA	23.24				
								G2G1506B-UHAA	23.19				
								G2G1503NB-UHAA	23.14				
								G2G1500-HAA	23.10				
								G2G1497-UHAA	23.05				
								G2G1494N-UHAA	23.00				
								G2G1491B-UHAA	22.96				
								G2G1488NB-UHAA	22.91				
								G2G1485-HAA	22.87				
								G2G1482-UHAA	22.82				
								G2G1479N-UHAA	22.77				
								G2G1476B-UHAA	22.73				
								G2G1473NB-UHAA	22.68				
								G2G1470-HAA	22.63				
								G2G1467-UHAA	22.59				
								G2G1464N-UHAA	22.54				
								G2G1461B-UHAA	22.50				
								G2G1458NB-UHAA	22.45				
								G2G1455-HAA	22.40				
								G2G1452-UHAA	22.36				
								G2G1449N-UHAA	22.31				
								G2G1446B-UHAA	22.27				
								G2G1443NB-UHAA	22.22				
								G2G1440-HAA	22.17				
								G2G1437-UHAA	22.13				
								G2G1434N-UHAA	22.08				
								G2G1431B-UHAA	22.03				
								G2G1428NB-UHAA	21.99				
								G2G1425-HAA	21.94				
								G2G1422-UHAA	21.90				
								G2G1419N-UHAA	21.85				
								G2G1416B-UHAA	21.80				
								G2G1413NB-UHAA	21.76				
					G2G1395-HAY	23.78							
					G2G1392-UHAY	23.73							
					G2G1389N-UHAY	23.68							
					G2G1386B-UHAY	23.63							
								G2G1383NB-UHAY	23.58				
								G2G1380-HAY	23.53				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
					xxi	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1344N-UHAY (448Wp) (425Wp - 465Wp)	G2G1377-UHAY	23.48	108 (Half Cut Cells)	1500		
								G2G1374N-UHAY	23.43				
								G2G1371B-UHAY	23.38				
								G2G1368NB-UHAY	23.32				
								G2G1365-HAY	23.27				
								G2G1362-UHAY	23.22				
								G2G1359N-UHAY	23.17				
								G2G1356B-UHAY	23.12				
								G2G1353NB-UHAY	23.07				
								G2G1350-HAY	23.02				
								G2G1347-UHAY	22.97				
								G2G1344N-UHAY	22.92				
								G2G1341B-UHAY	22.86				
								G2G1338NB-UHAY	22.81				
								G2G1335-HAY	22.76				
								G2G1332-UHAY	22.71				
								G2G1329N-UHAY	22.66				
								G2G1326B-UHAY	22.61				
								G2G1323NB-UHAY	22.56				
								G2G1320-HAY	22.51				
								G2G1317-UHAY	22.46				
								G2G1314N-UHAY	22.40				
								G2G1308NB-UHAY	22.30				
								G2G1305-HAY	22.25				
								G2G1302-UHAY	22.20				
								G2G1299N-UHAY	22.15				
								G2G1296B-UHAY	22.10				
								G2G1293NB-UHAY	22.05				
								G2G1290-HAY	21.99				
								G2G1287-UHAY	21.94				
								G2G1284N-UHAY	21.89				
								G2G1281B-UHAY	21.84				
								G2G1278NB-UHAY	21.79				
					G2G1275-HAY	21.74							
					G2G1245-HAX	23.79	96 (Half Cut Cells)	1500					
					G2G1242-UHAX	23.74							
					G2G1239N-UHAX	23.68							
					G2G1236B-UHAX	23.62							
					G2G1233NB-UHAX	23.57							
					G2G1230-HAX	23.51							
					G2G1215-HAX	23.22							
					G2G1212-UHAX	23.16							
					G2G1209N-UHAX	23.11							
					G2G1206B-UHAX	23.05							
					G2G1203NB-UHAX	22.99							
					G2G1200-HAX	22.93							
					G2G1197-UHAX	22.88							
					G2G1194N-UHAX	22.82							
					G2G1191B-UHAX	22.76							
					G2G1188NB-UHAX	22.71							
					G2G1185-HAX	22.65							
					G2G1182-UHAX	22.59							
					G2G1179N-UHAX	22.53							
					G2G1176B-UHAX	22.48							
					G2G1173NB-UHAX	22.42							
					G2G1170-HAX	22.36							
					G2G1167-UHAX	22.30							
					G2G1164N-UHAX	22.25							
					G2G1161B-UHAX	22.19							
					G2G1158NB-UHAX	22.13							
					G2G1155-HAX	22.07							
					G2G1152-UHAX	22.02							
					G2G1149N-UHAX	21.96							

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
					vii	Mono c-Si PERC Module (Glass to Transparent Backsheet)	CG X96-355 (355 Wp)	CG X96-345 CG X96-350 CG X96-355 CG X96-360 CG X96-365 CG X96-370	19.78 20.07 20.35 20.64 20.93 21.21	96 (Half Cut Cells)	1500		
23	M/s. Nextbrio Industries Private Limited (New Addition in ALMM List)	Khajoor Gaon, Nawabganj, Chinnat Deva road, Barabanki - 225003, Uttar Pradesh, India	R-93035440	21	i	Bifacial Mono c-Si PERC Module (Glass to Transparent)	NXB108P-410 (410 Wp)	NXB108P-400 NXB108P-405 NXB108P-410 NXB108P-415 NXB108P-420	20.48 21.00 20.74 21.25 21.51	108 (Half Cut Cells)	1500	21.05.2025	20.05.2029
								NXB120P-435 NXB120P-440 NXB120P-445 NXB120P-450 NXB120P-455 NXB120P-460	20.13 20.36 20.59 20.82 21.05 21.28	120 (Half Cut Cells)	1500		
					ii	Bifacial Mono c-Si PERC Module (Glass to Transparent)	NXB120P-445 (450 Wp)	NXB132N-475 NXB132N-480 NXB132N-485 NXB132N-490 NXB132N-495 NXB132N-500	20.00 20.21 20.42 20.64 20.85 21.06	132 (Half Cut Cells)	1500		
					iii	Bifacial Mono c-Si PERC Module (Glass to Transparent)	NXB132N-485 (485 Wp)	NXB144P-530 NXB144P-535 NXB144P-540 NXB144P-545 NXB144P-550 NXB144P-555 NXB144P-560	20.52 20.71 20.90 21.10 21.29 21.48 21.68	144 (Half Cut Cells)	1500		
					iv	Bifacial Mono c-Si PERC Module (Glass to Transparent)	NXB144P-540 (540 Wp)	LUM 24590M LUM 24585M LUM 24580M LUM 24575M LUM 24570M LUM 24565M LUM 24560M LUM 24555M	21.11 20.93 20.75 20.57 20.39 20.21 20.03 19.85	156 (Half Cut Cells)	1500		
					ii	Mono c-Si PERC Module	LUM 24525M (525 Wp)	LUM 24550M LUM 24545M LUM 24540M LUM 24535M LUM 24530M LUM 24525M LUM 24520M LUM 24515M LUM 24510M LUM 24505M LUM 24500M	21.28 21.09 20.89 20.70 20.51 20.31 20.12 19.93 19.73 19.54 19.34	144 (Half Cut Cells)	1500		
					iii	Mono c-Si PERC Module	LUM 24475M (475 Wp)	LUM 24495M LUM 24490M LUM 24485M LUM 24480M LUM 24475M LUM 24470M LUM 24465M LUM 24460M LUM 24455M	20.85 20.64 20.43 20.22 20.01 19.80 19.59 19.38 19.17	132 (Half Cut Cells)	1500		
					iv	Mono c-Si PERC Module	LUM 24430M (430 Wp)	LUM 24450M LUM 24445M LUM 24440M LUM 24435M LUM 24430M	20.80 20.57 20.33 20.10 19.87	120 (Half Cut Cells)	1500		
24	M/s. Luminous Power Technologies Pvt. Ltd. (Capacity Addition)	Plot No- CP-17 To CP-22, Sector-City Park, Luminous Plant, P.N.D.T IIE Sidcul, Pant Nagar, Rudrapur, Udham Singh Nagar - 263153, Uttarakhand, India	R- 83011410	564	i	Mono c-Si PERC Module	LUM 24570M (570 Wp)	LUM 24590M LUM 24585M LUM 24580M LUM 24575M LUM 24570M LUM 24565M LUM 24560M LUM 24555M	21.11 20.93 20.75 20.57 20.39 20.21 20.03 19.85	156 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					ii	Mono c-Si PERC Module	LUM 24525M (525 Wp)	LUM 24550M LUM 24545M LUM 24540M LUM 24535M LUM 24530M LUM 24525M LUM 24520M LUM 24515M LUM 24510M LUM 24505M LUM 24500M	21.28 21.09 20.89 20.70 20.51 20.31 20.12 19.93 19.73 19.54 19.34	144 (Half Cut Cells)	1500		
					iii	Mono c-Si PERC Module	LUM 24475M (475 Wp)	LUM 24495M LUM 24490M LUM 24485M LUM 24480M LUM 24475M LUM 24470M LUM 24465M LUM 24460M LUM 24455M	20.85 20.64 20.43 20.22 20.01 19.80 19.59 19.38 19.17	132 (Half Cut Cells)	1500		
					iv	Mono c-Si PERC Module	LUM 24430M (430 Wp)	LUM 24450M LUM 24445M LUM 24440M LUM 24435M LUM 24430M	20.80 20.57 20.33 20.10 19.87	120 (Half Cut Cells)	1500		

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
		Gujarat, India			ii	Mono c-Si PERC - Module	AE108MM385 (385Wp)	AE108MM385	19.72	108 (Half Cut Cells)	1500		
								AE108MM390	19.97				
								AE108MM395	20.23				
								AE108MM400	20.48				
					iii	Mono c-Si PERC - Module	AE120MM430 (430Wp)	AE120MM415	19.18	120 (Half Cut Cells)	1500		
								AE120MM420	19.41				
								AE120MM425	19.64				
								AE120MM430	19.87				
								AE120MM435	20.10				
								AE120MM440	20.34				
								AE120MM445	20.57				
								AE120MM450	20.80				
					iv	Mono c-Si PERC - Module	AE132MM475 (475Wp)	AE132MM455	19.17	132 (Half Cut Cells)	1500		
								AE132MM460	19.38				
								AE132MM465	19.59				
								AE132MM470	19.80				
								AE132MM475	20.01				
								AE132MM480	20.22				
								AE132MM485	20.43				
								AE132MM490	20.64				
					v	Mono c-Si PERC - Module	AE144MM525 (475Wp)	AE132MM495	20.86	144 (Half Cut Cells)	1500		
								AE144MM500	19.36				
								AE144MM505	19.55				
								AE144MM510	19.74				
								AE144MM515	19.94				
								AE144MM520	20.13				
								AE144MM525	20.32				
								AE144MM530	20.52				
								AE144MM535	20.71				
								AE144MM540	20.90				
								AE144MM545	21.10				
								AE144MM550	21.29				
26	M/s. Waaree Energies Limited (Model Addition + Capacity Addition)	Survey No. 1934, 1939, 1941, 1942, NH-48, Degam, Chikhali, Navasari, Gujarat - 396530, India	R-72005533	9760	i	Bifacial N - Type TOPCon Module (Glass to Glass)	BIN-17-640 (640 Wp)	BIN-17-630	22.62	156 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								BiN-17-635	22.80				
								BiN-17-640	22.98				
								BiN-17-645	23.16				
					ii	Bifacial N - Type TOPCon Module (Glass to Glass)	BIN-08-595 (595 Wp)	BiN-08-585	22.65	144 (Half Cut Cells)	1500		
								BiN-08-590	22.84				
27	M/s. Waaree Energies Limited (Model Addition + Change in Capacity)	Unit 2B, Survey No. 267, NH-48, Nandigram Village, Taluke Umbergaon, District Valsad, Gujarat 396105	R-72003085	1106	i	Bifacial N - Type TOPCon Module (Glass to Glass)	Bin-17-640 (640 Wp)	BiN-08-595	23.03	156 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								BiN-08-600	23.23				
								BiN-17-630	22.54				
								BiN-17-635	22.72				
					ii	Bifacial N - Type TOPCon Module (Glass to Glass)	BIN-08-590 (590 Wp)	BiN-17-640	22.90	144 (Half Cut Cells)	1500		
								BiN-17-645	23.07				
								BiN-08-585	22.65				
								BiN-08-590	22.84				
								BiN-08-595	23.03				
								BiN-08-600	23.23				

F. No. 283/41/2024-GRID SOLAR
भारत सरकार / Government of India
नवीन और नवीकरणीय ऊर्जा मंत्रालय / Ministry of New & Renewable Energy
ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003.
Dated: 21st April 2025

OFFICE MEMORANDUM

Sub: Updation of List I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 – Reg.

Ref: (i) MNRE's O.M. No. 283/54/2018-GRID SOLAR-Part(1) dated 10.03.2021
(ii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 10.05.2023;
(iii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 22.03.2024;

Reference is invited to this Ministry's O.M.s of even no. dated 10.03.2021, regarding implementation of Approved Models and Manufacturers of Solar Photovoltaic Modules (Requirement for Compulsory Registration) Order, 2019 and publishing List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019.

2. This Ministry vide its O.M. No. 283/22/2023-GRID SOLAR/Pt dated 10.05.2023 and O.M. of even no. dated 22.03.2024 inter-alia directed that only such models of Solar PV Module Manufacturers will be enlisted under ALMM, which comply with the BIS Standards and are having the following minimum module efficiency:

Category	Application/ Use	Minimum Module Efficiency requirement for crystalline-Silicon technology based Solar PV Modules	Minimum Module Efficiency requirement for Cadmium Telluride Thin Film technology based Solar PV Modules
Category I	Utility / Grid Scale Power Plants	20.0%	19.00%
Category II	Rooftop and Solar Pumping	19.5%	18.50%
Category III	Solar Lighting	19.0%	18.00%

3. Post the O.M. dated 10.05.2023 and subsequent O.M. dated 22.03.2024, only such models of Solar PV Modules have been considered for enlistment under ALMM List-I, whose module efficiency is meeting the eligibility criteria as mentioned in table at para-2 above.

4. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 was last updated on 27.03.2025.

5. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 is hereby further revised and the Revision-XXXVII (in the format of additions / modifications to Revision-XXXVI) is enclosed at Annexure-I. The last revision no. XXXVI dated 27.03.2025 along with provisional enlistments therein is at pages after Annexure-I.

6. The ALMM enlistment validity is subject to valid BIS Registration; else deemed to be delisted.

7. The details of Registration No. (R. No.) which has been allotted by BIS is mentioned against each manufacturer / manufacturing unit enlisted in ALMM and further details related to BIS certification like validity, models included, etc. may be checked from BIS website by using the following link:
https://www.crsbis.in/BIS/Lims_registrationnc.do?hmode=getLimsData

8. This issues with the approval of competent authority.



(Sanjay G. Karndhar)
Scientist-E

E-mail: karndhar.sg@nic.in

Encl: as above

To: All Concerned

Copy to: Director (Technical), NIC, MNRE for uploading this document on MNRE's website

A. Correction of errors in last revision of ALMM List-I dated 27.03.2025

There were some typographical errors in the last ALMM list published on 27.03.2025 and the same are hereby corrected as follows:

1. M/s. Australian Premium Solar (India) Pvt. Ltd - Typo Error corrected in Model numbers.

In. Sl. No. 40=> Sl.No. 07=> Enlisted model No. 2 may be read as **APSBF-550/144**

In. Sl. No. 40=> Sl.No. 14=> Enlisted model No. 1 may be read as **APSAM-550/144**

In. Sl. No. 40=> Sl.No. 14=> Enlisted model No. 2 may be read as **APSAM-555/144**

In. Sl. No. 40=> Sl.No. 14=> Enlisted model No. 3 may be read as **APSAM-560/144**

2. M/s. Solex Energy Limited - No. of cells updated as per the latest BIS test report

In. Sl. No. 42=> Sl.No. 42=> No. of cells in modules may be read as **33 (Half Cut Cells)**

3. M/s. Mundra Solar PV Limited - Typo error in Enlisted capacity corrected

In. Sl. No. 52=> Enlisted capacity may be read as **2125**

4. M/s. H R Solar Solution Private Limited - Typo Error in Type of module corrected

In. Sl. No. 34 => Sl. No. 1 => Type of Module may be read as **Mono c-Si PERC Module**



B. New additions on 21.04.2025 in the List of Manufacturers and Models of Solar PV Modules Enlisted under ALMM Order													
S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
1	M/s. Redren Energy Pvt. Ltd (Model Addition)	Survey No. 154/1, 154/2, Opposite Rangpar, Bus Stand, National Highway No. 27, Jalida, Wankaner, Morbi-363621, Gujarat, India	R-72001775	397	1	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RSM10MP-108HCBF400 (400 Wp)	RSM10MP-108HCBF380	19.44	108 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10MP-108HCBF385	19.69				
								RSM10MP-108HCBF390	19.95				
								RSM10MP-108HCBF395	20.20				
								RSM10MP-108HCBF400	20.46				
								RSM10MP-108HCBF405	20.72				
								RSM10MP-108HCBF410	20.97				
								RSM10MP-108HCBF415	21.23				
					2	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RSM10MP-120HCBF425 (425 Wp)	RSM10MP-108HCBF420	21.48	120 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10MP-120HCBF415	19.17				
								RSM10MP-120HCBF420	19.40				
								RSM10MP-120HCBF425	19.63				
								RSM10MP-120HCBF430	19.86				
								RSM10MP-120HCBF435	20.09				
					3	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RSM10MP-120HCBF450 (450 Wp)	RSM10MP-120HCBF440	20.33	120 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10MP-120HCBF445	20.56				
								RSM10MP-120HCBF450	20.79				
								RSM10MP-120HCBF455	21.02				
								RSM10MP-120HCBF460	21.25				
					4	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RSM10MP-132HCBF465 (465 Wp)	RSM10MP-120HCBF455	19.16	132 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10MP-132HCBF460	19.37				
								RSM10MP-132HCBF465	19.58				
								RSM10MP-132HCBF470	19.79				
								RSM10MP-132HCBF475	20.00				
					5	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RSM10MP-132HCBF495 (495 Wp)	RSM10MP-132HCBF480	20.21	132 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10MP-132HCBF485	20.42				
								RSM10MP-132HCBF490	20.64				
								RSM10MP-132HCBF495	20.85				
								RSM10MP-132HCBF500	21.06				
								RSM10MP-132HCBF505	21.27				
					6	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RSM10MP-144HCBF510 (510 Wp)	RSM10MP-144HCBF495	19.16	144 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10MP-144HCBF500	19.36				
								RSM10MP-144HCBF505	19.55				
								RSM10MP-144HCBF510	19.74				
								RSM10MP-144HCBF515	19.94				
								RSM10MP-144HCBF520	20.13				
					7	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RSM10MP-144HCBF540 (540 Wp)	RSM10MP-144HCBF525	20.32	144 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10MP-144HCBF530	20.52				
								RSM10MP-144HCBF535	20.71				
								RSM10MP-144HCBF540	20.90				
								RSM10MP-144HCBF545	21.10				
								RSM10MP-144HCBF550	21.29				
					8	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-144-590 (590 Wp)	RS-M10TC-144-610	23.61	144 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RS-M10TC-144-605	23.42				
								RS-M10TC-144-600	23.23				
								RS-M10TC-144-595	23.03				
								RS-M10TC-144-590	22.84				
								RS-M10TC-144-585	22.65				
								RS-M10TC-144-580	22.45				
								RS-M10TC-144-575	22.26				
								RS-M10TC-144-570	22.07				
					9	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-144-560 (560 Wp)	RS-M10TC-144-565	21.87	144 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RS-M10TC-144-560	21.68				
								RS-M10TC-144-555	21.48				
								RS-M10TC-144-550	21.29				
					10	Bifacial N-Type TOPCon	RS-M10TC-132-550	RS-M10TC-132-560	23.58	132 (Half Cut Cells)	1500	05.04.2024	04.04.2028

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
							(560 Wp)	RSM10CTC144-560	21.68				
							RSM10CTC144-555	21.48					
							RSM10CTC144-550	21.29					
					22	N-Type TOPCon Module	RSM10CTC132-550 (550 Wp)	RSM10CTC132-560	23.58	132 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10CTC132-555	23.37				
								RSM10CTC132-550	23.16				
								RSM10CTC132-545	22.95				
								RSM10CTC132-540	22.74				
								RSM10CTC132-535	22.53				
								RSM10CTC132-530	22.32				
					23	N-Type TOPCon Module	RSM10CTC132-520 (520 Wp)	RSM10CTC132-525	22.11	132 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10CTC132-520	21.90				
								RSM10CTC132-515	21.69				
								RSM10CTC132-510	21.48				
								RSM10CTC132-505	21.27				
					24	N-Type TOPCon Module	RSM10CTC120-490 (490 Wp)	RSM10CTC120-505	23.33	120 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10CTC120-500	23.10				
								RSM10CTC120-495	22.87				
								RSM10CTC120-490	22.63				
								RSM10CTC120-485	22.40				
								RSM10CTC120-480	22.17				
								RSM10CTC120-475	21.94				
								RSM10CTC120-470	21.71				
					25	N-Type TOPCon Module	RSM10CTC120-460 (460 Wp)	RSM10CTC120-465	21.48	120 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10CTC120-460	21.25				
								RSM10CTC120-455	21.02				
					26	N-Type TOPCon Module	RSM10CTC108-440 (440 Wp)	RSM10CTC108-455	23.27	108 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10CTC108-450	23.02				
								RSM10CTC108-445	22.76				
								RSM10CTC108-440	22.51				
								RSM10CTC108-435	22.25				
								RSM10CTC108-430	21.99				
								RSM10CTC108-425	21.74				
					27	N-Type TOPCon Module	RSM10CTC108-415 (415 Wp)	RSM10CTC108-420	21.48	108 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10CTC108-415	21.23				
								RSM10CTC108-410	20.97				
					28	N-Type TOPCon Module	RSM10CTC96-390 (390 Wp)	RSM10CTC96-400	22.95	96 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10CTC96-395	22.66				
								RSM10CTC96-390	22.38				
								RSM10CTC96-385	22.09				
								RSM10CTC96-380	21.80				
					29	N-Type TOPCon Module	RSM10CTC96-370 (370 Wp)	RSM10CTC96-375	21.52	96 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10CTC96-370	21.23				
								RSM10CTC96-365	20.94				
								RSM10CTC96-360	20.65				
					30	N-Type TOPCon Module	RSM10CTC84-340 (340 Wp)	RSM10CTC84-350	22.83	84 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10CTC84-345	22.50				
								RSM10CTC84-340	22.18				
								RSM10CTC84-335	21.85				
								RSM10CTC84-330	21.52				
					31	N-Type TOPCon Module	RSM10CTC84-320 (320 Wp)	RSM10CTC84-325	21.20	84 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10CTC84-320	20.87				
								RSM10CTC84-315	20.55				
					32	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC144-590 (590 Wp)	RSM10BTC144-610	23.61	144 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10BTC144-605	23.42				
								RSM10BTC144-600	23.23				
								RSM10BTC144-595	23.03				
								RSM10BTC144-590	22.84				
								RSM10BTC144-585	22.65				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					33	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC144-560 (560 Wp)	RSM10BTC144-580	22.45	144 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10BTC144-575	22.26				
								RSM10BTC144-570	22.07				
								RSM10BTC144-565	21.87				
								RSM10BTC144-560	21.68				
								RSM10BTC144-555	21.48				
					34	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC132-550 (550 Wp)	RSM10BTC144-550	21.29				
								RSM10BTC132-560	23.58	132 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10BTC132-555	23.37				
								RSM10BTC132-550	23.16				
								RSM10BTC132-545	22.95				
								RSM10BTC132-540	22.74				
					35	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC132-520 (520 Wp)	RSM10BTC132-535	22.53				
								RSM10BTC132-530	22.32	132 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10BTC132-525	22.11				
								RSM10BTC132-520	21.90				
								RSM10BTC132-515	21.69				
								RSM10BTC132-510	21.48				
					36	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC120-490 (490 Wp)	RSM10BTC132-505	21.27	120 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10BTC120-505	23.33				
								RSM10BTC120-500	23.10				
								RSM10BTC120-495	22.87				
								RSM10BTC120-490	22.63				
								RSM10BTC120-485	22.40				
					37	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC120-460 (460 Wp)	RSM10BTC120-480	22.17	120 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10BTC120-475	21.94				
								RSM10BTC120-470	21.71				
								RSM10BTC120-465	21.48				
								RSM10BTC120-460	21.25				
								RSM10BTC120-455	21.02				
					38	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC108-440 (440 Wp)	RSM10BTC108-455	23.27	108 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10BTC108-450	23.02				
								RSM10BTC108-445	22.76				
								RSM10BTC108-440	22.51				
								RSM10BTC108-435	22.25				
								RSM10BTC108-430	21.99				
					39	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC108-415 (415 Wp)	RSM10BTC108-425	21.74	108 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10BTC108-420	21.48				
								RSM10BTC108-415	21.23				
					40	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC96-390 (390 Wp)	RSM10BTC108-410	20.97	96 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10BTC96-400	22.95				
								RSM10BTC96-395	22.66				
								RSM10BTC96-390	22.38				
								RSM10BTC96-385	22.09				
					41	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC96-370 (370 Wp)	RSM10BTC96-380	21.80	96 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10BTC96-375	21.52				
								RSM10BTC96-370	21.23				
								RSM10BTC96-365	20.94				
					42	Bifacial N-Type TOPCon Module (Glass to Transparent	RSM10BTC84-345 (345 Wp)	RSM10BTC96-360	20.65	84 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10BTC84-350	22.83				
								RSM10BTC84-345	22.50				
								RSM10BTC84-340	22.18				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
						Backsheet)		RSM10BTC84-335	21.85	84 (Half Cut Cells)	1500	05.04.2024	04.04.2028
					43	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC84-325 (325 Wp)	RSM10BTC84-330	21.52				
								RSM10BTC84-325	21.20				
								RSM10BTC84-320	20.87				
								RSM10BTC84-315	20.55				
2	M/s. Raajratna Ventures Limited (Model Addition)	Survey No. 69/2, Ahmedabad- Mehsana Highway, Opp Madhu Mill, Village Chandarda, Tal Kadi, Dist. Mehsana, Gujarat - 382715, India	R-72003379	86	1	Mono c-Si PERC Module	R545MBT (545 Wp)	R560MBT	21.68	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								R555MBT	21.48				
								R550MBT	21.29				
								R545MBT	21.10				
								R540MBT	20.90				
								R535MBT	20.71				
					2	Mono c-Si PERC Module	R485M132 (485 Wp)	R465M132	19.58	132 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								R470M132	19.79				
								R475M132	20.00				
								R480M132	20.21				
								R485M132	20.42				
								R490M132	20.64				
								R495M132	20.85				
								R500M132	21.06				
								R505M132	21.27				
					1	Bifacial N-Type TOPCon Module (Glass to Glass)	DESERV EXTREME-435 (435 Wp)	DESERV EXTREME-420	21.44	108 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								DESERV EXTREME-425	21.70				
								DESERV EXTREME-430	21.95				
								DESERV EXTREME-435	22.21				
								DESERV EXTREME-440	22.46				
								DESERV EXTREME-445	22.72				
								DESERV EXTREME-450	22.97				
								DESERV EXTREME-465	21.44	120 (Half Cut Cells)	1500	18.08.2024	17.08.2028
						2	Bifacial N-Type TOPCon Module (Glass to Glass)	DESERV EXTREME-470	21.67				
								DESERV EXTREME-475	21.90				
								DESERV EXTREME-480	22.13				
								DESERV EXTREME-485	22.37				
								DESERV EXTREME-490	22.60				
								DESERV EXTREME-495	22.83				
								DESERV EXTREME-500	23.06				
								DESERV EXTREME-565	21.90	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028
					3	Bifacial N-Type TOPCon Module (Glass to Glass)	DESERV EXTREME-585 (585 Wp)	DESERV EXTREME-570	22.09				
								DESERV EXTREME-575	22.29				
								DESERV EXTREME-580	22.48				
								DESERV EXTREME-585	22.68				
								DESERV EXTREME-590	22.87				
								DESERV EXTREME-595	23.06				
								DESERV EXTREME-600	23.26				
					4	Bifacial N-Type TOPCon Module (Glass to Glass)	DESERV EXTREME-635 (635 Wp)	DESERV EXTREME-615	22.05	156 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								DESERV EXTREME-620	22.23				
								DESERV EXTREME-625	22.41				
								DESERV EXTREME-630	22.59				
								DESERV EXTREME-635	22.76				
								DESERV EXTREME-640	22.94				
								DESERV EXTREME-645	23.12				
								DESERV EXTREME-650	23.30				
					5	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	DESERV EXTREME-435 (435 Wp)	DESERV EXTREME-420	21.44	108 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								DESERV EXTREME-425	21.70				
								DESERV EXTREME-430	21.95				
								DESERV EXTREME-435	22.21				
								DESERV EXTREME-440	22.46				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								DESERV EXTREME-445	22.72				
								DESERV EXTREME-450	22.97				
					6	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	DESERV EXTREME-485 (485 Wp)	DESERV EXTREME-465	21.44	120 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								DESERV EXTREME-470	21.67				
								DESERV EXTREME-475	21.90				
								DESERV EXTREME-480	22.13				
								DESERV EXTREME-485	22.37				
								DESERV EXTREME-490	22.60				
								DESERV EXTREME-495	22.83				
								DESERV EXTREME-500	23.06				
					7	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	DESERV EXTREME-585 (585 Wp)	DESERV EXTREME-565	21.90	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								DESERV EXTREME-570	22.09				
								DESERV EXTREME-575	22.29				
								DESERV EXTREME-580	22.48				
								DESERV EXTREME-585	22.68				
								DESERV EXTREME-590	22.87				
								DESERV EXTREME-595	23.06				
								DESERV EXTREME-600	23.26				
					8	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	DESERV EXTREME-635 (635 Wp)	DESERV EXTREME-615	22.05	156 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								DESERV EXTREME-620	22.23				
								DESERV EXTREME-625	22.41				
								DESERV EXTREME-630	22.59				
								DESERV EXTREME-635	22.76				
								DESERV EXTREME-640	22.94				
								DESERV EXTREME-645	23.12				
								DESERV EXTREME-650	23.30				
4	M/s. Icon Solar En Power Technologies Private Limited (Model Addition)	PH No. 09, Gram Dighari Mandir Hasaud, The Arang, Raipur- 492001, Chhattisgarh, India	R-59000140	574	1	Bifacial Mono c-Si PERC Module (Glass to Transperent Backsheet)	ISEN580-Bi (580 Wp)	ISEN600-Bi	21.47	156 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								ISEN595-Bi	21.29				
								ISEN590-Bi	21.12				
								ISEN585-Bi	20.94				
								ISEN580-Bi	20.76				
								ISEN575-Bi	20.58				
								ISEN570-Bi	20.40				
								ISEN565-Bi	20.22				
					2	Bifacial Mono c-Si PERC Module (Glass to Transperent Backsheet)	ISEN540-Bi (540 Wp)	ISEN560-Bi	20.04	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								ISEN555-Bi	21.48				
								ISEN550-Bi	21.29				
								ISEN545-Bi	21.10				
								ISEN540-Bi	20.90				
								ISEN535-Bi	20.71				
								ISEN530-Bi	20.52				
								ISEN525-Bi	20.32				
								ISEN520-Bi	20.13				
					3	Bifacial Mono c-Si PERC Module (Glass to Transperent Backsheet)	ISEN490-Bi (490 Wp)	ISEN505-Bi	21.27	132 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								ISEN500-Bi	21.06				
								ISEN495-Bi	20.85				
								ISEN490-Bi	20.64				
								ISEN485-Bi	20.42				
					4	Bifacial Mono c-Si PERC Module (Glass to Transperent Backsheet)	ISEN440-Bi (440 Wp)	ISEN480-Bi	20.21	120 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								ISEN460-Bi	21.26				
								ISEN455-Bi	21.03				
								ISEN450-Bi	20.80				
								ISEN445-Bi	20.57				
								ISEN440-Bi	20.34				
								ISEN435-Bi	20.10				
								ISEN430-Bi	19.87				
								ISEN425-Bi	19.64				
								ISEN420-Bi	19.41				
					5	Bifacial Mono c-Si PERC	ISEN395-Bi	ISEN410-Bi	21.00	108 (Half Cut Cells)	1500	24.02.2024	23.02.2028

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
						Module (Glass to Transperent Backsheet)	(395 Wp)	ISEN405-Bi	20.74				
								ISEN400-Bi	20.48				
								ISEN395-Bi	20.23				
								ISEN390-Bi	19.97				
								ISEN385-Bi	19.72				
								ISEN380-Bi	19.46				
5	M/s. TP Solar Limited (Model Addition)	Plot No. A 109, Near Elcot Road, TP Solar Limited, Sipcot Road and OSR Park, Gangaikondan Road, Sipcot Industrial Park, Gangaikondan Industrial Park, Tirunelveli, Tamil Nadu-627352	R-61004146	5222	1	Mono c-Si PERC Module	TP495VG10 (495 Wp)	TP505VG10	21.07	132 (Half Cut Cells)	1500	22.03.2024	21.03.2028
								TP500VG10	20.86				
								TP495VG10	20.65				
								TP490VG10	20.44				
								TP485VG10	20.23				
								TP480VG10	20.02				
					2	Mono c-Si PERC Module	TP470VG10 (470Wp)	TP475VG10	19.81	132 (Half Cut Cells)	1500	22.03.2024	21.03.2028
								TP470VG10	19.61				
								TP465VG10	19.40				
								TP460VG10	19.19				
								TP555HG10	21.48	144 (Half Cut Cells)	1500	22.03.2024	21.03.2028
					3	Mono c-Si PERC Module	TP545HG10 (545 Wp)	TP550HG10	21.29				
								TP545HG10	21.10				
								TP540HG10	20.90				
								TP535HG10	20.71				
								TP530HG10	20.52				
					4	Mono c-Si PERC Module	TP510HG10 (510 Wp)	TP525HG10	20.32	144 (Half Cut Cells)	1500	22.03.2024	21.03.2028
								TP520HG10	20.13				
								TP515HG10	19.94				
								TP510HG10	19.74				
								TP505HG10	19.55				
								TP500HG10	19.36				
					5	Mono c-Si PERC Module	TP575LG10 (575 Wp)	TP600LG10	21.54	156 (Half Cut Cells)	1500	22.03.2024	21.03.2028
								TP595LG10	21.36				
								TP590LG10	21.18				
								TP585LG10	21.00				
								TP580LG10	20.83				
								TP575LG10	20.65				
								TP570LG10	20.47				
								TP565LG10	20.29				
								TP560LG10	20.11				
								TP555LG10	19.93				
					6	Mono c-Si PERC Module	TP455MG10 (455 Wp)	TP465MG10	21.27	120 (Half Cut Cells)	1500	22.03.2024	21.03.2028
								TP460MG10	21.04				
								TP455MG10	20.81				
								TP450MG10	20.58				
								TP445MG10	20.35				
					7	Mono c-Si PERC Module	TP430MG10 (430 Wp)	TP440MG10	20.12	120 (Half Cut Cells)	1500	22.03.2024	21.03.2028
								TP435MG10	19.90				
								TP430MG10	19.67				
								TP425MG10	19.44				
								TP420MG10	19.21				
								FST-M10. 156G-680	24.33	156 (Half Cut Cell)	1500	28.10.2024	27.10.2028
6	M/s. FS Green Energies Private Limited (Model Addition)	Block No. 160 - 164, 168 Besides Act Agro Chem Pvt. Ltd., Juni Jithardi Road, Near Karjan Cross Road, NH - 8, Vadodara-391240, Gujarat, India	R-72011258	644	1	Bifacial N-Type TOPCon Module (Glass to Glass)	FST-M10. 156G-660 (660 Wp)	FST-M10. 156G-675	24.15				
								FST-M10. 156G-670	23.97				
								FST-M10. 156G-665	23.79				
								FST-M10. 156G-660	23.61				
								FST-M10. 156G-655	23.43				
								FST-M10. 156G-650	23.25				
								FST-M10. 156G-645	23.07				
								FST-M10. 156G-640	22.90				
								FST-M10. 156G-635	22.72				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					2	Bifacial N-Type TOPCon Module (Glass to Glass)	FST-M10.144G-605 (605 Wp)	FST-M10. 144G-625	24.19	144 (Half Cut Cell)	1500	28.10.2024	27.10.2028
								FST-M10. 144G-620	24.00				
								FST-M10. 144G-615	23.81				
								FST-M10. 144G-610	23.61				
								FST-M10. 144G-605	23.42				
								FST-M10. 144G-600	23.23				
								FST-M10. 144G-595	23.03				
								FST-M10. 144G-590	22.84				
								FST-M10. 144G-585	22.65				
					3	Bifacial N-Type TOPCon Module (Glass to Glass)	FST-M10.132G-555 (555 Wp)	FST-M10. 132G-575	24.23	132 (Half Cut Cell)	1500	28.10.2024	27.10.2028
								FST-M10. 132G-570	24.02				
								FST-M10. 132G-565	23.80				
								FST-M10. 132G-560	23.59				
								FST-M10. 132G-555	23.38				
								FST-M10. 132G-550	23.17				
								FST-M10. 132G-545	22.96				
								FST-M10. 132G-540	22.75				
								FST-M10. 132G-535	22.54				
					4	Bifacial N-Type TOPCon Module (Glass to Glass)	FST-M10.120G-505 (505 Wp)	FST-M10. 120G-520	24.03	120 (Half Cut Cell)	1500	28.10.2024	27.10.2028
								FST-M10. 120G-515	23.80				
								FST-M10. 120G-510	23.57				
								FST-M10. 120G-505	23.34				
								FST-M10. 120G-500	23.11				
								FST-M10. 120G-495	22.88				
								FST-M10. 120G-490	22.65				
								FST-M10. 120G-485	22.42				
					5	Bifacial N-Type TOPCon Module (Glass to Glass)	FST-M10.108G-455 (455 Wp)	FST-M10. 108G-470	24.05	108 (Half Cut Cell)	1500	28.10.2024	27.10.2028
								FST-M10. 108G-465	23.80				
								FST-M10. 108G-460	23.54				
								FST-M10. 108G-455	23.29				
								FST-M10. 108G-450	23.03				
								FST-M10. 108G-445	22.78				
								FST-M10. 108G-440	22.52				
7	M/s. Credence Solar Panels Private Limited (Renewal and Model Addition)	Plot no 18 and 19, Survey No 142/2, Rajkot-Jamnagar highway, Padadhari, Rajkot, Gujarat, India- 360110	R-72006165	495	1	Mono c-Si PERC Module	CS-QU650-132 (650Wp)	CS-QU620-132	19.96	132 (Half Cut Cells)	1500	21.04.2025	20.04.2029
								CS-QU625-132	20.12				
								CS-QU630-132	20.28				
								CS-QU635-132	20.44				
								CS-QU640-132	20.60				
								CS-QU645-132	20.76				
								CS-QU650-132	20.92				
								CS-QU655-132	21.09				
								CS-QU660-132	21.25				
								CS-QU665-132	21.41				
								CS-QU670-132	21.57				
					2	Mono c-Si PERC Module	CS-QU575-120 (575Wp)	CS-QU550-120	19.42	120 (Half Cut Cells)	1500		
								CS-QU555-120	19.60				
								CS-QU560-120	19.78				
								CS-QU565-120	19.95				
								CS-QU570-120	20.13				
								CS-QU575-120	20.31				
								CS-QU580-120	20.48				
								CS-QU585-120	20.66				
								CS-QU590-120	20.84				
					3	Mono c-Si PERC Module	CS-QU525-110 (525Wp)	CS-QU500-110	19.14	110 (Half Cut Cells)	1500		
								CS-QU505-110	19.33				
								CS-QU510-110	19.52				
								CS-QU515-110	19.71				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity			
												From	To (subject to valid BIS Registration; else deemed to be delisted)		
								CS-QU520-110	19.90						
								CS-QU525-110	20.09						
								CS-QU530-110	20.28						
								CS-QU535-110	20.48						
								CS-QU540-110	20.67						
					4	Bifacial Mono c-Si PERC Module (Glass to Glass)	CS-QB650-132 (650Wp)	CS-QB620-132	19.96	132 (Half Cut Cells)	1500				
								CS-QB625-132	20.12						
								CS-QB630-132	20.28						
								CS-QB635-132	20.44						
								CS-QB640-132	20.60						
								CS-QB645-132	20.76						
								CS-QB650-132	20.92						
					5	Bifacial Mono c-Si PERC Module (Glass to Glass)	CS-QB575-120 (575Wp)	CS-QB550-120	19.42	120 (Half Cut Cells)	1500				
								CS-QB555-120	19.60						
								CS-QB560-120	19.78						
								CS-QB565-120	19.95						
								CS-QB570-120	20.13						
								CS-QB575-120	20.31						
								CS-QB580-120	20.48						
								CS-QB585-120	20.66						
								CS-QB590-120	20.84						
					6	Bifacial Mono c-Si PERC Module (Glass to Glass)	CS-QB525-110 (525Wp)	CS-QB500-110	19.14	110 (Half Cut Cells)	1500				
								CS-QB505-110	19.33						
								CS-QB510-110	19.52						
								CS-QB515-110	19.71						
								CS-QB520-110	19.90						
								CS-QB525-110	20.09						
								CS-QB530-110	20.28						
								CS-QB535-110	20.48						
								CS-QB540-110	20.67						
					7	Mono c-Si PERC Module (Glass to Backsheet)	CS-HN525-144 (525Wp)	CS-HN500-144	19.50	144 (Half Cut Cells)	1500				
								CS-HN505-144	19.70						
								CS-HN510-144	19.89						
								CS-HN515-144	20.09						
								CS-HN520-144	20.28						
								CS-HN525-144	20.48						
								CS-HN530-144	20.67						
								CS-HN535-144	20.87						
								CS-HN540-144	21.06						
								CS-HN545-144	21.26						
								CS-HN550-144	21.45						
					8	Bifacial Mono c-Si PERC Module (Glass to Glass)	CS-QB670-132 (670Wp)	CS-QB655-132	21.09	132 (Half Cut Cells)	1500				
								CS-QB660-132	21.25						
								CS-QB665-132	21.41						
								CS-QB670-132	21.57						
								CS-QB675-132	21.73						
								CS-QB680-132	21.89						
					9	Bifacial Mono c-Si PERC Module (Glass to Glass)	CS-QB610-120 (610Wp)	CS-QB685-132	22.05	120 (Half Cut Cells)	1500				
								CS-QB595-120	21.01						
								CS-QB600-120	21.19						
								CS-QB605-120	21.37						
								CS-QB610-120	21.54						
								CS-QB615-120	21.72						
					10	Bifacial Mono c-Si PERC Module (Glass to Glass)	CS-QB560-110 (560Wp)	CS-QB620-120	21.90	110 (Half Cut Cells)	1500				
								CS-QB545-110	20.86						
								CS-QB550-110	21.05						
								CS-QB555-110	21.24						
								CS-QB560-110	21.43						
								CS-QB565-110	21.62						

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								CS-QB570-110	21.82				
					11	Bifacial Mono c-Si PERC Module (Glass to Glass)	CS-HB570-156 (570Wp)	CS-HB545-156	19.49	156 (Half Cut Cells)	1500		
								CS-HB550-156	19.67				
								CS-HB555-156	19.85				
								CS-HB560-156	20.03				
								CS-HB565-156	20.20				
								CS-HB570-156	20.38				
								CS-HB575-156	20.56				
								CS-HB580-156	20.74				
								CS-HB585-156	20.92				
								CS-HB590-156	21.10				
								CS-HB595-156	21.28				
					12	Bifacial Mono c-Si PERC Module (Glass to Glass)	CS-HB530-144 (530Wp)	CS-HB505-144	19.70	144 (Half Cut Cells)	1500		
								CS-HB510-144	19.89				
								CS-HB515-144	20.09				
								CS-HB520-144	20.28				
								CS-HB525-144	20.48				
								CS-HB530-144	20.67				
								CS-HB535-144	20.87				
								CS-HB540-144	21.06				
								CS-HB545-144	21.26				
								CS-HB550-144	21.45				
					13	Bifacial N Type TOPCon Module (Glass to Glass)	CS-HBT580-144 (580Wp)	CS-HBT560-144	21.68	144 (Half Cut Cells)	1500		
								CS-HBT565-144	21.87				
								CS-HBT570-144	22.07				
								CS-HBT575-144	22.26				
								CS-HBT580-144	22.45				
								CS-HBT585-144	22.65				
								CS-HBT590-144	22.84				
								CS-HBT595-144	23.03				
								CS-HBT600-144	23.23				
					14	Bifacial N Type TOPCon Module (Glass to Glass)	CS-HBT625-156 (625Wp)	CS-HBT610-156	21.81	156 (Half Cut Cells)	1500		
								CS-HBT615-156	21.99				
								CS-HBT620-156	22.17				
								CS-HBT625-156	22.35				
								CS-HBT630-156	22.53				
								CS-HBT635-156	22.71				
								CS-HBT640-156	22.89				
					15	Mono c-Si PERC Module	CS-QU685-132 (685Wp)	CS-QU675-132	21.73	132 (Half Cut Cells)	1500		
								CS-QU680-132	21.89				
								CS-QU685-132	22.05				
								CS-QU690-132	22.21				
								CS-QU695-132	22.37				
								CS-QU700-132	22.53				
					16	Mono c-Si PERC Module	CS-QU625-120 (625Wp)	CS-QU610-120	21.54	120 (Half Cut Cells)	1500		
								CS-QU615-120	21.72				
								CS-QU620-120	21.90				
								CS-QU625-120	22.07				
								CS-QU630-120	22.25				
								CS-QU635-120	22.43				
					17	Mono c-Si PERC Module	CS-QU570-110 (570Wp)	CS-QU560-110	21.43	110 (Half Cut Cells)	1500		
								CS-QU565-110	21.62				
								CS-QU570-110	21.82				
								CS-QU575-110	22.01				
								CS-QU580-110	22.20				
								CS-QBT710-132	22.86				
					18	Bifacial N Type TOPCon Module (Glass to Glass)	CS-QBT695-132 (695Wp)	CS-QBT705-132	22.70	132 (Half Cut Cells) 18BB (210*210 mm)	1500		
								CS-QBT700-132	22.53				
								CS-QBT695-132	22.37				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity								
												From	To (subject to valid BIS Registration; else deemed to be delisted)							
					19	Bifacial N Type TOPCon Module (Glass to Glass)	CS-QBT630-120 (630Wp)	CS-QBT690-132	22.21	120 (Half Cut Cells) 18BB (210*210 mm)	1500									
								CS-QBT685-132	22.05											
								CS-QBT680-132	21.89											
								CS-QBT645-120	22.78											
								CS-QBT640-120	22.60											
								CS-QBT635-120	22.43											
								CS-QBT630-120	22.25											
					20	Bifacial N Type TOPCon Module (Glass to Glass)	CS-QBT575-110 (575Wp)	CS-QBT625-120	22.07	110 (Half Cut Cells) 18BB (210*210 mm)	1500									
								CS-QBT620-120	21.90											
								CS-QBT590-110	22.58											
								CS-QBT585-110	22.39											
								CS-QBT580-110	22.20											
								CS-QBT575-110	22.01											
								CS-QBT570-110	21.82											
8	M/s. Sunify Solar LLP (Renewal)	Survey no. 624P1, Near Hanuman Temple, Sarvad, Pipaliya Maliya Highway, Chachavadarda road, Morbi, Gujarat, India-363660	R-72005800	152	1	Mono c-Si PERC Module	SS132C490M (490 Wp)	CS-QBT565-110	21.62	132 (Half Cut Cell)	1500	21.04.2025	20.04.2029							
								SS132C480M	20.21											
								SS132C485M	20.42					144 (Half Cut Cell)	1500					
								SS132C490M	20.64											
								SS132C495M	20.85											
					2	Mono c-Si PERC Module	SS144C510M (510Wp)	SS132C500M	21.06	144 (Half Cut Cell)	1500									
								SS144C505M	19.55											
								SS144C510M	19.74											
								SS144C515M	19.94											
								SS144C520M	20.13											
					3	Mono c-Si PERC Module	SS144C535M (535Wp)	SS144C525M	20.32											
								SS144C530M	20.52											
								SS144C535M	20.71											
								SS144C540M	20.90											
								SS144C545M	21.10											
								SS144C550M	21.29											
								SS144C555M	21.48											
								SS144C560M	21.68											
					4	Mono c-Si PERC Module	SS156C565M (565Wp)	SS156C565M	20.21	156 (Half cut cell)	1500									
								SS156C570M	20.39											
								SS156C575M	20.57											
								SS156C580M	20.75											
								SS156C585M	20.93											
9	M/s. Websol Energy System Limited (New Addition in ALMM)	Sector-II, Falta Special Economic Zone, Falta, 24 Parganas (South) - 743504, West Bengal, India	R-51000698	242				1	Mono c-Si PERC Module					W5500-GTB-MP535 (535 Wp)	W5500-GTB-MP550	21.32	144 (Half Cut Cells)	1500	21.04.2025	20.04.2029
															W5500-GTB-MP545	21.13				
					W5500-GTB-MP540	20.94														
					W5500-GTB-MP535	20.75														
					W5500-GTB-MP530	20.55														
					W5500-GTB-MP525	20.36														
					W5500-GTB-MP520	20.13														
					2	Mono c-Si PERC Module	W5500-GTB-MP505 (505 Wp)	W5500-GTB-MP515	19.94	144 (Half Cut Cells)	1500									
								W5500-GTB-MP510	19.74											
								W5500-GTB-MP505	19.55											
								W5500-GTB-MP500	19.36											
								W5500-GTB-MP495	19.16											
					3	Mono c-Si PERC Module	W5000-GTB-MP495 (495 Wp)	W5000-GTB-MP505	21.26	132 (Half Cut Cells)	1500									
W5000-GTB-MP500	21.05																			
W5000-GTB-MP495	20.84																			
W5000-GTB-MP490	20.63																			
W5000-GTB-MP485	20.42																			
W5000-GTB-MP480	20.21																			
4	Mono c-Si PERC Module	W5000-GTB-MP465 (465 Wp)	W5000-GTB-MP475	20.00	132 (Half Cut Cells)	1500														
			W5000-GTB-MP470	19.79																
			W5000-GTB-MP465	19.58																
			W5000-GTB-MP460	19.37																

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					5	Mono c-Si PERC Module	W4600-GTB-MP450 (450 Wp)	W5000-GTB-MP455	19.16	120 (Half Cut Cells)	1500		
								W4600-GTB-MP460	21.28				
								W4600-GTB-MP455	21.05				
								W4600-GTB-MP450	20.81				
								W4600-GTB-MP445	20.58				
					6	Mono c-Si PERC Module	W4600-GTB-MP425 (425 Wp)	W4600-GTB-MP440	20.35	120 (Half Cut Cells)	1500		
								W4600-GTB-MP435	20.12				
								W4600-GTB-MP430	19.89				
								W4600-GTB-MP425	19.66				
								W4600-GTB-MP420	19.43				
								W4600-GTB-MP415	19.20				
10	M/s. Ankur Traders & Engineers Private Limited (Renewal)	D-130, B.S. Road, Industrial Area, Ghaziabad - 201009, Uttar Pradesh	R-93009695	54	1	Mono PERC C-Si Module	ASM585(585 Wp)	ASM560	20.03	156 (Half Cut Cells)	1500	21.04.2025	20.04.2029
								ASM565	20.21				
								ASM570	20.39				
								ASM575	20.57				
								ASM580	20.75				
								ASM585	20.93				
					2	Mono PERC C-Si Module	ASM530 (530 Wp)	ASM505	19.55	144 (Half Cut Cells)	1500		
								ASM510	19.74				
								ASM515	19.94				
								ASM520	20.13				
								ASM525	20.32				
								ASM530	20.52				
								ASM535	20.71				
								ASM540	20.90				
								ASM545	21.09				
								ASM550	21.29				
					3	Mono PERC C-Si Module	ASM480 (480 Wp)	ASM500	21.07	132 (Half Cut Cells)	1500		
								ASM495	20.85				
								ASM490	20.64				
								ASM485	20.43				
								ASM480	20.22				
								ASM475	20.01				
								ASM470	19.80				
								ASM465	19.59				
								ASM460	19.38				
					4	Mono PERC C-Si Module	ASM430 (430 Wp)	ASM450	20.79	120 (Half Cut Cells)	1500		
								ASM445	20.57				
								ASM440	20.33				
								ASM435	20.10				
								ASM430	19.87				
								ASM425	19.64				
								ASM420	19.41				
								ASM415	19.18				
					5	Mono PERC C-Si Module	ASM260 (260 Wp)	ASM255	19.25	72 (Half Cut Cells)	1500		
								ASM260	19.62				
								ASM265	20.00				
								ASM270	20.38				
					6	Mono PERC C-Si Module	ASM130 (130 Wp)	ASM130	19.12	36 (Half Cut Cells)	1500		
								ASM135	19.86				
					11	M/s. Fujiyama Power Systems Private Limited (Renewal + Model Addition)	Plot No. 51,52 Sector- Ecotech-1, Ecotech Extn-1, Greater Noida, Gautam Buddha Nagar, Uttar Pradesh, India	R-93022209	355	1	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)		
UTL665-132BM	21.14												
UTL660-132BM	20.99												
UTL655-132BM	20.83												
UTL650-132BM	20.67												
2	Bifacial Mono c-Si PERC Module (Glass to Transparent	UTL360-72BM (360 Wp)	UTL365-72BM	20.83						72 (Half Cut Cell)	1500		
			UTL360-72BM	20.54									
			UTL355-72BM	20.26									

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
						Backsheet)		UTL350-72BM	19.97				
					3	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	UTL345-68BM (345 Wp)	UTL345-68BM UTL340-68BM	20.85 20.54	68 (Half Cut Cell)	1500		
					4	Bifacial N-type TOPCon Module (Glass to Transparent Backsheet)	UTL575-144BT (575 Wp)	UTL590-144BT UTL585-144BT UTL580-144BT UTL575-144BT UTL570-144BT UTL560-144BT UTL555-144BT UTL550-144BT	22.87 22.68 22.48 22.29 22.09 21.71 21.51 21.32	144 (Half Cut Cell)	1500		
					5	Bifacial N-type TOPCon Module (Glass to Transparent Backsheet)	UTL525-132BT (525 Wp)	UTL525-132BT	22.14	132 (Half Cut Cell)	1500		
					6	Bifacial N-type TOPCon Module (Glass to Glass)	UTL575-144GT (575 Wp)	UTL590-144GT UTL585-144GT UTL580-144GT UTL575-144GT UTL570-144GT UTL560-144GT UTL550-144GT	22.87 22.68 22.48 22.29 22.09 21.71 21.32	144 (Half Cut Cell)	1500		
					7	Mono c-Si PERC Modules	UTL530-72M (530 Wp)	UTL540-72M UTL535-72M UTL530-72M UTL525-72M UTL520-72M	20.75 20.55 20.35 20.15 20.00	72 (Full Cell)	1500		
					8	Mono c-Si PERC Modules	UTL530-144M (530 Wp)	UTL540-144M UTL535-144M UTL530-144M UTL525-144M UTL520-144M	20.75 20.55 20.35 20.15 20.00	144 (Half Cut Cell)	1500		
					9	Mono c-Si PERC Modules	UTL435-72M (435 Wp)	UTL440-72M UTL435-72M UTL430-72M UTL425-72M	20.20 19.97 19.78 19.51	72 (Full Cell)	1500		
					10	Mono c-Si PERC Modules	UTL435-144M (435 Wp)	UTL440-144M UTL435-144M UTL430-144M UTL425-144M	20.20 19.97 19.78 19.51	144 (Half Cut Cell)	1500		
					11	Mono c-Si PERC Modules	UTL395-72MI (395 Wp)	UTL400-72MI UTL395-72MI UTL385-72MI UTL380-72MI	20.06 19.80 19.30 19.05	72 (Full Cell)	1500		
					12	Mono c-Si PERC Modules	UTL395-72M (395 Wp)	UTL400-72M UTL395-72M UTL390-72M UTL385-72M UTL380-72M	20.06 19.80 19.55 19.30 19.05	72 (Full Cell)	1500		
					13	Mono c-Si PERC Modules	UTL195-36MI (195 Wp)	UTL200-36MI UTL195-36MI	19.70 19.20	36 (Full Cell)	1500		
					14	Mono c-Si PERC	UTL200-36M	UTL205-36M	20.20	36 (Full Cell)	1500		

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
						Modules	(200 Wp)	UTL200-36M	19.70				
								UTL195-36M	19.20				
12	M/s. Aatmanirbhar Solar Pvt. Ltd. (Renewal)	Survey no 192, Dudhathal, Kheda, Gujarat - 387620, India	R-72005940	158	1	Mono c-Si PERC Module	ASPL380MP72 (380 Wp)	ASPL380MP72	19.13	72 (Half Cut Cells)	1500	21.04.2025	20.04.2029
								ASPL385MP72	19.39				
								ASPL390MP72	19.64				
								ASPL395MP72	19.89				
								ASPL390MP108	19.97				
					ASPL395MP108	20.23							
					ASPL400MP108	20.48							
					ASPL405MP108	20.74							
					ASPL410MP108	21.00							
					ASPL415MP108	21.25	144 (Half Cut Cells)	1500					
					ASPL525MP144	20.32							
					ASPL530MP144	20.52							
					ASPL535MP144	20.71							
					ASPL540MP144	20.90							
					ASPL545MP144	21.10							
					ASPL550MP144	21.29	156 (Half Cut Cells)	1500					
					ASPL580MP156	20.75							
					ASPL585MP156	20.93							
					ASPL590MP156	21.11							
					ASPL415TPC108	21.25			108 (Half Cut Cells)	1500			
					ASPL420TPC108	21.51							
					ASPL425TPC108	21.76							
					ASPL430TPC108	22.02							
					ASPL435TPC108	22.28							
					6	N Type TOPCon Module	ASPL470TPC120 (470 Wp)	ASPL460TPC120	21.25	120 (Half Cut Cells)	1500		
								ASPL465TPC120	21.48				
								ASPL470TPC120	21.71				
								ASPL475TPC120	21.94				
								ASPL480TPC120	22.17				
					7	Bifacial N Type TOPCon Module (Glass to Glass)	ASPL565TPC144 (565 Wp)	ASPL545TPC144	21.10	144 (Half Cut Cells)	1500		
								ASPL550TPC144	21.29				
								ASPL555TPC144	21.48				
								ASPL560TPC144	21.68				
								ASPL565TPC144	21.87				
								ASPL570TPC144	22.07				
								ASPL575TPC144	22.26				
								ASPL580TPC144	22.45				
								ASPL585TPC144	22.65				
								ASPL605TPC156	21.64				
					8	Bifacial N Type TOPCon Module (Glass to Glass)	ASPL620TPC156 (620 Wp)	ASPL610TPC156	21.82				
								ASPL615TPC156	22.00				
								ASPL620TPC156	22.18				
								ASPL625TPC156	22.36				
								ASPL630TPC156	22.54				
13	M/s. Emmvee Energy Private Limited (Model Addition)	Sy. No. 66-70/3, Sompura Industrial Area, Pemmanahalli Village, Sompura Hobli, Nelamangala Taluk, Bengaluru Rural District, Karnataka - 562111, India	R-62004626	3264	1	Bifacial N-Type TOPCon Modules (Glass to Glass)	E595HCBG144-T (595 Wp)	E585HCBG144-T	22.65	144 (Half Cut Cells)	1500	08.07.2024	07.07.2028
								E590HCBG144-T	22.84				
								E595HCBG144-T	23.03				
								E600HCBG144-T	23.23				
								E605HCBG144-T	23.42				
					2	Bifacial N-Type TOPCon Modules (Glass to Transparent Backsheet)	E415HCBT108-T (415 Wp)	E395HCBT108-T	20.25	108 (Half Cut Cells)	1500	08.07.2024	07.07.2028
								E400HCBT108-T	20.51				
								E405HCBT108-T	20.76				
								E410HCBT108-T	21.02				
								E415HCBT108-T	21.28				
								E420HCBT108-T	21.53				
								E425HCBT108-T	21.79				
								E430HCBT108-T	22.05				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								E435HCBT108-T	22.30				
					3	Bifacial N-Type TOPCon Modules (Glass to Transparent Backsheet)	E460HCBT120T (460Wp)	E440HCBT120-T	20.28	120 (Half Cut Cells)	1500	08.07.2024	07.07.2028
								E445HCBT120-T	20.51				
								E450HCBT120-T	20.74				
								E455HCBT120-T	20.97				
								E460HCBT120-T	21.20				
								E465HCBT120-T	21.44				
								E470HCBT120-T	21.67				
								E475HCBT120-T	21.90				
								E480HCBT120-T	22.13				
								E480HCBT132-T	20.19	132 (Half Cut Cells)	1500	08.07.2024	07.07.2028
					4	Bifacial N-Type TOPCon Modules (Glass to Transparent Backsheet)	E505HCBT132-T (505 Wp)	E485HCBT132-T	20.40				
								E490HCBT132-T	20.61				
								E495HCBT132-T	20.82				
								E500HCBT132-T	21.03				
								E505HCBT132-T	21.24				
								E510HCBT132-T	21.45				
								E515HCBT132-T	21.66				
								E520HCBT132-T	21.87				
								E525HCBT132-T	22.08				
								E530HCBT132-T	22.29	144 (Half Cut Cells)	1500	08.07.2024	07.07.2028
					5	Bifacial N-Type TOPCon Modules (Glass to Transparent Backsheet)	E555HCBT144-T (555 Wp)	E530HCBT144-T	20.52				
								E535HCBT144-T	20.71				
								E540HCBT144-T	20.90				
								E545HCBT144-T	21.10				
								E550HCBT144-T	21.29				
								E555HCBT144-T	21.48				
								E560HCBT144-T	21.68				
								E565HCBT144-T	21.87				
								E570HCBT144-T	22.07				
								E575HCBT144-T	22.26				
					6	Bifacial N-Type TOPCon Modules (Glass to Transparent Backsheet)	E525HCBT144-T (525 Wp)	E580HCBT144-T	22.45	144 (Half Cut Cells)	1500	08.07.2024	07.07.2028
								E525HCBT144-T	20.32				
					7	N-Type TOPCon Module	E415HCMW108-T (415 Wp)	E395HCMW108-T	20.25	108 (Half Cut Cells)	1500	08.07.2024	07.07.2028
								E400HCMW108-T	20.51				
								E405HCMW108-T	20.76				
								E410HCMW108-T	21.02				
								E415HCMW108-T	21.28				
								E420HCMW108-T	21.53				
								E425HCMW108-T	21.79				
								E430HCMW108-T	22.05				
								E435HCMW108-T	22.30				
					8	N-Type TOPCon Module	E460HCMW120-T (460 Wp)	E440HCMW120-T	20.28	120 (Half Cut Cells)	1500	08.07.2024	07.07.2028
								E445HCMW120-T	20.51				
								E450HCMW120-T	20.74				
								E455HCMW120-T	20.97				
								E460HCMW120-T	21.20				
								E465HCMW120-T	21.44				
								E470HCMW120-T	21.67				
								E475HCMW120-T	21.90				
								E480HCMW120-T	22.13				
								E480HCMW132-T	20.19	132 (Half Cut Cells)	1500	08.07.2024	07.07.2028
					9	N-Type TOPCon Module	E505HCMW132-T (505 Wp)	E485HCMW132-T	20.40				
								E490HCMW132-T	20.61				
								E495HCMW132-T	20.82				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								E500HCMW132-T	21.03				
								E505HCMW132-T	21.24				
								E510HCMW132-T	21.45				
								E515HCMW132-T	21.66				
								E520HCMW132-T	21.87				
								E525HCMW132-T	22.08				
								E530HCMW132-T	22.29				
					10	N-Type TOPCon Module	E505HCMW144-T (555 Wp)	E530HCMW144-T	20.52	144 (Half Cut Cells)	1500	08.07.2024	07.07.2028
								E535HCMW144-T	20.71				
								E540HCMW144-T	20.90				
								E545HCMW144-T	21.10				
								E550HCMW144-T	21.29				
								E555HCMW144-T	21.48				
								E560HCMW144-T	21.68				
								E565HCMW144-T	21.87				
								E570HCMW144-T	22.07				
								E575HCMW144-T	22.26				
								E580HCMW144-T	22.45				
								E525HCMW144-T	20.32				
					11	N-Type TOPCon Module	E525HCMW144-T (525 Wp)			144 (Half Cut Cells)	1500	08.07.2024	07.07.2028
14	M/s. Emmvee Photovoltaic Power Private Limited (Model Addition)	Sy. No. 66-70/3, Pemmanahalli Village, Sompura Hobli, Dabaspeta, Nelamangala Taluk, Bengaluru Rural District, Karnataka - 562111, India	R-62002976	678	1	Bifacial N-Type TOPCon Modules (Glass to Glass)	E590HCBG144-T	E585HCBG144-T	22.65	144 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								E590HCBG144-T	22.84				
								E595HCBG144-T	23.03				
15	M/s. Gautam Solar Private Limited (New Addition in ALMM)	7KM Milestone, Tosham Road, Dist. Bhiwani, Bhiwani Khera-127032, Haryana, India	R-91017574	470	1	Mono c-Si PERC Modules	G2X530-HAD (530 Wp)	G2X510-HAD	19.73	144 (Half Cut Cells)	1500	21.04.2025	20.04.2029
								G2X515-HAD	19.92				
								G2X520-HAD	20.11				
								G2X525-HAD	20.31				
								G2X530-HAD	20.50				
								G2X535-HAD	20.69				
								G2X540-HAD	20.89				
								G2X545-HAD	21.08				
								G2X550-HAD	21.27				
								G2X555-HAD	21.47				
								G2X560-HAD	21.66				
								G2X520-HAB	21.89	132 (Half Cut Cells)	1500		
					2	Mono c-Si PERC Modules	G2X495-HAB (495 Wp)	G2X515-HAB	21.68				
								G2X510-HAB	21.47				
								G2X505-HAB	21.26				
								G2X500-HAB	21.05				
								G2X495-HAB	20.84				
								G2X490-HAB	20.63				
								G2X485-HAB	20.41				
					3	Mono c-Si PERC Modules	G2X450-HAA (450 Wp)	G2X465-HAA	21.47	120 (Half Cut Cells)	1500		
								G2X460-HAA	21.24				
								G2X455-HAA	21.01				
								G2X450-HAA	20.78				
								G2X445-HAA	20.55				
					4	Mono c-Si PERC Modules	G2X450-HAY (405 Wp)	G2X440-HAA	20.31	108 (Half Cut Cells)	1500		
								G2X420-HAY	21.31				
								G2X415-HAY	21.06				
								G2X410-HAY	20.80				
								G2X405-HAY	20.55				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								G2X400-HAY	20.30	96 (Half Cut Cells)	1500		
								G2X390-HAY	19.79				
					5	Mono c-Si PERC Modules	G2X360-HAX (360 Wp)	G2X370-HAX	21.21				
								G2X365-HAX	20.93				
								G2X360-HAX	20.64				
								G2X355-HAX	20.35				
								G2X350-HAX	20.07				
					6	Bifacial Mono c-Si PERC Modules	G2XBifacial 1695-HAD (535 Wp) (510 Wp-560 Wp)	G2XBifacial 728-HAD	21.66	144 (Half Cut Cells)	1500		
								G2XBifacial 721-HAD	21.47				
								G2XBifacial 715-HAD	21.27				
								G2XBifacial 708-HAD	21.08				
								G2XBifacial 702-HAD	20.89				
								G2XBifacial 695-HAD	20.69				
								G2XBifacial 689-HAD	20.50				
								G2XBifacial 682-HAD	20.31				
								G2XBifacial 676-HAD	20.11				
								G2XBifacial 669-HAD	19.92				
								G2XBifacial 663-HAD	19.73				
					7	Bifacial Mono c-Si PERC Modules	G2XBifacial 1650-HAB (500 Wp) (485 Wp-520 Wp)	G2XBifacial 1676-HAB	21.75	132 (Half Cut Cells)	1500		
								G2XBifacial 1669-HAB	21.54				
								G2XBifacial 1663-HAB	21.33				
								G2XBifacial 1656-HAB	21.13				
								G2XBifacial 1650-HAB	20.92				
								G2XBifacial 1643-HAB	20.71				
								G2XBifacial 1637-HAB	20.50				
								G2XBifacial 1630-HAB	20.29				
					8	Bifacial Mono c-Si PERC Modules	G2XBifacial 1585-HAa (450 Wp) (440 Wp-465 Wp)	G2XBifacial 1604-HAA	21.32	120 (Half Cut Cells)	1500		
								G2XBifacial 1598-HAA	21.09				
								G2XBifacial 1591-HAA	20.87				
								G2XBifacial 1585-HAA	20.64				
								G2XBifacial 1578-HAA	20.41				
								G2XBifacial 1572-HAA	20.18				
					9	Bifacial Mono c-Si PERC Modules	G2XBifacial 1526-HAY (405 Wp) (390 Wp-420 Wp)	G2XBifacial 1546-HAY	21.31	108 (Half Cut Cells)	1500		
								G2XBifacial 1539-HAY	21.06				
								G2XBifacial 1533-HAY	20.80				
								G2XBifacial 1526-HAY	20.55				
								G2XBifacial 1520-HAY	20.30				
								G2XBifacial 1507-HAY	19.79				
					10	Bifacial Mono c-Si PERC Modules	G2XBifacial 1468-HAX (360 Wp) (350 Wp-370 Wp)	G2XBifacial 1481-HAX	21.00	96 (Half Cut Cells)	1500		
								G2XBifacial 1474-HAX	20.71				
								G2XBifacial 1468-HAX	20.43				
								G2XBifacial 1461-HAX	20.14				
								G2XBifacial 1455-HAX	19.86				
16	M/s. Knack Energy Private Limited (New Addition in ALMM)	Survey No. 291 & 292, Besides Kamla Amrut Industrial Estate, Budasun, Near Hitachi, Jhonson Kadi, Mehsana-382715,Gujarat, India	R-72012319	598	1	Bifacial N-Type TOPCon Module (Glass to Glass)	KNACK-NG2G-16B-156-630 (630 Wp)	KNACK-NG2G-16B-156-605	21.63	156 (Half Cut Cells)	1500	21.04.2025	20.04.2029
								KNACK-NG2G-16B-156-610	21.81				
								KNACK-NG2G-16B-156-615	21.99				
								KNACK-NG2G-16B-156-620	22.17				
								KNACK-NG2G-16B-156-625	22.35				
								KNACK-NG2G-16B-156-630	22.53				
								KNACK-NG2G-16B-156-635	22.71				
								KNACK-NG2G-16B-156-640	22.89				
								KNACK-NG2G-16B-156-645	23.07				
								KNACK-NG2G-16B-156-650	23.24				
					2	Bifacial N-Type TOPCon Module (Glass to Glass)	KNACK-NG2G-16A-156-630 (630 Wp)	KNACK-NG2G-16A-156-605	21.63	156 (Half Cut Cells)	1500		
								KNACK-NG2G-16A-156-610	21.81				
								KNACK-NG2G-16A-156-615	21.99				
								KNACK-NG2G-16A-156-620	22.17				
								KNACK-NG2G-16A-156-625	22.35				
								KNACK-NG2G-16A-156-630	22.53				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					9	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RS132TP 505W (505Wp)	RS132TP 515W	21.69	132 (Half Cut Cells)	1500		
								RS132TP 510W	21.48				
								RS132TP 505W	21.27				
								RS132TP 500W	21.06				
								RS132TP 495W	20.85				
					10	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RS132TP 480W (480Wp)	RS132TP 490W	20.64	132 (Half Cut Cells)	1500		
								RS132TP 485W	20.42				
								RS132TP 480W	20.21				
								RS132TP 475W	20.00				
								RS132TP 470W	19.79				
					11	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RS120TP 445W (445Wp)	RS120TP 465W	21.48	120 (Half Cut Cells)	1500		
								RS120TP 460W	21.25				
								RS120TP 455W	21.02				
								RS120TP 450W	20.79				
								RS120TP 445W	20.56				
								RS120TP 440W	20.33				
								RS120TP 435W	20.09				
								RS120TP 430W	19.86				
								RS120TP 425W	19.63				
					12	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RS108TP 400W (400Wp)	RS108TP 420W	21.51	108 (Half Cut Cells)	1500		
								RS108TP 415W	21.25				
								RS108TP 410W	21.00				
								RS108TP 405W	20.74				
								RS108TP 400W	20.48				
								RS108TP 395W	20.23				
								RS108TP 390W	19.97				
								RS108TP 385W	19.72				

F. No. 283/41/2024-GRID SOLAR

भारत सरकार / Government of India

नवीन और नवीकरणीय ऊर्जा मंत्रालय / Ministry of New & Renewable Energy

ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003.

Dated: 27th March, 2025

OFFICE MEMORANDUM

Sub: Updation of List I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 – Reg.

Ref: (i) MNRE's O.M. No. 283/54/2018-GRID SOLAR-Part(1) dated 10.03.2021
(ii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 10.05.2023;
(iii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 22.03.2024;

Reference is invited to this Ministry's O.M.s of even no. dated 10.03.2021, regarding implementation of Approved Models and Manufacturers of Solar Photovoltaic Modules (Requirement for Compulsory Registration) Order, 2019 and publishing List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019.

2. This Ministry vide its O.M. No. 283/22/2023-GRID SOLAR/Pt dated 10.05.2023 and O.M. of even no. dated 22.03.2024 inter-alia directed that only such models of Solar PV Module Manufacturers will be enlisted under ALMM, which comply with the BIS Standards and are having the following minimum module efficiency:

Category	Application/ Use	Minimum Module Efficiency requirement for crystalline-Silicon technology based Solar PV Modules	Minimum Module Efficiency requirement for Cadmium Telluride Thin Film technology based Solar PV Modules
Category I	Utility / Grid Scale Power Plants	20.0%	19.00%
Category II	Rooftop and Solar Pumping	19.5%	18.50%
Category III	Solar Lighting	19.0%	18.00%

3. Post the O.M. dated 10.05.2023 and subsequent O.M. dated 22.03.2024, only such models of Solar PV Modules have been considered for enlistment under ALMM List-I, whose module efficiency is meeting the eligibility criteria as mentioned in table at para-2 above.

4. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 was last updated on 17.02.2025.

5. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 is hereby further revised and the Revision-XXXVI of same is enclosed at Annexure-I. The details of provisional enlistments granted by MNRE in ALMM List-I are at pages after Annexure-I.

6. The ALMM enlistment validity is subject to valid BIS Registration; else deemed to be delisted.

7. The details of Registration No. (R. No.) which has been allotted by BIS is mentioned against each manufacturer / manufacturing unit enlisted in ALMM and further details related to BIS certification like validity, models included, etc. may be checked from BIS website by using the following link:
https://www.crsbis.in/BIS/Lims_registration.do?hmode=getLimsData

8. This issues with the approval of competent authority.



(Sanjay G. Karndhar)
Scientist-E

E-mail: karndhar.sg@nic.in

Encl: as above

To: All Concerned

Copy to: Director (Technical), NIC, MNRE for uploading this document on MNRE's website

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					iii	Mono C-Si PERC Modules	SGE 285-54M (285 Wp)	SGE 280-54M SGE 285-54M	19.15 19.49	54 (Full Cells)	1000	10.03.2023	09.03.2027
					iv	Mono C-Si PERC Modules	SGE 315-60M (315 Wp)	SGE 310-60M SGE 315-60M	19.08 19.41	60 (Full Cells)	1500	10.03.2023	09.03.2027
					v	Mono C-Si PERC Modules	SGE 375-72M (375 Wp)	SGE 370-72M SGE 375-72M SGE 380-72M	19.09 19.35 19.61	72 (Full Cells)	1500	10.03.2023	09.03.2027
					vi	Mono C-Si PERC Modules	SGE570-156MHC, (570 Wp)	SGE555-156MHC SGE560-156MHC SGE565-156MHC SGE570-156MHC SGE575-156MHC SGE580-156MHC SGE585-156MHC SGE590-156MHC SGE520-144MHC	19.78 19.96 20.14 20.32 20.50 20.67 20.85 21.03 20.13	156 (Half Cut Cells)	1500	10.03.2023	09.03.2027
					vii	Mono C-Si PERC Modules	SGE530-144MHC, (530 Wp)	SGE525-144MHC SGE530-144MHC SGE535-144MHC SGE540-144MHC SGE545-144MHC SGE550-144MHC	20.32 20.52 20.70 20.90 21.10 21.29	144 (Half Cut Cells)	1500	10.03.2023	09.03.2027
					viii	Mono C-Si PERC Modules	SGE485-132MHC, (485 Wp)	SGE470-132MHC SGE475-132MHC SGE480-132MHC SGE485-132MHC SGE490-132MHC SGE495-132MHC SGE500-132MHC	19.78 20.01 20.23 20.41 20.63 20.84 21.05	132 (Half Cut Cells)	1500	10.03.2023	09.03.2027
					ix	Mono C-Si PERC Modules	SGE440-120MHC, (440 Wp)	SGE420-120MHC SGE425-120MHC SGE430-120MHC SGE435-120MHC SGE440-120MHC SGE445-120MHC SGE450-120MHC SGE455-120MHC	19.37 19.60 19.83 20.06 20.29 20.52 20.76 20.99	120 (Half Cut Cells)	1500	10.03.2023	09.03.2027
					x	Mono C-Si PERC Modules	SGE395-108MHC, (395 Wp)	SGE380-108MHC SGE385-108MHC SGE390-108MHC SGE395-108MHC SGE400-108MHC SGE405-108MHC SGE410-108MHC	19.44 19.69 19.95 20.20 20.46 20.71 20.98	108 (Half Cut Cells)	1500	10.03.2023	09.03.2027
					xi	Mono C-Si PERC Modules	SGE 395-72M, (395 Wp)	SGE 385-72M SGE 390-72M SGE 395-72M SGE 400-72M	19.22 19.47 19.72 19.97	72 (Full Cell)	1500	10.03.2023	09.03.2027
					xii	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	SGE535-144MBHC (535 Wp)	SGE525-144MBHC SGE530-144MBHC SGE535-144MBHC SGE540-144MBHC SGE545-144MBHC SGE550-144MBHC	20.32 20.52 20.71 20.90 21.10 21.29	144 (Half Cut Cells)	1500	10.03.2023	09.03.2027
					xiii	Bifacial N Type TOPCon Module	SGE425-108TGG (425 Wp)	SGE410-108TGG SGE415-108TGG SGE420-108TGG SGE425-108TGG SGE430-108TGG SGE435-108TGG SGE440-108TGG SGE460-120TGG SGE465-120TGG SGE470-120TGG	20.97 21.22 21.48 21.74 21.99 22.25 22.51 21.21 21.46 21.68	108 (Half Cut Cells)	1500	10.03.2023	09.03.2027
							SGE475-120TGG						

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								JH-455M	20.86	132 (Half-Cut Cells)	1500	17.08.2023	16.08.2027
					ii	Mono C-Si PERC Modules	JH-490M, (490Wp)	JH-460M	21.09				
								JH-470M	19.66				
								JH-475M	19.87				
								JH-480M	20.08				
								JH-485M	20.29				
								JH-490M	20.50				
								JH-495M	20.71				
								JH-500M	20.92				
								JH-505M	21.13				
					iii	Mono C-Si PERC Modules	JH-535M, (535Wp)	JH-510M	21.34	144 (Half-Cut Cells)	1500	17.08.2023	16.08.2027
								JH-515M	19.85				
								JH-520M	20.04				
								JH-525M	20.23				
								JH-530M	20.43				
								JH-535M	20.62				
								JH-540M	20.81				
								JH-545M	21.00				
								JH-550M	21.20				
								JH-555M	21.39				
					iv	Mono C-Si PERC Modules	JH-580M, (580Wp)	JH-580M	20.67	156 (Half-Cut Cells)	1500	17.08.2023	16.08.2027
								JH-585M	20.85				
								JH-590M	21.03				
								JH-595M	21.21				
								JH-600M	21.38				
					v	Mono C-Si PERC Modules	JP-H395M, (385Wp-405Wp)	JP-H385M	19.37	72 (Full Cells)	1500	17.08.2023	16.08.2027
								JP-H390M	19.62				
								JP-H395M	19.87				
								JP-H400M	20.12				
								JP-H405M	20.37				
					vi	Mono C-Si PERC Modules	JH-400M, (400Wp)	JH-380M	19.28	108 (Half-Cut Cells)	1500	17.08.2023	16.08.2027
								JH-385M	19.53				
								JH-390M	19.79				
								JH-395M	20.04				
								JH-400M	20.29				
								JH-405M	20.55				
								JH-410M	20.88				
								JH-415M	21.06				
					vii	Mono c-Si Bifacial PERC Module	JH-400BB	JH-380BB	19.48	108 (Half Cut Cells)	1500	17.08.2023	16.08.2027
								JH-385BB	19.73				
								JH-390BB	19.99				
								JH-395BB	20.25				
								JH-400BB	20.50				
								JH-405BB	20.76				
								JH-410BB	21.01				
								JH-415BB	21.27				
					viii	Mono c-Si Bifacial PERC Module	JH-440BB	JH-420BB	19.39	120 (Half Cut Cells)	1500	17.08.2023	16.08.2027
								JH-425BB	19.62				
								JH-430BB	19.85				
								JH-435BB	20.08				
								JH-440BB	20.31				
								JH-445BB	20.54				
								JH-450BB	20.77				
								JH-455BB	21.00				
								JH-460BB	21.23				
					ix	Mono c-Si Bifacial PERC Module	JH-490BB	JH-475BB	20.02	132 (Half Cut Cells)	1500	17.08.2023	16.08.2027
								JH-480BB	20.23				
								JH-485BB	20.44				
								JH-490BB	20.65				
								JH-495BB	20.86				
								JH-500BB	21.07				
								JH-505BB	21.29				
								JH-510BB	21.50				
								JH-515BB	21.71				
								JH-520BB	20.15				
								JH-525BB	20.34				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					x	Mono c-Si Bifacial PERC Module	JH-535BB	JH-530BB	20.53	144 (Half Cut Cells)	1500	17.08.2023	16.08.2027
								JH-535BB	20.73				
								JH-540BB	20.92				
								JH-545BB	21.11				
								JH-550BB	21.31				
								JH-555BB	21.50				
					xi	Mono c-Si Bifacial PERC Module	JH-400BT	JH-380BT	19.48	108 (Half Cut Cells)	1500	17.08.2023	16.08.2027
								JH-385BT	19.73				
								JH-390BT	19.99				
								JH-395BT	20.25				
								JH-400BT	20.50				
								JH-405BT	20.76				
								JH-410BT	21.01				
								JH-415BT	21.27				
								JH-420BT	19.39				
								JH-425BT	19.62				
					xii	Mono c-Si Bifacial PERC Module	JH-440BT	JH-430BT	19.85	120 (Half Cut Cells)	1500	17.08.2023	16.08.2027
								JH-435BT	20.08				
								JH-440BT	20.31				
								JH-445BT	20.54				
								JH-450BT	20.77				
								JH-455BT	21.00				
								JH-460BT	21.23				
								JH-475BT	20.02				
								JH-480BT	20.23				
								JH-485BT	20.44				
					xiii	Mono c-Si Bifacial PERC Module	JH-490BT	JH-490BT	20.65	132 (Half Cut Cells)	1500	17.08.2023	16.08.2027
								JH-495BT	20.86				
								JH-500BT	21.07				
								JH-505BT	21.29				
								JH-510BT	21.50				
								JH-515BT	21.71				
								JH-520BT	20.15				
								JH-525BT	20.34				
								JH-530BT	20.53				
					xiv	Mono c-Si Bifacial PERC Module	JH-535BT	JH-535BT	20.73	144 (Half Cut Cells)	1500	17.08.2023	16.08.2027
								JH-540BT	20.92				
								JH-545BT	21.11				
								JH-550BT	21.31				
								JH-555BT	21.50				
								JH-380BW	19.48				
					xv	Mono c-Si Bifacial PERC Module	JH-400BW	JH-385BW	19.73				
								JH-390BW	19.99				
								JH-395BW	20.25				
								JH-400BW	20.50				
								JH-405BW	20.76				
								JH-410BW	21.01				
								JH-415BW	21.27				
								JH-420BW	19.39				
								JH-425BW	19.62				
					xvi	Mono c-Si Bifacial PERC Module	JH-440BW	JH-430BW	19.85	120 (Half Cut Cells)	1500	17.08.2023	16.08.2027
								JH-435BW	20.08				
								JH-440BW	20.31				
								JH-445BW	20.54				
								JH-450BW	20.77				
								JH-455BW	21.00				
								JH-460BW	21.23				
								JH-475BW	20.02				
								JH-480BW	20.23				
					xvii	Mono c-Si Bifacial PERC Module	JH-490BW	JH-485BW	20.44	132 (Half Cut Cells)	1500	17.08.2023	16.08.2027
								JH-490BW	20.65				
								JH-495BW	20.86				
								JH-500BW	21.07				
								JH-505BW	21.29				
								JH-510BW	21.50				
								JH-515BW	21.71				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xviii	Mono c-Si Bifacial PERC Module	JH-535BW	JH-520BW	20.15	144 (Half Cut Cells)	1500	17.08.2023	16.08.2027
								JH-525BW	20.34				
								JH-530BW	20.53				
								JH-535BW	20.73				
								JH-540BW	20.92				
								JH-545BW	21.11				
								JH-550BW	21.31				
								JH-555BW	21.50				
					xix	N-Type TOPCon Module (Glass to Transparent Backsheet)	JN-420BT (420 Wp)	JN-400BT	20.50	108 (Half Cut Cells)	1500	17.08.2023	16.08.2027
								JN-405BT	20.76				
								JN-410BT	21.01				
								JN-415BT	21.27				
								JN-420BT	21.53				
								JN-425BT	21.78				
								JN-430BT	22.04				
								JN-435BT	22.29				
								JN-440BT	22.55				
								JN-445BT	20.54	120 (Half Cut Cells)	1500	17.08.2023	16.08.2027
					xx	N-Type TOPCon Module (Glass to Transparent Backsheet)	JN-470BT (470 Wp)	JN-450BT	20.77				
								JN-455BT	21.00				
								JN-460BT	21.23				
								JN-465BT	21.46				
								JN-470BT	21.70				
								JN-475BT	21.93				
								JN-480BT	22.16				
								JN-485BT	22.39				
								JN-490BT	22.62				
					xxi	N-Type TOPCon Module (Glass to Transparent Backsheet)	JN-520BT (520 Wp)	JN-495BT	20.86	132 (Half Cut cells)	1500	17.08.2023	16.08.2027
								JN-500BT	21.07				
								JN-505BT	21.28				
								JN-510BT	21.50				
								JN-515BT	21.71				
								JN-520BT	21.92				
								JN-525BT	22.13				
								JN-530BT	22.34				
								JN-535BT	22.55				
					xxii	N-Type TOPCon Module (Glass to Transparent Backsheet)	JN-570BT (570 Wp)	JN-540BT	22.76	144 (Half Cut Cells)	1500	17.08.2023	16.08.2027
								JN-545BT	21.12				
								JN-550BT	21.31				
								JN-555BT	21.50				
								JN-560BT	21.70				
								JN-565BT	21.89				
								JN-570BT	22.08				
								JN-575BT	22.28				
								JN-580BT	22.47				
								JN-585BT	22.66				
					xxiii	N-Type TOPCon Module (Glass to Glass)	JN-420G (420 Wp)	JN-590BT	22.86	108 (Half Cut Cells)	1500	17.08.2023	16.08.2027
								JN-400G	20.50				
								JN-405G	20.76				
								JN-410G	21.01				
								JN-415G	21.27				
								JN-420G	21.53				
								JN-425G	21.78				
								JN-430G	22.04				
								JN-435G	22.29				
					xxiv	N-Type TOPCon Module (Glass to Glass)	JN-470G (470 Wp)	JN-445G	20.54	120 (Half Cut Cells)	1500	17.08.2023	16.08.2027
								JN-450G	20.77				
								JN-455G	21.00				
								JN-460G	21.23				
								JN-465G	21.46				
								JN-470G	21.70				
								JN-475G	21.93				
								JN-480G	22.16				
								JN-485G	22.39				
								JN-495G	20.86				
								JN-500G	21.07				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deeemd to be delisted)
					xxv	N-Type TOPCon Module (Glass to Glass)	JN-520G (520 Wp)	JN-505G JN-510G JN-515G JN-520G JN-525G JN-530G	21.28 21.50 21.71 21.92 22.13 22.34	132 (Half Cut cells)	1500	17.08.2023	16.08.2027
					xxvi	N-Type TOPCon Module (Glass to Glass)	JN-570G (570 Wp)	JN-545G JN-550G JN-555G JN-560G JN-565G JN-570G JN-575G JN-580G	21.12 21.31 21.50 21.70 21.89 22.08 22.28 22.47	144 (Half Cut Cells)	1500	17.08.2023	16.08.2027
7	Insolation Energy Pvt. Ltd	Khasra No 766/2, Vill-Bagwara, Teh-Amer Jaipur, Rajasthan	R-84002330	174	i	Mono c-Si PERC Module	INA72MP375	INA72MP375	19.23	72 (Full Cells)	1500	29.09.2023	28.09.2027
					ii	Mono c-Si PERC Module	INA72MP385	INA72MP395 INA72MP390 INA72MP385 INA72MP380	19.80 19.55 19.30 19.05	72 (Full Cells)	1500	29.09.2023	28.09.2027
8	Gautam Solar Pvt. Ltd.	Plot No-67-70, Sector-8A IIE, Sidcul Haridwar- 249403, Uttarakhand	R-83006041	710	i	Mono c-Si PERC Modules	G2XBifacial1767-HAE (590 Wp) 595Wp)	G2XBifacial1734-HAE G2XBifacial1741-HAE G2XBifacial1747-HAE G2XBifacial1754-HAE G2XBifacial1760-HAE G2XBifacial1767-HAE G2XBifacial1773-HAE	20.20 20.38 20.56 20.74 20.92 21.10 21.28	156 (Half Cut Cells)	1500	29.09.2023	28.09.2027
					ii	Mono c-Si PERC Modules	G2XBifacial1695-HAD (535 Wp) (510Wp-550Wp)	G2XBifacial1663-HAD G2XBifacial1669-HAD G2XBifacial1676-HAD G2XBifacial1682-HAD G2XBifacial1689-HAD G2XBifacial1695-HAD G2XBifacial1702-HAD G2XBifacial1708-HAD G2XBifacial1715-HAD	19.74 19.94 20.13 20.32 20.52 20.71 20.90 21.10 21.29	144 (Half Cut Cells)	1500	29.09.2023	28.09.2027
					iii	Mono c-Si PERC Modules	G2XBifacial1643-HAB (495 Wp) (485Wp-505Wp)	G2XBifacial1656-HAB G2XBifacial1650-HAB G2XBifacial1643-HAB G2XBifacial1637-HAB G2XBifacial1630-HAB	21.13 20.92 20.71 20.50 20.29	132 (Half Cut Cells)	1500	29.09.2023	28.09.2027
					iv	Mono c-Si PERC Modules	G2XBifacial1585-HAA (450 Wp) (440Wp-460Wp)	G2XBifacial1598-HAA G2XBifacial1591-HAA G2XBifacial1585-HAA G2XBifacial1578-HAA G2XBifacial1572-HAA	21.09 20.87 20.64 20.41 20.18	120 (Half Cut Cells)	1500	29.09.2023	28.09.2027
					v	Mono c-Si PERC Modules	G2XBifacial1526-HAY (405 Wp) (390Wp-415Wp)	G2XBifacial1539-HAY G2XBifacial1533-HAY G2XBifacial1526-HAY G2XBifacial1520-HAY G2XBifacial1507-HAY	21.06 20.80 20.55 20.30 19.79	108 (Half Cut Cells)	1500	29.09.2023	28.09.2027
					vi	Mono c-Si PERC Modules	G2XBifacial1468-HAX (360 Wp) (365Wp-350Wp)	G2XBifacial1474-HAX G2XBifacial1468-HAX G2XBifacial1461-HAX G2XBifacial1455-HAX	20.71 20.43 20.14 19.86	96 (Half Cut Cells)	1500	29.09.2023	28.09.2027
					vii	Mono c-Si PERC Modules	G2X590-HAE (590 Wp)	G2X565-HAE G2X570-HAE G2X575-HAE G2X580-HAE G2X585-HAE G2X590-HAE G2X595-HAE	20.20 20.38 20.56 20.74 20.92 21.10 21.28	156 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2X510-HAD G2X515-HAD G2X520-HAD	19.74 19.94 20.13				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					viii	Mono c-Si PERC Modules	G2X530-HAD (530 Wp)	G2X525-HAD	20.32	144 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2X530-HAD	20.52				
								G2X535-HAD	20.71				
								G2X540-HAD	20.90				
								G2X545-HAD	21.10				
					ix	Mono c-Si PERC Modules	G2X495-HAB (495 Wp)	G2X550-HAD	21.29	132 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2X505-HAB	21.13				
								G2X500-HAB	20.92				
								G2X495-HAB	20.71				
								G2X490-HAB	20.50				
					x	Mono c-Si PERC Modules	G2X450-HAA (450 Wp)	G2X485-HAB	20.29	120 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2X460-HAA	21.09				
								G2X455-HAA	20.87				
								G2X450-HAA	20.64				
								G2X445-HAA	20.41				
					xi	Mono c-Si PERC Modules	G2X405-HAY (405 Wp)	G2X440-HAA	20.18	108 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2X415-HAY	21.06				
								G2X410-HAY	20.80				
								G2X405-HAY	20.55				
								G2X400-HAY	20.30				
					xii	Mono c-Si PERC Modules	G2X360-HAX (360 Wp)	G2X390-HAY	19.79	96 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2X365-HAX	20.71				
								G2X360-HAX	20.43				
								G2X355-HAX	20.14				
								G2X350-HAX	19.86				
					xiii	Mono c-Si PERC Modules	GS-420-AAA (420 Wp)	G2X350-HAX	19.86	78 (Full Cells)	1500	29.09.2023	28.09.2027
								GS-410-AAA	19.03				
								GS-415-AAA	19.26				
								GS-420-AAA	19.49				
								GS-425-AAA	19.72				
					xiv	Mono c-Si PERC Modules	GS-400-AAB (400 Wp)	GS-430-AAA	19.95	72 (Full Cells)	1500	29.09.2023	28.09.2027
								GS-380-AAB	19.13				
								GS-385-AAB	19.39				
								GS-390-AAB	19.64				
								GS-395-AAB	19.89				
					xv	Mono c-Si PERC Modules	GS-360-AAC (360 Wp)	GS-405-AAB	20.14	66 (Full Cells)	1500	29.09.2023	28.09.2027
								GS-405-AAB	20.39				
								GS-410-AAB	20.64				
								GS-415-AAB	20.90				
								GS-420-AAB	21.15				
					xvi	Mono c-Si PERC Modules	GS-330-AAD (330 Wp)	GS-350-AAC	19.13	60 (Full Cells)	1500	29.09.2023	28.09.2027
								GS-355-AAC	19.40				
								GS-360-AAC	19.67				
								GS-365-AAC	19.95				
								GS-320-AAD	19.16				
					xvii	Mono c-Si PERC Modules	GS-295-AAE (295 Wp)	GS-325-AAD	19.46	54 (Full Cells)	1500	29.09.2023	28.09.2027
								GS-330-AAD	19.76				
								GS-335-AAD	20.06				
								GS-290-AAE	19.21				
								GS-295-AAE	19.54				
					xviii	Mono c-Si PERC Modules	GS-260-AAF (260 Wp)	GS-300-AAE	19.87	48 (Full Cells)	1500	29.09.2023	28.09.2027
								GS-260-AAF	19.26				
								GS-265-AAF	19.63				
								GS-230-AAG	19.33				
					xix	Mono c-Si PERC Modules	GS-200-AAH (200 Wp)	GS-195-AAH	19.26	36 (Full Cells)	1500	29.09.2023	28.09.2027
								GS-200-AAH	19.75				
								GS-205-AAH	20.25				
								GS-210-AAH	20.74				
								G2X590-HAD	22.82				
								G2X1767-UHAD	22.78				
								G2X588-HAD	22.74				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xxi	N-Type TOPCon Module	G2X575-HAD (575Wp) (551Wp-590Wp)	G2X587-HAD	22.70	144 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2X1758T-UHAD	22.66				
								G2X585-HAD	22.63				
								G2X1752-UHAD	22.59				
								G2X583-HAD	22.55				
								G2X582-HAD	22.51				
								G2X1743T-UHAD	22.47				
								G2X580-HAD	22.43				
								G2X1737-UHAD	22.39				
								G2X578-HAD	22.36				
								G2X577-HAD	22.32				
								G2X1728T-UHAD	22.28				
								G2X575-HAD	22.24				
								G2X1722-UHAD	22.20				
								G2X573-HAD	22.16				
								G2X572-HAD	22.12				
								G2X1713T-UHAD	22.08				
								G2X570-HAD	22.05				
								G2X1707-UHAD	22.01				
								G2X568-HAD	21.97				
								G2X567-HAD	21.93				
								G2X1698T-UHAD	21.89				
								G2X565-HAD	21.85				
								G2X1692-UHAD	21.81				
								G2X563-HAD	21.78				
								G2X562-HAD	21.74				
								G2X1683T-UHAD	21.70				
								G2X560-HAD	21.66				
								G2X1677-UHAD	21.62				
								G2X558-HAD	21.58				
								G2X557-HAD	21.54				
								G2X1668T-UHAD	21.50				
								G2X555-HAD	21.47				
								G2X1662-UHAD	21.43				
								G2X553-HAD	21.39				
								G2X552-HAD	21.35				
								G2X1653T-UHAD	21.31				
					xxii	N-Type TOPCon Module	G2X480-HAA (480 Wp) (461Wp-495Wp)	G2X495-HAA	22.70	120 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2X1482-UHAA	22.65				
								G2X493-HAA	22.61				
								G2X492-HAA	22.56				
								G2X1473T-UHAA	22.52				
								G2X490-HAA	22.47				
								G2X1467-UHAA	22.42				
								G2X488-HAA	22.38				
								G2X487-HAA	22.33				
								G2X1458T-UHAA	22.29				
								G2X485-HAA	22.24				
								G2X1452-UHAA	22.19				
								G2X483-HAA	22.15				
								G2X482-HAA	22.10				
								G2X1443T-UHAA	22.06				
								G2X480-HAA	22.01				
								G2X1437-UHAA	21.97				
								G2X478-HAA	21.92				
								G2X477-HAA	21.87				
								G2X1428T-UHAA	21.83				
								G2X475-HAA	21.78				
								G2X1422-UHAA	21.74				
								G2X473-HAA	21.69				
								G2X472-HAA	21.64				
								G2X1413T-UHAA	21.60				
								G2X470-HAA	21.55				
								G2X1407-UHAA	21.51				
								G2X468-HAA	21.46				
								G2X467-HAA	21.42				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								G2X1398T-UHAA	21.37				
								G2X465-HAA	21.32				
								G2X1392-UHAA	21.28				
								G2X463-HAA	21.23				
								G2X462-HAA	21.19				
								G2X1383T-UHAA	21.14				
					xxiii	N-Type TOPCon Module	G2X430-HAY (430 Wp) (416Wp-450Wp)	G2X450-HAY	22.83	108 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2X1347-UHAY	22.78				
								G2X448-HAY	22.73				
								G2X447-HAY	22.68				
								G2X1338T-UHAY	22.63				
								G2X445-HAY	22.58				
								G2X1332-UHAY	22.53				
								G2X443-HAY	22.48				
								G2X442-HAY	22.43				
								G2X1323T-UHAY	22.38				
								G2X440-HAY	22.32				
								G2X1317-UHAY	22.27				
								G2X438-HAY	22.22				
								G2X437-HAY	22.17				
								G2X1308T-UHAY	22.12				
								G2X435-HAY	22.07				
								G2X1302-UHAY	22.02				
								G2X433-HAY	21.97				
								G2X432-HAY	21.92				
								G2X1293T-UHAY	21.87				
								G2X430-HAY	21.82				
								G2X1287-UHAY	21.77				
								G2X428-HAY	21.72				
								G2X427-HAY	21.67				
								G2X1278T-UHAY	21.61				
								G2X425-HAY	21.56				
								G2X1272-UHAY	21.51				
								G2X423-HAY	21.46				
								G2X422-HAY	21.41				
								G2X1263T-UHAY	21.36				
								G2X420-HAY	21.31				
								G2X1257-UHAY	21.26				
								G2X418-HAY	21.21				
								G2X417-HAY	21.16				
								G2X1248T-UHAY	21.11				
					xxiv	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1740-HAD (580Wp) (567Wp - 590Wp)	G2G1770-HAD	22.82	144 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2G1767-UHAD	22.78				
								G2G1764N-UHAD	22.74				
								G2G1761B-UHAD	22.70				
								G2G1758NB-UHAD	22.66				
								G2G1755-HAD	22.63				
								G2G1752-UHAD	22.59				
								G2G1749N-UHAD	22.55				
								G2G1746B-UHAD	22.51				
								G2G1743NB-UHAD	22.47				
								G2G1740-HAD	22.43				
								G2G1737-UHAD	22.39				
								G2G1734N-UHAD	22.36				
								G2G1731B-UHAD	22.32				
								G2G1728NB-UHAD	22.28				
								G2G1725-HAD	22.24				
								G2G1722-UHAD	22.20				
								G2G1719N-UHAD	22.16				
								G2G1716B-UHAD	22.12				
								G2G1713NB-UHAD	22.08				
								G2G1710-HAD	22.05				
								G2G1707-UHAD	22.01				
								G2G1704N-UHAD	21.97				
								G2G1701B-UHAD	21.93				
								G2G1635-HAB	22.80				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xxv	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1560-HAB (520Wp) (496Wp - 545Wp)	G2G1632-UHAB	22.76	132 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2G1629N-UHAB	22.72				
								G2G1626B-UHAB	22.67				
								G2G1623NB-UHAB	22.63				
								G2G1620-HAB	22.59				
								G2G1617-UHAB	22.55				
								G2G1614N-UHAB	22.51				
								G2G1611B-UHAB	22.46				
								G2G1608NB-UHAB	22.42				
								G2G1605-HAB	22.38				
								G2G1602-UHAB	22.34				
								G2G1599N-UHAB	22.30				
								G2G1596B-UHAB	22.26				
								G2G1593NB-UHAB	22.21				
								G2G1590-HAB	22.17				
								G2G1587-UHAB	22.13				
								G2G1584N-UHAB	22.09				
								G2G1581B-UHAB	22.05				
								G2G1578NB-UHAB	22.00				
								G2G1575-HAB	21.96				
								G2G1572-UHAB	21.92				
								G2G1569N-UHAB	21.88				
								G2G1566B-UHAB	21.84				
								G2G1563NB-UHAB	21.79				
								G2G1560-HAB	21.75				
								G2G1557-UHAB	21.71				
								G2G1554N-UHAB	21.67				
								G2G1551B-UHAB	21.63				
								G2G1548NB-UHAB	21.59				
								G2G1545-HAB	21.54				
								G2G1542-UHAB	21.50				
								G2G1539N-UHAB	21.46				
								G2G1536B-UHAB	21.42				
								G2G1533NB-UHAB	21.38				
								G2G1530-HAB	21.33				
								G2G1527-UHAB	21.29				
								G2G1524N-UHAB	21.25				
								G2G1521B-UHAB	21.21				
								G2G1518NB-UHAB	21.17				
								G2G1515-HAB	21.13				
								G2G1512-UHAB	21.08				
								G2G1509N-UHAB	21.04				
								G2G1506B-UHAB	21.00				
								G2G1503NB-UHAB	20.96				
								G2G1500-HAB	20.92				
								G2G1497-UHAB	20.87				
								G2G1494N-UHAB	20.83				
								G2G1491B-UHAB	20.79				
								G2G1488NB-UHAB	20.75				
								G2G1485-HAB	20.71				
					xxvi	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1470-HAB (490Wp) (470Wp - 495Wp)	G2G1482-UHAB	20.67	132 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2G1479N-UHAB	20.62				
								G2G1476B-UHAB	20.58				
								G2G1473NB-UHAB	20.54				
								G2G1470-HAB	20.50				
								G2G1467-UHAB	20.46				
								G2G1464N-UHAB	20.41				
								G2G1461B-UHAB	20.37				
								G2G1458NB-UHAB	20.33				
								G2G1455-HAB	20.29				
								G2G1452-UHAB	20.25				
								G2G1449N-UHAB	20.21				
								G2G1446B-UHAB	20.16				
								G2G1443NB-UHAB	20.12				
								G2G1440-HAB	20.08				
								G2G1425-HAB	19.87				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xxvii	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1422-UHAA (474Wp) (451Wp - 495Wp)	G2G1410-HAB	19.66	120 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2G1485-HAA	22.70				
								G2G1482-UHAA	22.65				
								G2G1479N-UHAA	22.61				
								G2G1476B-UHAA	22.56				
								G2G1473NB-UHAA	22.52				
								G2G1470-HAA	22.47				
								G2G1467-UHAA	22.42				
								G2G1464N-UHAA	22.38				
								G2G1461B-UHAA	22.33				
								G2G1458NB-UHAA	22.29				
								G2G1455-HAA	22.24				
								G2G1452-UHAA	22.19				
								G2G1449N-UHAA	22.15				
								G2G1446B-UHAA	22.10				
								G2G1443NB-UHAA	22.06				
								G2G1440-HAA	22.01				
								G2G1437-UHAA	21.97				
								G2G1434N-UHAA	21.92				
								G2G1431B-UHAA	21.87				
								G2G1428NB-UHAA	21.83				
								G2G1425-HAA	21.78				
								G2G1422-UHAA	21.74				
								G2G1419N-UHAA	21.69				
								G2G1416B-UHAA	21.64				
								G2G1413NB-UHAA	21.60				
								G2G1410-HAA	21.55				
								G2G1407-UHAA	21.51				
								G2G1404N-UHAA	21.46				
								G2G1401B-UHAA	21.42				
								G2G1398NB-UHAA	21.37				
								G2G1395-HAA	21.32				
								G2G1392-UHAA	21.28				
								G2G1389N-UHAA	21.23				
								G2G1386B-UHAA	21.19				
								G2G1383NB-UHAA	21.14				
								G2G1380-HAA	21.09				
								G2G1377-UHAA	21.05				
								G2G1374N-UHAA	21.00				
								G2G1371B-UHAA	20.96				
								G2G1368NB-UHAA	20.91				
								G2G1365-HAA	20.87				
								G2G1362-UHAA	20.82				
								G2G1359N-UHAA	20.77				
								G2G1356B-UHAA	20.73				
								G2G1353NB-UHAA	20.68				
					xxviii	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1335-HAA (445Wp) (440Wp - 450Wp)	G2G1350-HAA	20.64	120 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2G1347-UHAA	20.59				
								G2G1344N-UHAA	20.54				
								G2G1341B-UHAA	20.50				
								G2G1338NB-UHAA	20.45				
								G2G1335-HAA	20.41				
								G2G1332-UHAA	20.36				
								G2G1329N-UHAA	20.31				
								G2G1326B-UHAA	20.27				
								G2G1323NB-UHAA	20.22				
								G2G1320-HAA	20.18				
								G2G1350-HAY	22.83				
								G2G1347-UHAY	22.78				
								G2G1344N-UHAY	22.73				
								G2G1341B-UHAY	22.68				
								G2G1338NB-UHAY	22.63				
								G2G1335-HAY	22.58				
								G2G1332-UHAY	22.53				
								G2G1329N-UHAY	22.48				
								G2G1326B-UHAY	22.43				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xii	Bifacial N Type TOPCon Modules (Glass to Glass)	HYPERSOL VSMDH.72.585.05 (585 Wp)	HYPERSOL VSMDH.72.605.05 HYPERSOL VSMDH.72.600.05 HYPERSOL VSMDH.72.595.05 HYPERSOL VSMDH.72.590.05 HYPERSOL VSMDH.72.585.05 HYPERSOL VSMDH.72.580.05 HYPERSOL VSMDH.72.575.05 HYPERSOL VSMDH.72.570.05 HYPERSOL VSMDH.72.565.05 HYPERSOL VSMDH.72.560.05	23.42 23.23 23.03 22.84 22.65 22.45 22.26 22.07 21.87 21.68	144 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					xiii	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	PREXOS VSMDHT.72.550.05 (550 Wp)	PREXOS VSMDHT.72.560.05 PREXOS VSMDHT.72.555.05 PREXOS VSMDHT.72.550.05 PREXOS VSMDHT.72.545.05 PREXOS VSMDHT.72.540.05	21.72 21.52 21.33 21.13 20.94	144 (Half Cut Cells)	1500	10.11.2023	09.11.2027
14	M/s. Contendre Greenergy Pvt. Ltd.	Unit No: I/6, Rajlakhmi HiTech Industrial Park, Sonale Village, Bhiwandi-421302, Maharashtra	R-71013196	49	i	Mono c-Si PERC Modules	CG MB72-405 (405 Wp)	CG MB72-395 CG MB72-400 CG MB72-405 CG MB72-410 CG MB72-415	19.17 19.41 19.66 19.90 20.14	72 (Full Cells)	1500	30.12.2023	29.12.2027
15	M/s. ECE (India) Energies Pvt. Ltd.	F-27, Express Highway, MIDC, Amravati-444607, Maharashtra, India.	R-71012220	40	i	Mono c-Si PERC Module	ECE060M310 (310Wp)	ECE060M310	19.19	60 (Full Cells)	1500	04.03.2024	03.03.2028
					ii	Mono c-Si PERC Module	ECE060M340 (340Wp)	ECE060M340	19.23	66 (Full Cells)	1500	04.03.2024	03.03.2028
					iii	Mono c-Si PERC Module	ECE060M370 (370Wp)	ECE060M370	19.17	72 (Full Cells)	1500	04.03.2024	03.03.2028
		Co-ALMM with M/s Navitas Green Solutions Pvt. Ltd. Manufacturing Address: Plot No. B-20/3, Road No. 13, 14, Palsana-Baleshwar Rd, Hoziwala Industrial Estate, Sachin, Surat-394230, Gujarat	R-72008389	100 (As per Co-Branding Agreement)	iv	Mono c-Si PERC Module	ECE072M220 (220 Wp)	ECE072M215 ECE072M220 ECE072M225	19.32 19.77 20.22	72 (Half Cut Cells)	1500	10.04.2024	28.05.2025
								ECE072M260 ECE072M265 ECE072M270 ECE072M275	19.62 20.00 20.38 20.76	72 (Half Cut Cells)	1500	10.04.2024	28.05.2025
								ECE096M285 ECE096M290 ECE096M295 ECE096M300	19.42 19.81 20.15 20.49	96 (Half Cut Cells)	1500	10.04.2024	28.05.2025
					vii	Mono c-Si PERC Module	ECE096M360 (360 Wp)	ECE096M350 ECE096M360 ECE096M365	20.06 20.35 20.64	96 (Half Cut Cells)	1500	10.04.2024	28.05.2025
								ECE108M320 ECE108M325 ECE108M330 ECE108M335	20.92 19.52 19.82 20.13	108 (Half Cut Cells)	1500	10.04.2024	28.05.2025
								ECE108M340 ECE108M390 ECE108M395 ECE108M400 ECE108M405 ECE108M410	20.74 19.96 20.21 20.47 20.72 20.98	108 (Half Cut Cells)	1500	10.04.2024	28.05.2025
					x	Mono c-Si PERC Module	ECE120M370 (370 Wp)	ECE120M360 ECE120M365 ECE120M370	19.84 20.11 20.39	120 (Half Cut Cells)	1500	10.04.2024	28.05.2025
								ECE120M375 ECE120M435 ECE120M440 ECE120M445 ECE120M450 ECE120M455	20.66 20.10 20.33 20.56 20.79 21.02	120 (Half Cut Cells)	1500	10.04.2024	28.05.2025
								ECE132M395 ECE132M400 ECE132M405 ECE132M410 ECE132M415	19.85 20.10 20.35 20.06 20.85	132 (Half Cut Cells)	1500	10.04.2024	28.05.2025

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								RS555WC	21.52				
								RS560WC	21.71				
					v	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	RSB530WC (530 Wp)	RSB505WC	19.56	144 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								RSB510WC	19.79				
								RSB515WC	19.99				
								RSB520WC	20.18				
								RSB525WC	20.37				
								RSB530WC	20.56				
								RSB535WC	20.75				
								RSB540WC	20.94				
								RSB545WC	21.13				
								RSB550WC	21.32				
					vi	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	RSB480WC (480 Wp)	RSB460WC	19.40	132 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								RSB465WC	19.60				
								RSB470WC	19.84				
								RSB475WC	20.02				
								RSB480WC	20.26				
								RSB485WC	20.46				
								RSB490WC	20.66				
								RSB495WC	20.87				
								RSB500WC	21.08				
								RSB415WC	19.18				
					vii	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	RSB435WC (435 Wp)	RSB420WC	19.42	120 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								RSB425WC	19.65				
								RSB430WC	19.86				
								RSB435WC	20.10				
								RSB440WC	20.35				
								RSB445WC	20.58				
								RSB450WC	20.81				
								RSB455WC	21.02				
					viii	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	RSB390WC (390 Wp)	RSB380WC	19.47	108 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								RSB385WC	19.72				
								RSB390WC	19.96				
								RSB395WC	20.22				
								RSB400WC	20.47				
								RSB405WC	20.75				
					ix	Bifacial Mono c-Si PERC Modules (Glass to Glass)	RSG530WC (530 Wp)	RSB410WC	21.00	144 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								RSG505WC	19.57				
								RSG510WC	19.76				
								RSG515WC	19.95				
								RSG520WC	20.15				
								RSG525WC	20.34				
								RSG530WC	20.53				
								RSG535WC	20.73				
								RSG540WC	20.92				
								RSG545WC	21.12				
					x	Bifacial Mono c-Si PERC Modules (Glass to Glass)	RSG480WC (480 Wp)	RSG550WC	21.31	132 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								RSG555WC	21.50				
								RSG460WC	19.40				
								RSG465WC	19.60				
								RSG470WC	19.84				
								RSG475WC	20.02				
								RSG480WC	20.26				
								RSG485WC	20.46				
								RSG490WC	20.66				
								RSG495WC	20.87				
								RSG500WC	21.08				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								ISEN585	20.93	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
					ii	Mono c-Si PERC Module	ISEN540 (540 Wp)	ISEN590	21.11				
								ISEN520	20.12				
								ISEN525	20.32				
								ISEN530	20.52				
								ISEN535	20.71				
								ISEN540	20.9				
								ISEN545	21.1				
								ISEN550	21.3				
								ISEN555	21.48				
					iii	Mono c-Si PERC Module	ISEN500 (500 Wp)	ISEN500	21.05	132 (Half Cut Cells)	1500	24.02.2024	23.02.2028
					iv	Mono c-Si PERC Module	ISEN440 (440 Wp)	ISEN510	21.47	120 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								ISEN420	19.41				
								ISEN425	19.64				
								ISEN430	19.87				
								ISEN435	20.1				
								ISEN440	20.34				
								ISEN445	20.57				
								ISEN450	20.8				
								ISEN455	21.03				
								ISEN460	21.26				
					v	Mono c-Si PERC Module	ISEN395 (395 Wp)	ISEN380	19.46	108 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								ISEN385	19.72				
								ISEN390	19.97				
								ISEN395	20.23				
								ISEN400	20.48				
								ISEN405	20.74				
					vi	Bifacial N-type TOPCon Module	ISEN610N-TOP (610 Wp)	ISEN410	21	156 (Half Cut Cell)	1500	24.02.2024	23.02.2028
								ISEN620N-TOP	22.19				
								ISEN615N-TOP	22.01				
								ISEN610N-TOP	21.83				
								ISEN605N-TOP	21.65				
					vii	Bifacial N-type TOPCon Module	ISEN575N-TOP (575 Wp)	ISEN600N-TOP	21.47	144 (Half Cut Cell)	1500	24.02.2024	23.02.2028
								ISEN590N-TOP	22.84				
								ISEN585N-TOP	22.64				
								ISEN580N-TOP	22.45				
								ISEN575N-TOP	22.26				
								ISEN570N-TOP	22.06				
								ISEN565N-TOP	21.87				
					viii	Bifacial N-type TOPCon Module	ISEN530N-TOP (530 Wp)	ISEN560N-TOP	21.68	132 (Half Cut Cell)	1500	24.02.2024	23.02.2028
								ISEN540N-TOP	22.74				
								ISEN535N-TOP	22.53				
								ISEN530N-TOP	22.32				
								ISEN525N-TOP	22.11				
					ix	Bifacial N-type TOPCon Module	ISEN480N-TOP (480 Wp)	ISEN520N-TOP	21.90	120 (Half Cut Cell)	1500	24.02.2024	23.02.2028
								ISEN500N-TOP	23.11				
								ISEN495N-TOP	22.88				
								ISEN490N-TOP	22.65				
								ISEN485N-TOP	22.41				
								ISEN480N-TOP	22.18				
								ISEN475N-TOP	21.95				
								ISEN470N-TOP	21.72				
								ISEN465N-TOP	21.49				
								ISEN460N-TOP	21.26				
					x	Bifacial N-type TOPCon Module	ISEN430N-TOP (430 Wp)	ISEN440N-TOP	22.53	108 (Half Cut Cell)	1500	24.02.2024	23.02.2028
								ISEN435N-TOP	22.28				
								ISEN430N-TOP	22.02				
								ISEN425N-TOP	21.76				
								ISEN420N-TOP	21.51				
								WSMD-520	20.2	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
50	M/s. Waaree Energies Limited	Unit 2B, Survey No. 267, NH-48, Nandigram Village, Taluke Umbergaon, District Valsad, Gujarat 396105	R-72003085	1156	i	Mono c-Si PERC Module	WSMD-540 (540Wp)	WSMD-525	20.39				
								WSMD-530	20.58				
								WSMD-535	20.78				
								WSMD-540	20.97				
								WSMD-545	21.17				
								WSMD-550	21.36				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					ii	Bifacial Mono c- Si PERC Module	Bi-55-540 (540Wp)	Bi-55-520	20.2	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								Bi-55-525	20.39				
								Bi-55-530	20.58				
								Bi-55-535	20.78				
								Bi-55-540	20.97				
								Bi-55-545	21.17				
					iii	N TOPCon Module	WSMT-570 (570Wp)	Bi-55-550	21.36	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								WSMT-560	21.75				
								WSMT-565	21.94				
								WSMT-570	22.14				
								WSMT-575	22.33				
								WSMT-580	22.53				
					iv	N TOPCon Module	WSMT-615 (615Wp)	WSMT-605	21.74	156 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								WSMT-610	21.92				
								WSMT-615	22.1				
								WSMT-620	22.28				
								WSMT-625	22.46				
								BIN-17-605	21.64				
					v	N TOPCon Module(Bifacial)	BIN-17-615 (615Wp)	BIN-17-610	21.82	156 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								BIN-17-615	22				
								BIN-17-620	22.18				
								BIN-17-625	22.35				
								BIN-08-560	21.67				
					vi	N TOPCon Module(Bifacial)	BIN-08-570 (570Wp)	BIN-08-565	21.87	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								BIN-08-570	22.06				
								BIN-08-575	22.25				
								BIN-08-580	22.45				
								WSMD-420	19.32				
51	M/s. Waaree Energies Limited	Survey No 38/1,Tumb Village,Tumb,Umbergaon,Valsad,Gujarat-396150	R-72002038	1095	i	Mono c- Si PERC Module	WSMD-440 (440Wp)	WSMD-425	19.55	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								WSMD-430	19.78				
								WSMD-435	20.01				
								WSMD-440	20.24				
								WSMD-445	20.47				
								WSMD-450	20.7				
					ii	Mono c- Si PERC Module	WSMD-540 (540Wp)	WSMD-520	20.2	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								WSMD-525	20.39				
								WSMD-530	20.58				
								WSMD-535	20.78				
								WSMD-540	20.97				
								WSMD-545	21.17				
					iii	Mono c- Si PERC Bifacial Module	Bi-31-440(440Wp)	WSMD-550	21.36	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								Bi-31-420	19.32				
								Bi-31-425	19.55				
								Bi-31-430	19.78				
								Bi-31-435	20.01				
								Bi-31-440	20.24				
					iv	Bifacial Mono c-Si PERC Module	Bi-55-540 (540Wp)	Bi-31-445	20.47	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								Bi-31-450	20.7				
								Bi-55-520	20.2				
								Bi-55-525	20.39				
								Bi-55-530	20.58				
								Bi-55-535	20.78				
52	M/s. Mundra Solar PV Limited	Survey No 180P, Co Mundra Solar Technopark Pvt. Ltd, Electronic manufacturing Cluster EMC, Village Vandh & Tunda, mundra, Kutch Adani Ports & SEZ, Tunda, Kachchh - - 370435, Gujarat	R-72008532	1942				Bi-55-540	20.97	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								Bi-55-545	21.17				
								Bi-55-550	21.36				
								WSMDi-395	19.79				
								WSMDi-400	20.03				
								WSMDi-405	20.28				
								WSMDi-410	20.53				
								WSMDi-415	20.78				
								ASM-M10-144-500	19.47				
								ASM-M10-144-501	19.51				
								ASM-M10-144-502	19.55				
								ASM-M10-144-503	19.59				
								ASM-M10-144-504	19.63				
								ASM-M10-144-505	19.67				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					i	Mono c-Si PERC Modules	ASM-M10-144-523 (523Wp)	ASM-M10-144-506	19.7	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								ASM-M10-144-507	19.74				
								ASM-M10-144-508	19.78				
								ASM-M10-144-509	19.82				
								ASM-M10-144-510	19.86				
								ASM-M10-144-511	19.9				
								ASM-M10-144-512	19.94				
								ASM-M10-144-513	19.98				
								ASM-M10-144-514	20.02				
								ASM-M10-144-515	20.05				
								ASM-M10-144-516	20.09				
								ASM-M10-144-517	20.13				
								ASM-M10-144-518	20.17				
								ASM-M10-144-519	20.21				
								ASM-M10-144-520	20.25				
								ASM-M10-144-521	20.29				
								ASM-M10-144-522	20.33				
								ASM-M10-144-523	20.37				
								ASM-M10-144-524	20.41				
								ASM-M10-144-525	20.44				
								ASM-M10-144-526	20.48				
								ASM-M10-144-527	20.52				
								ASM-M10-144-528	20.56				
								ASM-M10-144-529	20.6				
								ASM-M10-144-530	20.64				
								ASM-M10-144-531	20.68				
								ASM-M10-144-532	20.72				
								ASM-M10-144-533	20.76				
								ASM-M10-144-534	20.8				
								ASM-M10-144-535	20.83				
								ASM-M10-144-536	20.87				
								ASM-M10-144-537	20.91				
								ASM-M10-144-538	20.95				
								ASM-M10-144-539	20.99				
								ASM-M10-144-540	21.03				
								ASM-M10-144-541	21.07				
								ASM-M10-144-542	21.11				
								ASM-M10-144-543	21.15				
								ASM-M10-144-544	21.18				
								ASM-M10-144-545	21.22				
					ii	Bifacial c-Si PERC Modules	ASB-M10-144-548 (548Wp)	ASB-M10-144-520	20.25	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								ASB-M10-144-521	20.29				
								ASB-M10-144-522	20.33				
								ASB-M10-144-523	20.37				
								ASB-M10-144-524	20.41				
								ASB-M10-144-525	20.44				
								ASB-M10-144-526	20.48				
								ASB-M10-144-527	20.52				
								ASB-M10-144-528	20.56				
								ASB-M10-144-529	20.6				
								ASB-M10-144-530	20.64				
								ASB-M10-144-531	20.68				
								ASB-M10-144-532	20.72				
								ASB-M10-144-533	20.76				
								ASB-M10-144-534	20.8				
								ASB-M10-144-535	20.83				
								ASB-M10-144-536	20.87				
								ASB-M10-144-537	20.91				
								ASB-M10-144-538	20.95				
								ASB-M10-144-539	20.99				
								ASB-M10-144-540	21.03				
								ASB-M10-144-541	21.07				
								ASB-M10-144-542	21.11				
								ASB-M10-144-543	21.15				
								ASB-M10-144-544	21.18				
								ASB-M10-144-545	21.22				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								ASB-M10-144-546	21.26				
								ASB-M10-144-547	21.3				
								ASB-M10-144-548	21.34				
								ASB-M10-144-549	21.38				
								ASB-M10-144-550	21.42				
					iii	Bifacial N-type TOPCon Modules	ASB-M10-144-563 (563Wp)	ASB-M10-144-520	20.15	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								ASB-M10-144-525	20.34				
								ASB-M10-144-530	20.53				
								ASB-M10-144-535	20.73				
								ASB-M10-144-540	20.92				
								ASB-M10-144-545	21.12				
								ASB-M10-144-550	21.42				
								ASB-M10-144-551	21.46				
								ASB-M10-144-552	21.5				
								ASB-M10-144-553	21.54				
								ASB-M10-144-554	21.57				
								ASB-M10-144-555	21.61				
								ASB-M10-144-556	21.65				
								ASB-M10-144-557	21.69				
								ASB-M10-144-558	21.73				
								ASB-M10-144-559	21.77				
								ASB-M10-144-560	21.81				
								ASB-M10-144-561	21.85				
								ASB-M10-144-562	21.89				
								ASB-M10-144-563	21.92				
								ASB-M10-144-564	21.96				
								ASB-M10-144-565	22.00				
								ASB-M10-144-566	22.04				
								ASB-M10-144-567	22.08				
								ASB-M10-144-568	22.12				
								ASB-M10-144-569	22.16				
								ASB-M10-144-570	22.2				
								ASB-M10-144-571	22.24				
								ASB-M10-144-572	22.28				
								ASB-M10-144-573	22.31				
								ASB-M10-144-574	22.35				
								ASB-M10-144-575	22.39				
								ASB-M10-144-576	22.42				
								ASB-M10-144-577	22.46				
								ASB-M10-144-578	22.49				
								ASB-M10-144-579	22.53				
								ASB-M10-144-580	22.57				
		Co-ALMM with M/s Goldi Sun Private Limited Manufacturing Address: City Survey No. 920, Vijalpore Road, TA, Distt. Navsari, Gujarat – 396445, India	R-72012025	187 MW (As per Co-Branding Agreement)	i	Bifacial N type TOPCon Module	ASB-M10-144-575 (575 Wp)	ASB-M10-144-555	21.61	144 (Half Cut Cells)	1500	From the date of enlistment	16.01.2026
								ASB-M10-144-560	21.81				
								ASB-M10-144-565	22.00				
								ASB-M10-144-570	22.20				
								ASB-M10-144-575	22.39				
53	M/s. Vikram Solar Ltd.	Special Economic Zone (SEZ), Sector 2,Falta, 24 Parganas (South) - 743504, West Bengal	R-51000566	1447	i	Mono c-Si PERC Module	SOMERA VSMH.72.545.05 (545 Wp)	SOMERA VSMH.72.550.05	21.33	144 (Half cut Cells)	1500	24.02.2024	23.02.2028
								SOMERA VSMH.72.545.05	21.13				
								SOMERA VSMH.72.540.05	20.94				
								SOMERA VSMH.72.535.05	20.75				
					ii	Mono c-Si PERC Module	SOMERA VSMH.60.455.05 (455 Wp)	SOMERA VSMH.60.460.05	21.28	120 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								SOMERA VSMH.60.455.05	21.05				
								SOMERA VSMH.60.450.05	20.82				
								SOMERA VSMH.60.445.05	20.59				
					iii	Bifacial Mono c-Si PERC Module	PARADEA VSM DH.72.545.05 (545 Wp)	PARADEA VSM DH.72.550.05	21.33	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								PARADEA VSM DH.72.545.05	21.13				
								PARADEA VSM DH.72.540.05	20.94				
								PARADEA VSM DH.72.535.05	20.75				
					iv	Mono c-Si PERC Module	SOMERA VSMH.72.445.05 (445 Wp)	SOMERA VSMH.72.450.05	20.23	144 (Half Cut cells)	1500	24.02.2024	23.02.2028
								SOMERA VSMH.72.445.05	20.01				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deeedm to be delisted)
					v	Mono c-Si PERC Modules (Glass to Glass)	PARADEA VSMDH.78.585.05 (585 Wp)	SOMERA VSMH.72.440.05	19.79	156 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								PARADEA VSMDH.78.570.05	20.47				
								PARADEA VSMDH.78.575.05	20.64				
								PARADEA VSMDH.78.580.05	20.82				
								PARADEA VSMDH.78.585.05	21.00				
								PARADEA VSMDH.78.590.05	21.18				
					vi	Mono c-Si PERC Modules (Glass to Glass)	PARADEA VSMDH.66.500.05 (500 Wp)	PARADEA VSMDH.78.595.05	21.36	132 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								PARADEA VSMDH.66.490.05	20.61				
								PARADEA VSMDH.66.500.05	21.04				
					vii	N-Type TOPCon Module	HYPER SOL VSMDH.72.590.05 (590 Wp)	HYPER SOL VSMDH.72.570.05	21.08	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								HYPER SOL VSMDH.72.575.05	21.27				
								HYPER SOL VSMDH.72.580.05	21.45				
								HYPER SOL VSMDH.72.585.05	21.64				
								HYPER SOL VSMDH.72.590.05	21.82				
								HYPER SOL VSMDH.72.595.05	22.01				
								HYPER SOL VSMDH.72.600.05	22.19				
								HYPER SOL VSMDH.72.605.05	22.38				
								HYPER SOL VSMDH.72.610.05	22.56				
					viii	N-Type TOPCon Module	HYPER SOL VSMDH.66.540.05 (540 Wp)	HYPER SOL VSMDH.66.520.05	21.90	132 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								HYPER SOL VSMDH.66.525.05	22.11				
								HYPER SOL VSMDH.66.530.05	22.32				
								HYPER SOL VSMDH.66.535.05	22.53				
								HYPER SOL VSMDH.66.540.05	22.74				
								HYPER SOL VSMDH.66.545.05	22.95				
								HYPER SOL VSMDH.66.550.05	23.16				
								HYPER SOL VSMDH.66.555.05	23.37				
54	M/s. TP Solar Limited	Plot No. A 109, Near Elcot Road, TP Solar Limited, Sipcot Road and OSR Park, Gangaikondan Road, Sipcot Industrial Park, Gangaikondan Industrial Park, Tirunelveli, Tamil Nadu-627352	R-61004146	5222	i	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP575LG10B (575Wp)	TP555LG10B	19.93	156(Half Cut Cells)	1500	22.03.2024	21.03.2028
								TP560LG10B	20.11				
								TP565LG10B	20.29				
								TP570LG10B	20.47				
								TP575LG10B	20.65				
								TP580LG10B	20.83				
								TP585LG10B	21.00				
								TP590LG10B	21.18				
								TP595LG10B	21.36				
								TP600LG10B	21.54				
					ii	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP520HG10B (520Wp)	TP500HG10B	19.40	144 (Half cut Cells)	1500	22.03.2024	21.03.2028
								TP505HG10B	19.59				
								TP510HG10B	19.79				
								TP515HG10B	19.98				
								TP520HG10B	20.17				
								TP525HG10B	20.37				
								TP530HG10B	20.56				
								TP535HG10B	20.76				
					iii	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP550HG10B (550 Wp)	TP540HG10B	20.95	144 (Half cut Cells)	1500	22.03.2024	21.03.2028
								TP545HG10B	21.14				
								TP550HG10B	21.34				
					iv	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP470VG10B (470 Wp)	TP555HG10B	21.53	132 (Half cut Cells)	1500	22.03.2024	21.03.2028
								TP460VG10B	19.19				
								TP465VG10B	19.47				
								TP470VG10B	19.61				
								TP475VG10B	19.81				
								TP480VG10B	20.02				
								TP485VG10B	20.23				
					v	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP500VG10B (500 Wp)	TP490VG10B	20.44	132 (Half cut Cells)	1500	22.03.2024	21.03.2028
								TP495VG10B	20.65				
								TP500VG10B	20.86				
								TP505VG10B	21.07				
					vi	Bifacial Mono c-Si PERC Module	TP435MG10B (435 Wp)	TP420MG10B	19.21	120 (Half Cut Cells)	1500	22.03.2024	21.03.2028
								TP425MG10B	19.44				
								TP430MG10B	19.66				
								TP435MG10B	19.89				
								TP440MG10B	20.12				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					ix	Mono c-Si PERC Module	GMF48HM10350 (350 Wp)	GMF48HM10345	19.75	96 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								GMF48HM10350	20.04				
								GMF48HM10355	20.32				
								GMF48HM10360	20.61				
								GMF48HM10365	20.90				
					x	Bifacial Mono c-Si PERC Module (Glass to Transparent BackSheet)	GMB48HM10350 (350 Wp)	GMB48HM10340	19.46	96 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								GMB48HM10345	19.75				
								GMB48HM10350	20.04				
								GMB48HM10355	20.32				
								GMB48HM10360	20.61				
					xi	N Type TOPCon Module	GTG78HM10615 (615 Wp)	GMB48HM10365	20.90	156 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								GTG78HM10635	22.72				
								GTG78HM10630	22.54				
								GTG78HM10625	22.36				
								GTG78HM10620	22.18				
					xii	N Type TOPCon Module	GTG72HM10580 (580 Wp)	GTG78HM10615	22.00	144 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								GTG78HM10610	21.82				
								GTG78HM10605	21.64				
								GTG72HM10590	22.84				
								GTG72HM10585	22.64				
					xiii	N Type TOPCon Module	GTG66HM10525 (525 Wp)	GTG72HM10580	22.45	132 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								GTG72HM10575	22.26				
								GTG72HM10570	22.06				
								GTG66HM10540	22.73				
								GTG66HM10535	22.52				
					xiv	N Type TOPCon Module	GTG60HM10475 (475 Wp)	GTG66HM10530	22.31	120 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								GTG66HM10525	22.10				
								GTG66HM10520	21.89				
								GTG66HM10515	21.68				
								GTG60HM10490	22.62				
					xv	N Type TOPCon Module	GTG54HM10425 (425 Wp)	GTG60HM10485	22.39	128 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								GTG60HM10480	22.16				
								GTG60HM10475	21.93				
								GTG60HM10470	21.70				
								GTG60HM10465	21.47				
					xvi	N Type TOPCon Module	GTG48HM10375 (375 Wp)	GTG54HM10440	22.49	96 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								GTG54HM10435	22.24				
								GTG54HM10430	21.98				
								GTG54HM10425	21.73				
								GTG54HM10420	21.47				
61	M/s. AG Solar Urja Udyog	Plot No. 428 & 443, Khata No. 212/215, Rengali, Sambalpur - 768212, Orissa, India	R-52000205	53	i	Mono c-Si PERC Modules	ASU144CM545Wp (545 Wp)	GTG54HM10415	21.21	144 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								GTG48HM10390	22.33				
								GTG48HM10385	22.04				
								GTG48HM10380	21.76				
								GTG48HM10375	21.47				
					ii	Mono c-Si PERC Module	ASU132CM500Wp (500 Wp)	GTG48HM10370	21.19	132 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								GTG48HM10365	20.90				
								ASU144CM520Wp	20.15				
								ASU144CM525Wp	20.34				
								ASU144CM530Wp	20.53				
					iii	Mono c-Si PERC Module	ASU120CM435Wp (435 Wp)	ASU144CM535Wp	20.73	120 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								ASU144CM540Wp	20.92				
								ASU144CM545Wp	21.12				
								ASU144CM550Wp	21.31				
								ASU132CM510Wp	21.48				
								ASU132CM505Wp	21.27				
								ASU132CM500Wp	21.06				
								ASU132CM495Wp	20.85				
								ASU132CM490Wp	20.64				
								ASU120CM450Wp	20.80				
								ASU120CM445Wp	20.57				
								ASU120CM440Wp	20.34				
								ASU120CM435Wp	20.10				
								ASU120CM430Wp	19.87				
								ASU120CM425Wp	19.64				
								ASU120CM420Wp	19.41				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deeedm to be delisted)
					iv	Mono c-Si PERC Module	ASU108CM400Wp (400 Wp)	ASU108CM410Wp ASU108CM405Wp ASU108CM400Wp ASU108CM395Wp ASU108CM390Wp	21.00 20.74 20.48 20.23 19.97	108 (Half Cut Cells)	1500	10.04.2024	09.04.2028
62	M/s. FS India Solar Ventures Private Limited	Plot No. A-1/1, Sipcot Industrial Park, Pillaipakkam - 602105, Tamil Nadu, India	R-61004316	3212	i	Cadmium Telluride Thin Film Module	FS-7525-FT1 (525 Wp)	FS-7505-FT1 FS-7510-FT1 FS-7515-FT1 FS-7520-FT1 FS-7525-FT1 FS-7530-FT1 FS-7532-FT1 FS-7535-FT1 FS-7540-FT1	18.06 18.23 18.41 18.60 18.77 18.95 19.02 19.13 19.30	268 (Thin Film Cells)	1500	29.04.2024	28.04.2028
					ii	Cadmium Telluride Thin Film Module	FS-7525A-FT1 (525 Wp)	FS-7505A-FT1 FS-7510A-FT1 FS-7515A-FT1 FS-7520A-FT1 FS-7525A-FT1 FS-7530A-FT1 FS-7532A-FT1 FS-7535A-FT1 FS-7540A-FT1	18.06 18.23 18.41 18.60 18.77 18.95 19.02 19.13 19.30	268 (Thin Film Cells)	1500	29.04.2024	28.04.2028
63	M/s. RenewSys India Pvt Ltd	Sy No. 114/P, Srinagar (V), Fabcity, Maheswaram(M), Ranga Reddy District, Telangana - 501359, India	R-63000760	576	i	Bifacial N type TOPCon Modules	DESERV EXTREME-635 (635 Wp)	DESERV EXTREME-650 DESERV EXTREME-645 DESERV EXTREME-640 DESERV EXTREME-635 DESERV EXTREME-630 DESERV EXTREME-625 DESERV EXTREME-620 DESERV EXTREME-615	23.30 23.12 22.94 22.76 22.59 22.41 22.23 22.05	156 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					ii	Bifacial N type TOPCon Modules	DESERV EXTREME-590 (590 Wp)	DESERV EXTREME-600 DESERV EXTREME-595 DESERV EXTREME-590 DESERV EXTREME-585 DESERV EXTREME-580 DESERV EXTREME-575 DESERV EXTREME-570 DESERV EXTREME-565	23.26 23.06 22.87 22.68 22.48 22.29 22.09 21.90	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					iii	Bifacial N type TOPCon Modules	DESERV EXTREME-490 (490 Wp)	DESERV EXTREME-500 DESERV EXTREME-495 DESERV EXTREME-490 DESERV EXTREME-485 DESERV EXTREME-480 DESERV EXTREME-475 DESERV EXTREME-470 DESERV EXTREME-465	23.06 22.83 22.60 22.37 22.13 21.90 21.67 21.44	120 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					iv	Bifacial N type TOPCon Modules	DESERV EXTREME-440 (440 Wp)	DESERV EXTREME-450 DESERV EXTREME-445 DESERV EXTREME-440 DESERV EXTREME-435 DESERV EXTREME-430 DESERV EXTREME-425 DESERV EXTREME-420 DESERV EXTREME-415	22.97 22.72 22.46 22.21 21.95 21.70 21.44 21.18	108 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					v	N type TOPCon Modules	DESERV SGALACTIC-635 (635 Wp)	DESERV SGALACTIC-635 DESERV SGALACTIC-630 DESERV SGALACTIC-625 DESERV SGALACTIC-620 DESERV SGALACTIC-615	22.76 22.59 22.41 22.23 22.05	156 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					vi	N type TOPCon Modules	DESERV SGALACTIC-590 (590 Wp)	DESERV SGALACTIC-590 DESERV SGALACTIC-585 DESERV SGALACTIC-580 DESERV SGALACTIC-575	22.87 22.68 22.48 22.29	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								DESERV SGALACTIC-570	22.09				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					vii	N type TOPCon Modules	DESERV SGALACTIC-490 (490 Wp)	DESERV SGALACTIC-565	21.90	120 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								DESERV SGALACTIC-490	22.60				
								DESERV SGALACTIC-485	22.37				
								DESERV SGALACTIC-480	22.13				
								DESERV SGALACTIC-475	21.90				
								DESERV SGALACTIC-470	21.67				
								DESERV SGALACTIC-465	21.44				
								DESERV SGALACTIC-440	22.46				
					viii	N type TOPCon Modules	DESERV SGALACTIC-440 (440 Wp)	DESERV SGALACTIC-435	22.21	108 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								DESERV SGALACTIC-430	21.95				
								DESERV SGALACTIC-425	21.70				
								DESERV SGALACTIC-420	21.44				
								DESERV SGALACTIC-415	21.18				
								OSWAL255MPD72	19.06	72 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					i	Mono c-Si PERC Module	OSWAL265MPD72 (265 Wp)	OSWAL260MPD72	19.43				
								OSWAL265MPD72	19.80				
								OSWAL270MPD72	20.18				
								OSWAL275MPD72	20.55				
								OSWAL255MPN72	19.06	72 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					ii	Mono c-Si PERC Module	OSWAL265MPN72 (265 Wp)	OSWAL260MPN72	19.43				
								OSWAL265MPN72	19.80				
								OSWAL270MPN72	20.18				
								OSWAL275MPN72	20.55				
					iii	Mono c-Si PERC Module	OSWAL350MPD96 (350 Wp)	OSWAL335MPD96	19.06	96 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								OSWAL340MPD96	19.34				
								OSWAL345MPD96	19.63				
								OSWAL350MPD96	19.91				
								OSWAL355MPD96	20.20				
								OSWAL360MPD96	20.48				
								OSWAL365MPD96	20.76				
					iv	Mono c-Si PERC Module	OSWAL350MPN96 (350 Wp)	OSWAL335MPN96	19.06	96 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								OSWAL340MPN96	19.34				
								OSWAL345MPN96	19.63				
								OSWAL350MPN96	19.91				
								OSWAL355MPN96	20.20				
								OSWAL360MPN96	20.48				
								OSWAL365MPN96	20.76				
					v	Mono c-Si PERC Module	OSWAL390MPD108 (390 Wp)	OSWAL375MPD108	19.11	108 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								OSWAL380MPD108	19.37				
								OSWAL385MPD108	19.62				
								OSWAL390MPD108	19.88				
								OSWAL395MPD108	20.13				
								OSWAL400MPD108	20.39				
								OSWAL405MPD108	20.64				
					vi	Mono c-Si PERC Module	OSWAL410MPD108 (410 Wp)	OSWAL410MPD108	20.90	108 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								OSWAL375MPN108	19.11				
								OSWAL380MPN108	19.37				
								OSWAL385MPN108	19.62				
					vii	Mono c-Si PERC Module	OSWAL390MPN108 (390 Wp)	OSWAL390MPN108	19.88			24.05.2024	23.05.2028
								OSWAL395MPN108	20.13				
								OSWAL400MPN108	20.39				
								OSWAL405MPN108	20.64				
					viii	Mono c-Si PERC Module	OSWAL410MPN108 (410 Wp)	OSWAL410MPN108	20.90	108 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								OSWAL415MPD120	19.11				
								OSWAL420MPD120	19.34				
								OSWAL425MPD120	19.57				
					ix	Mono c-Si PERC Module	OSWAL435MPD120 (435 Wp)	OSWAL430MPD120	19.80	120 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								OSWAL435MPD120	20.03				
								OSWAL440MPD120	20.26				
								OSWAL445MPD120	20.49				
								OSWAL450MPD120	20.72				
								OSWAL455MPD120	20.95				
								OSWAL415MPN120	19.11				
								OSWAL420MPN120	19.34				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					x	Mono c-Si PERC Module	OSWAL435MPN120 (435 Wp)	OSWAL425MPN120	19.57	120 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								OSWAL430MPN120	19.80				
								OSWAL435MPN120	20.03				
								OSWAL440MPN120	20.26				
								OSWAL445MPN120	20.49				
								OSWAL450MPN120	20.72				
								OSWAL455MPN120	20.95				
					xi	Mono c-Si PERC Module	OSWAL475MPD132 (475 Wp)	OSWAL455MPD132	19.20	132 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								OSWAL460MPD132	19.41				
								OSWAL465MPD132	19.62				
								OSWAL470MPD132	19.83				
								OSWAL475MPD132	20.04				
								OSWAL480MPD132	20.25				
								OSWAL485MPD132	20.46				
								OSWAL490MPD132	20.67				
								OSWAL495MPD132	20.88				
					xii	Mono c-Si PERC Module	OSWAL500MPD132 (500 Wp)	OSWAL500MPD132	21.10	132 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					xiii	Mono c-Si PERC Module	OSWAL475MPN132 (475 Wp)	OSWAL455MPN132	19.20	132 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								OSWAL460MPN132	19.41				
								OSWAL465MPN132	19.62				
								OSWAL470MPN132	19.83				
								OSWAL475MPN132	20.04				
								OSWAL480MPN132	20.25				
								OSWAL485MPN132	20.46				
								OSWAL490MPN132	20.67				
					xiv	Mono c-Si PERC Module	OSWAL500MPN132 (500 Wp)	OSWAL495MPN132	20.88				
					xv	Mono c-Si PERC Module	OSWAL520MP144 (520 Wp)	OSWAL500MPN132	21.10	132 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								OSWAL495MP144	19.16	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								OSWAL500MP144	19.35				
								OSWAL505MP144	19.54				
								OSWAL510MP144	19.74				
								OSWAL515MP144	19.94				
								OSWAL520MP144	20.13				
								OSWAL525MP144	20.32				
								OSWAL530MP144	20.51				
								OSWAL535MP144	20.71				
								OSWAL540MP144	20.90				
					xvi	Mono c-Si PERC Module	OSWAL550MP144 (550 Wp)	OSWAL545MP144	21.09	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					xvii	Mono c-Si PERC Module	OSWAL520MPN144 (520 Wp)	OSWAL550MP144	21.29	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								OSWAL495MPN144	19.16				
								OSWAL500MPN144	19.35				
								OSWAL505MPN144	19.54				
								OSWAL510MPN144	19.74				
								OSWAL515MPN144	19.94				
								OSWAL520MPN144	20.13				
								OSWAL525MPN144	20.32				
								OSWAL530MPN144	20.51				
								OSWAL535MPN144	20.71				
								OSWAL540MPN144	20.90				
								OSWAL545MPN144	21.09				
					xviii	Mono c-Si PERC Module	OSWAL550MPN144 (550 Wp)	OSWAL550MPN144	21.29	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					xix	Mono c-Si PERC Module	OSWAL570MP156 (570 Wp)	OSWAL550MP156	19.70	156 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								OSWAL555MP156	19.88				
								OSWAL560MP156	20.06				
								OSWAL565MP156	20.24				
								OSWAL570MP156	20.42				
								OSWAL575MP156	20.59				
								OSWAL580MP156	20.77				
								OSWAL585MP156	20.95				
								OSWAL590MP156	21.13				
								OSWAL595MP156	21.31				
65	M/s. HQ Lamps	Plot No. 459-B, Sector - 53, Phase III,	R-91014206	46				HQL144CMD520Wp	20.14				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity		
												From	To (subject to valid BIS Registration; else deemed to be delisted)	
	Manufacturing Co Pvt Ltd.	EPIP Industrial Estate, Kundali, Sonipat-131028, Haryana, India			i	Mono c-Si PERC Modules	HQL144CMD535Wp (535 Wp)	HQL144CMD525Wp	20.34	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028	
								HQL144CMD530Wp	20.53					
								HQL144CMD535Wp	20.73					
								HQL144CMD540Wp	20.92					
								HQL144CMD545Wp	21.12					
								HQL144CMD550Wp	21.31					
					ii	Mono c-Si PERC Modules	HQL144CMD505 Wp	HQL144CMD495Wp	19.18	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028	
								HQL144CMD500Wp	19.36					
								HQL144CMD505Wp	19.55					
								HQL144CMD510Wp	19.74					
								HQL144CMD515Wp	19.94					
								HQL132CMD450Wp	19.03					
					iii	Mono c-Si PERC Modules	HQL132CMD 465Wp (465 Wp)	HQL132CMD455Wp	19.24	132 (Half Cut Cells)	1500			
								HQL132CMD460Wp	19.45					
								HQL132CMD465Wp	19.67					
								HQL132CMD470Wp	19.88					
								HQL132CMD475Wp	20.09					
								HQL132CMD480Wp	20.30					
					iv	Mono c-Si PERC Modules	HQL132CMD 490Wp (490 Wp)	HQL132CMD485Wp	20.51	132 (Half Cut Cells)	1500			
								HQL132CMD490Wp	20.72					
								HQL132CMD495Wp	20.93					
								HQL132CMD500Wp	21.15					
								HQL120CMD410Wp	19.02					
								HQL120CMD415Wp	19.25					
					v	Mono c-Si PERC Modules	HQL120CMD 425Wp (425 Wp)	HQL120CMD420Wp	19.48	120 (Half Cut Cells)	1500			
								HQL120CMD425Wp	19.71					
								HQL120CMD430Wp	19.94					
								HQL120CMD435Wp	20.18					
								HQL120CMD440Wp	20.41					
								HQL120CMD445Wp	20.64					
					vi	Mono c-Si PERC Modules	HQL120CMD 450Wp (450 Wp)	HQL120CMD450Wp	20.87	120 (Half Cut Cells)	1500			
								HQL120CMD455Wp	21.10					
								HQL108CMD370Wp	19.13					
						vii	Mono c-Si PERC Modules	HQL108CMD 385Wp (385 Wp)	HQL108CMD375Wp	19.38	108 (Half Cut Cells)			1500
									HQL108CMD380Wp	19.64				
									HQL108CMD385Wp	19.90				
					HQL108CMD390Wp				20.16					
					HQL108CMD395Wp				20.42					
					HQL36CMN120Wp				19.88					
					66	M/s. ADM Solar Power & Infrastructure Pvt. Ltd.	Plot No: 22/1, The Printer House Private Limited, Mathura Road, Ballabgarh, Sikri Industrial Area, Faridabad, Haryana -121004, India	R-93011576	141	i	Mono c-Si PERC Module			ADM270-72M (270Wp)
ADM265-72M	20.14													
ADM270-72M	20.52													
ADM275-72M	20.90													
ADM280-72M	21.28													
ADM350-96M	19.93													
ii	Mono c-Si PERC Module	ADM360-96M (360Wp)	ADM355-96M	20.22						96 (Half Cut Cells)	1500	24.05.2024	23.05.2028	
			ADM360-96M	20.50										
			ADM365-96M	20.79										
			ADM370-96M	21.07										
			ADM400-108M	20.33										
iii	Mono c-Si PERC Module	ADM405-108M (405Wp)	ADM405-108M							108 (Half Cut Cells)	1500	24.05.2024	23.05.2028	
			ADM410-108M	20.58										
			ADM415-108M	20.83										
			ADM445-120M	21.09										
iv	Mono c-Si PERC Module	ADM450-120M (450Wp)	ADM445-120M	20.43						120 (Half Cut Cells)	1500	24.05.2024	23.05.2028	
			ADM450-120M	20.66										
			ADM455-120M	20.89										
			ADM460-120M	21.12										
			ADM485-132M	20.31										

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					v	Mono c-Si PERC Module	ADM500-132M (500Wp)	ADM490-132M	20.52	132 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								ADM495-132M	20.73				
								ADM500-132M	20.94				
								ADM505-132M	21.15				
								ADM510-132M	21.36				
					vi	Mono c-Si PERC Module	ADM525-144M (525Wp)	ADM500-144M	19.38	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								ADM505-144M	19.58				
								ADM510-144M	19.77				
								ADM515-144M	19.97				
								ADM520-144M	20.16				
								ADM525-144M	20.35				
								ADM530-144M	20.51				
								ADM535-144M	20.71				
								ADM540-144M	20.90				
								ADM545-144M	21.09				
								ADM550-144M	21.29				
								ADM555-144M	21.48				
								ADM575-156M	20.57				
					vii	Mono c-Si PERC Module	ADM590-156M (590Wp)	ADM580-156M	20.74	156 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								ADM585-156M	20.92				
								ADM590-156M	21.10				
								ADM590-156M	21.10				
67	M/s. Cosmic PV Power Pvt. Ltd.	Survey No. 1605/1, Block No. 2098/1/B, Tadkeshvar, Mandavi, Surat-394170, Gujarat, India	R-72009539	185	i	Mono c-Si PERC Module	COS TWIN-525 (525Wp)	COS TWIN-510	19.74	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								COS TWIN-515	19.93				
								COS TWIN-520	20.13				
								COS TWIN-525	20.32				
								COS TWIN-530	20.51				
								COS TWIN-535	20.71				
								COS TWIN-540	20.90				
								COS TWIN-545	21.10				
								COS TWIN-550	21.30				
								LUM 24590M	21.11				
68	M/s. Luminous Power Technologies Pvt. Ltd.	Plot No- CP-17 To CP-22, Sector-City Park, Luminous Plant, P.N.D.T IIE Sidcul, Pant Nagar, Rudrapur, Udham Singh Nagar - 263153, Uttarakhand, India	R- 83011410	300	i	Mono c-Si PERC Module	LUM 24570M (570 Wp)	LUM 24585M	20.93	156 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								LUM 24580M	20.75				
								LUM 24575M	20.57				
								LUM 24570M	20.39				
								LUM 24565M	20.21				
								LUM 24560M	20.03				
								LUM 24555M	19.85				
								LUM 24550M	21.28				
					ii	Mono c-Si PERC Module	LUM 24525M (525 Wp)	LUM 24545M	21.09	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								LUM 24540M	20.89				
								LUM 24535M	20.70				
								LUM 24530M	20.51				
								LUM 24525M	20.31				
								LUM 24520M	20.12				
								LUM 24515M	19.93				
								LUM 24510M	19.73				
								LUM 24505M	19.54				
								LUM 24500M	19.34				
					iii	Mono c-Si PERC Module	LUM 24475M (475 Wp)	LUM 24495M	20.85	132 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								LUM 24490M	20.64				
								LUM 24485M	20.43				
								LUM 24480M	20.22				
								LUM 24475M	20.01				
								LUM 24470M	19.80				
								LUM 24465M	19.59				
								LUM24460M	19.38				
								LUM24455M	19.17				
								LUM 24450M	20.80				
					iv	Mono c-Si PERC Module	LUM 24430M (430 Wp)	LUM 24445M	20.57	120 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								LUM 24440M	20.33				
								LUM 24435M	20.10				
								LUM 24430M	19.87				
								LUM 24425M	19.64				
								LUM 24420M	19.41				
								LUM 24400M	20.48				
								LUM 24400M	20.48				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deeedm to be delisted)
					v	Mono c-Si PERC Module	LUM 24385M (385 Wp)	LUM 24395M	20.23	108 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								LUM 24390M	19.97				
								LUM 24385M	19.71				
								LUM 24380M	19.46				
								LUM 24375M	19.20				
					vi	N type TOPCon Modules	LUM 24600T156 (600 Wp)	LUM 24630T156	22.54	156 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								LUM 24625T156	22.36				
								LUM 24620T156	22.18				
								LUM 24615T156	22.00				
								LUM 24610T156	21.82				
								LUM 24605T156	21.64				
								LUM 24600T156	21.46				
								LUM 24595T156	21.28				
								LUM 24590T156	21.11				
								LUM 24585T156	20.93				
								LUM 24580T156	20.75				
								LUM 24575T156	20.57				
								LUM 24570T156	20.39				
								vii	N type TOPCon Modules	LUM 24565T144 (565 Wp)	LUM 24590T144	22.83	144 (Half Cut Cells)
					LUM 24585T144	22.63							
					LUM 24580T144	22.44							
					LUM 24575T144	22.25							
					LUM 24570T144	22.05							
					LUM 24565T144	21.86							
					LUM 24560T144	21.67							
					LUM 24555T144	21.47							
					LUM 24550T144	21.28							
					LUM 24545T144	21.09							
					viii	N type TOPCon Modules	LUM 24535T144 (535 Wp)	LUM 24540T144	20.89	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								LUM 24540T144	20.89				
					ix	Bifacial N-TypeTOPCon Module (Glass to Glass)	LUM24540TG144 (540 Wp)	LUM 24545TG144	21.09	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								LUM 24550TG144	21.28				
					x	Bifacial N-TypeTOPCon Module (Glass to Glass)	LUM24540TG144 (570 Wp)	LUM 24555TG144	21.48	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								LUM 24560TG144	21.67				
								LUM 24565TG144	21.86				
								LUM 24570TG144	22.06				
								LUM 24575TG144	22.25				
								LUM 24580TG144	22.44				
								LUM 24585TG144	22.64				
								LUM 24590TG144	22.83				
								LUM 24595TG144	23.02				
								xi	Bifacial N-TypeTOPCon Module (Glass to Glass)				
					LUM 24575TG156	20.57							
					LUM 24580TG156	20.75							
					LUM 24585TG156	20.93							
					LUM 24590TG156	21.11							
					LUM 24595TG156	21.29							
					LUM 24600TG156	21.46							
					LUM 24605TG156	21.64							
					LUM 24610TG156	21.82							
					LUM 24615TG156	22.00							
					LUM 24620TG156	22.18							
					LUM 24625TG156	22.36							
					LUM 24630TG156	22.54							
					xii	Bifacial Mono C-Si PERC Module (Glass to Glass)	LUM24575MG (575Wp)	LUM 24560MG	20.03	156 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								LUM 24565MG	20.21				
								LUM 24570MG	20.39				
								LUM 24575MG	20.57				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity		
												From	To (subject to valid BIS Registration; else deeedm to be delisted)	
						Module (Glass to Glass)		LUM 24580MG	20.75					
								LUM 24585MG	20.93					
								LUM 24590MG	21.11					
					xiii	Bifacial Mono C-Si PERC Module (Glass to Glass)	LUM 24500MG (500 Wp)	LUM 24500MG	19.35	144(Half Cut Cells)	1500	24.05.2024	23.05.2028	
					xiv	Bifacial Mono C-Si PERC Module (Glass to Glass)	LUM 24530MG (530 Wp)	LUM 24505MG	19.54	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028	
								LUM 24510MG	19.73					
								LUM 24515MG	19.93					
								LUM 24520MG	20.12					
								LUM 24525MG	20.31					
								LUM 24530MG	20.51					
								LUM 24535MG	20.70					
								LUM 24540MG	20.89					
								LUM 24545MG	21.09					
								LUM 24550MG	21.28					
								LUM 24555MG	21.48					
					xv	Bifacial Mono C-Si PERC Module (Glass to Glass)	LUM 24475MG (475 Wp)	LUM 24455MG	19.17	132 (Half Cut Cells)	1500	24.05.2024	23.05.2028	
								LUM 24460MG	19.38					
								LUM 24465MG	19.59					
								LUM 24470MG	19.80					
								LUM 24475MG	20.01					
								LUM 24480MG	20.22					
								LUM 24485MG	20.43					
								LUM 24490MG	20.64					
								LUM 24495MG	20.86					
								LUM 2415MG	19.18					
					xvi	Bifacial Mono c- Si PERC Module (Glass to Glass)	LUM 24430MG (430 Wp)	LUM 24420MG	19.41	120 (Half Cut Cells)	1500	24.05.2024	23.05.2028	
								LUM 24425MG	19.64					
								LUM 24430MG	19.87					
								LUM 24435MG	20.10					
								LUM 24440MG	20.34					
								LUM 24445MG	20.57					
								LUM 24450MG	20.80					
					xvii	Bifacial Mono c- Si PERC Module (Glass to Glass)	LUM 24385MG (385 Wp)	LUM 24375MG	19.20	108 (Half Cut Cells)	1500	24.05.2024	23.05.2028	
								LUM 24380MG	19.46					
								LUM 24385MG	19.72					
								LUM 24390MG	19.97					
								LUM 24395MG	20.23					
								LUM 24400MG	20.48					
			R- 83011479		xviii	Mono c-Si PERC Module	AMS 24570M (570 Wp)	AMS 24590M	21.11	156 (Half Cut Cells)	1500	24.05.2024	23.05.2028	
								AMS 24585M	20.93					
								AMS 24580M	20.75					
								AMS 24575M	20.57					
								AMS 24570M	20.39					
								AMS 24565M	20.21					
								AMS 24560M	20.03					
					xix	Mono c-Si PERC Module	AMS 24530M (530 Wp)	AMS 24555M	19.85	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028	
								AMS 24550M	21.28					
								AMS 24545M	21.09					
								AMS 24540M	20.89					
								AMS 24535M	20.70					
								AMS 24530M	20.51					
								AMS 24525M	20.31					
								AMS 24520M	20.12					
								AMS 24515M	19.93					
								AMS 24510M	19.74					
								AMS 24505M	19.54					
					xx	Mono c-Si PERC Module	AMS 24475M (475 Wp)	AMS 24500M	19.35	132 (Half Cut Cells)	1500	24.05.2024	23.05.2028	
								AMS 24495M	20.85					
								AMS 24490M	20.64					
								AMS 24485M	20.43					
								AMS 24480M	20.22					
								AMS 24475M	20.01					
								AMS 24470M	19.80					
								AMS 24465M	19.59					

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								AMS24460M	19.38				
					xxi	Mono c-Si PERC Module	AMS 24430M (430 Wp)	AMS24455M	19.17				
								AMS 24450M	20.80				
								AMS 24445M	20.57				
								AMS 24440M	20.33				
								AMS 24435M	20.10			120 (Half Cut Cells)	1500
								AMS 24430M	19.87				
								AMS 24425M	19.64				
								AMS 24420M	19.41				
								AMS 24415M	19.18				
								AMS 24400M	20.48				
					xxii	Mono c-Si PERC Module	AMS 24385M (385 Wp)	AMS 24395M	20.23	108 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								AMS 24390M	19.97				
								AMS 24385M	19.71				
								AMS 24380M	19.46				
								AMS 24375M	19.20				
					xxiii	N type TOPCon Modules	AMS 24600T156 (600 Wp)	AMS 24630T156	22.54	156 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								AMS 24625T156	22.36				
								AMS 24620T156	22.18				
								AMS 24615T156	22.00				
								AMS 24610T156	21.82				
								AMS 24605T156	21.64				
								AMS 24600T156	21.46				
								AMS 24595T156	21.28				
								AMS 24590T156	21.11				
								AMS 24585T156	20.93				
								AMS 24580T156	20.75				
								AMS 24575T156	20.57				
								AMS 24570T156	20.39				
					xxiv	N type TOPCon Modules	AMS 24560T144 (560 Wp)	AMS 24590T144	22.83	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								AMS 24585T144	22.63				
								AMS 24580T144	22.44				
								AMS 24575T144	22.25				
								AMS 24570T144	22.05				
								AMS 24565T144	21.86				
								AMS 24560T144	21.67				
								AMS 24555T144	21.47				
								AMS 24550T144	21.28				
								AMS 24545T144	21.09				
								AMS 24540T144	20.89				
					xxv	N type TOPCon Modules	AMS 24535T144 (535 Wp)	AMS 24535T144	20.70	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					xxvi	Bifacial N-Type TOPCon Module (Glass to Glass)	AMS 24540TG144 (540 Wp)	AMS 24540TG144	20.89	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					xxvii	Bifacial N-Type TOPCon Module (Glass to Glass)	AMS 24570TG144 (570 Wp)	AMS 24545TG144	21.09	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								AMS 24550TG144	21.28				
								AMS 24555TG144	21.48				
								AMS 24560TG144	21.67				
								AMS 24565TG144	21.86				
								AMS 24570TG144	22.06				
								AMS 24575TG144	22.25				
								AMS 24580TG144	22.44				
								AMS 24585TG144	22.64				
								AMS 24590TG144	22.83				
								AMS 24595TG144	23.02				
					xxviii	Bifacial N-Type TOPCon Module (Glass to Glass)	AMS 24600TG156 (600 Wp)	AMS 24570TG156	20.39	156 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								AMS 24575TG156	20.57				
								AMS 24580TG156	20.75				
								AMS 24585TG156	20.93				
								AMS 24590TG156	21.11				
								AMS 24595TG156	21.29				
								AMS 24600TG156	21.46				
								AMS 24605TG156	21.64				
								AMS 24610TG156	21.82				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity			
												From	To (subject to valid BIS Registration; else deemed to be delisted)		
								AMS 24615TG156	22.00	156 (Half Cut Cells)	1500	24.05.2024	23.05.2028		
								AMS 24620TG156	22.18						
								AMS 24625TG156	22.36						
					xxix	Bifacial Mono c-Si PERC Module (Glass to Glass)	AMS 24575MG (575 Wp)	AMS 24630TG156	22.54						
								AMS 24560MG	20.03						
								AMS 24565MG	20.21						
								AMS 24570MG	20.39						
								AMS 24575MG	20.57						
								AMS 24580MG	20.75						
								AMS 24585MG	20.93						
					xxx	Bifacial Mono c-Si PERC Module (Glass to Glass)	AMS 24500MG (500 Wp)	AMS 24590MG	21.11						
								AMS 24500MG	19.35						
					xxxi	Bifacial Mono c-Si PERC Module (Glass to Glass)	AMS 24530MG (530 Wp)	AMS 24500MG	19.35						
								AMS 24505MG	19.54						
								AMS 24510MG	19.73						
								AMS 24515MG	19.93						
								AMS 24520MG	20.12						
								AMS 24525MG	20.31						
								AMS 24530MG	20.51						
								AMS 24535MG	20.70						
								AMS 24540MG	20.89						
								AMS 24545MG	21.09						
								xxxii	Bifacial Mono c-Si PERC Module (Glass to Glass)	AMS 24475MG (475 Wp)	AMS 24550MG	21.28			
					AMS 24555MG	21.48									
					AMS 24455MG	19.17									
					AMS 24460MG	19.38									
					AMS 24465MG	19.59									
					AMS 24470MG	19.80									
					AMS 24475MG	20.01									
					AMS 24480MG	20.22									
					AMS 24485MG	20.43									
					xxxiii	Bifacial Mono c-Si PERC Module (Glass to Glass)	AMS 24430MG (430 Wp)				AMS 24490MG	20.64			
								AMS 24495MG	20.86						
								AMS 24415MG	19.18						
								AMS 24420MG	19.41						
								AMS 24425MG	19.64						
								AMS 24430MG	19.87						
								AMS 24435MG	20.10						
								AMS 24440MG	20.34						
					xxxiv	Bifacial Mono c-Si PERC Module (Glass to Glass)	AMS 24385MG (385 Wp)	AMS 24445MG	20.57						
								AMS 24450MG	20.80						
								AMS 24375MG	19.20						
								AMS 24380MG	19.46						
								AMS 24385MG	19.72						
								AMS 24390MG	19.97						
								AMS 24395MG	20.23						
					69	M/s. Tata Power Renewable Energy Limited (Formerly M/s. Tata Power Solar Systems Ltd)	Plot No. 24-B, Industrial Shed, SY No 123, Jigani 1st Phase, Industrial Area, Jigani, Anekal Taluk, Hobli, Bengaluru, Rural Karnataka-560105, India	R-62002585	94	i	Mono c-Si PERC Modules	TP520HG10 (520 Wp)	AMS 24400MG	20.48	144 (Half Cut Cells)
TP495HG10	19.20														
TP500HG10	19.40														
TP505HG10	19.59														
TP510HG10	19.79														
TP515HG10	19.98														
TP520HG10	20.17														
TP525HG10	20.37														
TP530HG10	20.56														
TP535HG10	20.76														
TP540HG10	20.95														
70	M/s. PV Power Technologies Private Limited	Plot No.60, Tarapur Textile Park limited, Boisar Chillar Road, Sai Baba Boulevard Township, Boisar East, Palghar - 401501, Maharashtra, India	R-71007650	86	i	Mono c-Si PERC Module	ECO 400MH (400 Wp)	TP545HG10	21.10						
								ECO 380MH	19.11						
								ECO 385MH	19.36						
								ECO 390MH	19.62						
								ECO 395MH	19.87						
								ECO 400MH	20.12						
								ECO 535M10HC144T	20.73						
								ECO 540M10HC144T	20.92						
								Co-ALMM with M/s. Rayzon Solar Private Limited	R-72012084	50 MW for 2 Years (As per Co-Branding					

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deeedm to be delisted)
		Manufacturing Address: Block No. 94/1/1F, 94/1/3, 102/1, 103, 104, 105, 109, 110, 118, 119, 120, Kim Mandvi Road, Near Hariya Talav, B/H Aron Pipe, Kim Mandvi Road, Karanj, Surat - 394110, Gujarat, India.		Agreement)	ii	Bifacial N-Type TOPCon Module (Glass to Glass)	ECO 560M10HC144T (560Wp)	ECO 545M10HC144T	21.12	144 (Half Cut Cells)	1500	Date of inclusion in ALMM	01.09.2026
								ECO 550M10HC144T	21.31				
								ECO 555M10HC144T	21.50				
								ECO 560M10HC144T	21.70				
								ECO 565M10HC144T	21.89				
								ECO 570M10HC144T	22.08				
								ECO 575M10HC144T	22.28				
								ECO 580M10HC144T	22.47				
								ECO 585M10HC144T	22.66				
								iii	Bifacial N-Type TOPCon Module (Glass to Glass)				
					ECO 490M10HC132T	20.64							
					ECO 495M10HC132T	20.85							
					ECO 500M10HC132T	21.06							
					ECO 505M10HC132T	21.27							
					ECO 510M10HC132T	21.49							
					ECO 515M10HC132T	21.70							
					ECO 520M10HC132T	21.91							
					ECO 525M10HC132T	22.12							
					ECO 530M10HC132T	22.33							
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	ECO 465M10HC120T (465Wp)	ECO 535M10HC132T	22.54	120 (Half Cut Cells)	1500	Date of inclusion in ALMM	01.09.2026
								ECO 445M10HC120	20.54				
								ECO 450M10HC120	20.77				
								ECO 455M10HC120	21.00				
								ECO 460M10HC120	21.23				
								ECO 465M10HC120	21.46				
								ECO 470M10HC120	21.70				
								ECO 475M10HC120	21.93				
								ECO 480M10HC120	22.16				
								ECO 485M10HC120	22.39				
					v	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	ECO 530M10HC144B (530Wp)	ECO 505M10HC144B	19.56	144 (Half Cut Cells)	1500	Date of inclusion in ALMM	01.09.2026
								ECO 510M10HC144B	19.76				
								ECO 515M10HC144B	19.95				
								ECO 520M10HC144B	20.15				
								ECO 525M10HC144B	20.34				
								ECO 530M10HC144B	20.53				
								ECO 535M10HC144B	20.73				
								ECO 540M10HC144B	20.92				
								ECO 545M10HC144B	21.12				
								ECO 550M10HC144B	21.31				
					vi	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	ECO 480M10HC132B (480Wp)	ECO 555M10HC144B	21.50	132 (Half Cut Cells)	1500	Date of inclusion in ALMM	01.09.2026
								ECO 560M10HC144B	21.70				
								ECO 460M10HC132B	19.40				
								ECO 465M10HC132B	19.60				
								ECO 470M10HC132B	19.84				
								ECO 475M10HC132B	20.02				
								ECO 480M10HC132B	20.26				
								ECO 485M10HC132B	20.46				
								ECO 490M10HC132B	20.66				
								ECO 495M10HC132B	20.87				
					vii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	ECO 435M10HC120B (435Wp)	ECO 500M10HC132B	21.08	120(Half Cut Cells)	1500	Date of inclusion in ALMM	01.09.2026
								ECO 415M10HC120B	19.18				
								ECO 420M10HC120B	19.42				
								ECO 425M10HC120B	19.65				
								ECO 430M10HC120B	19.86				
								ECO 435M10HC120B	20.10				
								ECO 440M10HC120B	20.35				
								ECO 445M10HC120B	20.58				
								ECO 450M10HC120B	20.81				
								ECO 455M10HC120B	21.02				
					viii	Mono c-Si PERC Module	ECO 535M10HC144 (535Wp)	ECO 515M10HC144	19.96	144 (Half Cut Cells)	1500	Date of inclusion in ALMM	01.09.2026
								ECO 520M10HC144	20.17				
								ECO 525M10HC144	20.34				
								ECO 530M10HC144	20.55				
								ECO 535M10HC144	20.74				
								ECO 540M10HC144	20.94				
								ECO 545M10HC144	21.10				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								ECO 550M10HC144	21.32	132 (Half Cut Cells)	1500	Date of inclusion in ALMM	01.09.2026
								ECO 555M10HC144	21.52				
								ECO 560M10HC144	21.71				
					ix	Mono c-Si PERC Module	ECO490 M10HC132 (490 Wp)	ECO470 M10HC132	19.84	132 (Half Cut Cells)	1500	Date of inclusion in ALMM	01.09.2026
								ECO475 M10HC132	20.02				
								ECO480 M10HC132	20.26				
								ECO485 M10HC132	20.46				
								ECO490 M10HC132	20.66				
								ECO495 M10HC132	20.87				
								ECO500 M10HC132	21.06				
								ECO505 M10HC132	21.28				
								ECO510 M10HC132	21.49				
								ECO 425M10HC120	19.67	120 (Half Cut Cells)	1500	Date of inclusion in ALMM	01.09.2026
					x	Mono c-Si PERC Module	ECO 445M10HC120 (445Wp)	ECO 430M10HC120	19.88				
								ECO 435M10HC120	20.12				
								ECO 440M10HC120	20.37				
								ECO 445M10HC120	20.60				
								ECO 450M10HC120	20.84				
								ECO 455M10HC120	21.00				
								ECO 460M10HC120	21.23				
								ECO 465M10HC120	21.47				
					xi	Bifacial Mono c-Si PERC (Glass to Glass)	ECO 530M10HC144G (530Wp)	ECO 505M10HC144G	19.57	144 (Half Cut Cells)	1500	Date of inclusion in ALMM	01.09.2026
								ECO 510M10HC144G	19.76				
								ECO 515M10HC144G	19.95				
								ECO 520M10HC144G	20.15				
								ECO 525M10HC144G	20.34				
								ECO 530M10HC144G	20.53				
								ECO 535M10HC144G	20.73				
								ECO 540M10HC144G	20.92				
								ECO 545M10HC144G	21.31				
								ECO 550M10HC144G	21.31				
								ECO 555M10HC144G	21.50				
					xii	Bifacial Mono c-Si PERC Module (Glass to Glass)	ECO 480M10HC132G (480Wp)	ECO 460M10HC132G	19.40	132 (Half Cut Cells)	1500	Date of inclusion in ALMM	01.09.2026
								ECO 465M10HC132G	19.60				
								ECO 470M10HC132G	19.84				
								ECO 475M10HC132G	20.02				
								ECO 480M10HC132G	20.26				
								ECO 485M10HC132G	20.46				
								ECO 490M10HC132G	20.66				
								ECO 495M10HC132G	20.87				
								ECO 500M10HC132G	21.08				
								ECO 415M10HC120G	19.18	120 (Half Cut Cells)	1500	Date of inclusion in ALMM	01.09.2026
					xiii	Bifacial Mono c-Si PERC Module (Glass to Glass)	ECO 435M10HC120G (435Wp)	ECO 420M10HC120G	19.42				
								ECO 425M10HC120G	19.65				
								ECO 430M10HC120G	19.86				
								ECO 435M10HC120G	20.10				
								ECO 440M10HC120G	20.35				
								ECO 445M10HC120G	20.58				
								ECO 450M10HC120G	20.81				
								ECO 455M10HC120G	21.02				
71	M/s. Emmvee Energy Private Limited	Sy. No. 66-70/3, Sompura Industrial Area, Pemmanahalli Village, Sompura Hobli, Nelamangala Taluk, Bengaluru Rural District, Karnataka - 562111, India	R-62004626	1504	i	Bifacial Mono c-Si PERC Modules (Glass to Glass)	E525HCBG144 (525 Wp)	E550HCBG144	21.29	144 (Half Cut Cells)	1500	08.07.2024	07.07.2028
								E545HCBG144	21.10				
								E540HCBG144	20.90				
								E535HCBG144	20.71				
								E530HCBG144	20.52				
								E525HCBG144	20.32				
								E520HCBG144	20.13				
								E515HCBG144	19.94				
								E510HCBG144	19.74				
								E505HCBG144	19.55				
								E500HCBG144	19.36				
					ii	Bifacial Mono c-Si PERC Modules (Glass to Glass)	E495HCBG144 (495 Wp)	E495HCBG144	19.16	144 (Half Cut Cells)	1500	08.07.2024	07.07.2028
						Bifacial Mono c-Si PERC	E495HCBG144	E500HCBG132	21.03				
								E495HCBG132	20.82				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					iii	Modules (Glass to Glass)	E490HCBG132 (490 Wp)	E490HCBG132	20.61	132 (Half Cut Cells)	1500	08.07.2024	07.07.2028
								E485HCBG132	20.40				
								E480HCBG132	20.19				
					iv	Bifacial Mono c-Si PERC Modules (Glass to Glass)	E430HCBG120 (430 Wp)	E450HCBG120	20.74	120 (Half Cut Cells)	1500	08.07.2024	07.07.2028
								E445HCBG120	20.51				
								E440HCBG120	20.28				
								E435HCBG120	20.05				
								E430HCBG120	19.82				
								E425HCBG120	19.59				
								E420HCBG120	19.36				
								E415HCBG120	19.13				
					v	Bifacial Mono c-Si PERC Modules (Glass to Glass)	E395HCBG108 (395 Wp)	E405HCBG108	20.76	108 (Half Cut Cells)	1500	08.07.2024	07.07.2028
								E400HCBG108	20.51				
								E395HCBG108	20.25				
								E390HCBG108	20.00				
								E385HCBG108	19.74				
					vi	Bifacial N-Type TOPCon Modules (Glass to Glass)	E555HCBG144-T (555 Wp)	E580HCBG144-T	22.45	144 (Half Cut Cells)	1500	08.07.2024	07.07.2028
								E575HCBG144-T	22.26				
								E570HCBG144-T	22.07				
								E565HCBG144-T	21.87				
								E560HCBG144-T	21.68				
								E555HCBG144-T	21.48				
								E550HCBG144-T	21.29				
								E545HCBG144-T	21.10				
								E540HCBG144-T	20.90				
								E535HCBG144-T	20.71				
					vii	Bifacial N-Type TOPCon Modules (Glass to Glass)	E525HCBG144-T (525 Wp)	E530HCBG144-T	20.52	144 (Half Cut Cells)	1500	08.07.2024	07.07.2028
								E525HCBG144-T	20.32				
					viii	Bifacial N-Type TOPCon Modules (Glass to Glass)	E505HCBG132-T (505 Wp)	E530HCBG132-T	22.29	132 (Half Cut Cells)	1500	08.07.2024	07.07.2028
								E525HCBG132-T	22.08				
								E520HCBG132-T	21.87				
								E515HCBG132-T	21.66				
								E510HCBG132-T	21.45				
								E505HCBG132-T	21.24				
								E500HCBG132-T	21.03				
								E495HCBG132-T	20.82				
								E490HCBG132-T	20.61				
								E485HCBG132-T	20.40				
					ix	Bifacial N-Type TOPCon Modules (Glass to Glass)	E460HCBG120-T (460 Wp)	E480HCBG132-T	20.19	120 (Half Cut Cells)	1500	08.07.2024	07.07.2028
								E480HCBG120-T	22.13				
								E475HCBG120-T	21.90				
								E470HCBG120-T	21.67				
								E465HCBG120-T	21.44				
								E460HCBG120-T	21.20				
								E455HCBG120-T	20.97				
								E450HCBG120-T	20.74				
								E445HCBG120-T	20.51				
					x	Bifacial N-Type TOPCon Modules (Glass to Glass)	E415HCBG108-T (415 Wp)	E440HCBG120-T	20.28	108 (Half Cut Cells)	1500	08.07.2024	07.07.2028
								E435HCBG108-T	22.30				
								E430HCBG108-T	22.05				
								E425HCBG108-T	21.79				
								E420HCBG108-T	21.53				
								E415HCBG108-T	21.28				
								E410HCBG108-T	21.02				
								E405HCBG108-T	20.76				
								E400HCBG108-T	20.51				
								E395HCBG108-T	20.25				
72	M/s. Lubi Electronics	Survey No. 75, Opposite Essar Petrol Pump, Prantiya, Gandinagar - 382355, Gujarat, India	R-72002380	40	i	Mono c-Si PERC Module	LE24M395 (395 Wp)	LE24M410	20.88	72 (Full Cells)	1500	08.07.2024	07.07.2028
								LE24M405	20.63				
								LE24M400	20.37				
								LE24M395	20.12				
								LE24M390	19.86				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
		Co-ALMM with M/s. Solex Energy Limited Manufacturing Address: Plot No 1A, Block 938, Tadkeshwar, Kim Mandvi Road, Mandvi, Surat - 394110, Gujarat, India	R-72011304	20 MW/Year (As per Co-Branding Agreement)	ii	Mono c-Si PERC Module	LE144M530H (530 Wp)	LE24M38S	19.61	144 (Half Cut Cells)	1500	02.12.2024	12.09.2025
								LE24M380	19.36				
								LE144M555H	21.48				
								LE144M550H	21.29				
								LE144M545H	21.10				
								LE144M540H	20.90				
								LE144M535H	20.71				
								LE144M530H	20.52				
								LE144M525H	20.32				
								LE144M520H	20.13				
								LE144M515H	19.94				
								LE144M510H	19.74				
								LE144M505H	19.55				
					iii	Mono c-Si PERC Module	LE144M500H (500 Wp)	LE144M500H	19.35	144 (Half Cut Cells)	1500	02.12.2024	12.09.2025
					iv	Bifacial Mono c-Si PERC Module	LE144MBF525H (525 Wp)	LE144MBF550H	21.29	144 (Half Cut Cells)	1500	02.12.2024	12.09.2025
								LE144MBF545H	21.10				
								LE144MBF540H	20.90				
								LE144MBF535H	20.71				
								LE144MBF530H	20.52				
								LE144MBF525H	20.32				
								LE144MBF520H	20.13				
								LE144MBF515H	19.94				
								LE144MBF510H	19.74				
								LE144MBF505H	19.55				
								LE144MBF500H	19.35				
					v	Mono c-Si PERC Module	LE132M485H (485 Wp)	LE132M505H	21.26	132 (Half Cut Cells)	1500	02.12.2024	12.09.2025
								LE132M500H	21.05				
								LE132M495H	20.83				
								LE132M490H	20.62				
								LE132M485H	20.41				
								LE132M480H	20.20				
								LE132M475H	19.99				
								LE132M470H	19.78				
								LE132M465H	19.57				
								LE132M460H	19.36				
					vi	Bifacial Mono c-Si PERC Module	LE132MBF480H (480 Wp)	LE132MBF500H	21.05	132 (Half Cut Cells)	1500	02.12.2024	12.09.2025
								LE132MBF495H	20.83				
								LE132MBF490H	20.62				
								LE132MBF485H	20.41				
								LE132MBF480H	20.20				
								LE132MBF475H	19.99				
								LE132MBF470H	19.78				
								LE132MBF465H	19.57				
					vii	Bifacial Mono c-Si PERC Module	LE132MBF455H (455 Wp)	LE132MBF455H	19.15	132 (Half Cut Cells)	1500	02.12.2024	12.09.2025
					viii	Mono c-Si PERC Module	LE120M440H (440 Wp)	LE120M460H	21.18	120 (Half Cut Cells)	1500	02.12.2024	12.09.2025
								LE120M455H	20.95				
								LE120M450H	20.72				
								LE120M445H	20.49				
								LE120M440H	20.26				
								LE120M435H	20.03				
								LE120M430H	19.80				
								LE120M425H	19.57				
					ix	Mono c-Si PERC Module	LE120M420H (420 Wp)	LE120M420H	19.34	120 (Half Cut Cells)	1500	02.12.2024	12.09.2025
					x	Bifacial Mono c-Si PERC Module	LE120MBF435H (435 Wp)	LE120MBF455H	20.95	120 (Half Cut Cells)	1500	02.12.2024	12.09.2025
								LE120MBF450H	20.72				
								LE120MBF445H	20.49				
								LE120MBF440H	20.26				
								LE120MBF435H	20.03				
								LE120MBF430H	19.80				
								LE120MBF425H	19.57				
								LE120MBF420H	19.34				
								LE120MBF415H	19.11				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xi	Mono c-Si PERC Module	LE108M400H (400 Wp)	LE108M415H	21.15	108 (Half Cut Cells)	1500	02.12.2024	12.09.2025
								LE108M410H	20.90				
								LE108M405H	20.64				
								LE108M400H	20.39				
								LE108M395H	20.13				
								LE108M390H	19.88				
								LE108M385H	19.62				
								LE108M380H	19.37				
					xii	Mono c-Si PERC Module	LE108M375H (375 Wp)	LE108M375H	19.11	108 (Half Cut Cells)	1500	02.12.2024	12.09.2025
					xiii	Bifacial Mono c-Si PERC Module	LE108MBF385H (385 Wp)	LE108MBF410H	20.90	108 (Half Cut Cells)	1500	02.12.2024	12.09.2025
								LE108MBF405H	20.64				
								LE108MBF400H	20.39				
								LE108MBF395H	20.13				
								LE108MBF390H	19.88				
								LE108MBF385H	19.62				
								LE108MBF380H	19.37				
								LE108MBF375H	19.11				
73	M/s Avaada Electro Private Limited	Khasra No. 1145, 1146, 1150, 1151, 1152, 1154, 1156, Village - Kot, Tehsil - Dadri, Pargana, Dadri, Gautam Buddha Nagar - 203207, Uttar Pradesh, India	R-93030724	1165	i	Bifacial N-Type TOPCon Modules	AVN72M10G575 (575 Wp)	AVN72M10G565	21.87	144 (Half Cut Cells)	1500	28.08.2024	27.08.2028
								AVN72M10G570	22.06				
								AVN72M10G575	22.26				
								AVN72M10G580	22.45				
								AVN72M10G585	22.64				
								AVN66M10G515	21.69				
								AVN66M10G520	21.90				
								AVN66M10G525	22.11	132 (Half Cut Cells)	1500	28.08.2024	27.08.2028
					ii	Bifacial N-Type TOPCon Modules	AVN66M10G525 (525 Wp)	AVN66M10G530	22.32				
								AVN66M10G535	22.53				
								AVN60M10G465	21.47				
								AVN60M10G470	21.70	120 (Half Cut Cells)	1500	28.08.2024	27.08.2028
								AVN60M10G475	21.93				
								AVN60M10G480	22.16				
								AVN60M10G485	22.39				
74	M/s. Laxmi Solar Power System Private Limited	Khasra No. 192, Harsun Tildahdi Kharora near ITBP camp, Raipur - 493225, Chhattisgarh, India	R-59000442	121	i	Mono c-Si PERC Modules	LSP 530 (530 Wp)	LSP 520	20.13	144 (Half Cut Cells)	1500	28.08.2024	27.08.2028
								LSP 525	20.32				
								LSP 530	20.52				
								LSP 535	20.71				
								LSP 540	20.90				
								LSP 420	19.41	120 (Half Cut Cells)	1500	28.08.2024	27.08.2028
					ii	Mono c-Si PERC Modules	LSP 435 (435 Wp)	LSP 425	19.64				
								LSP 430	19.87				
								LSP 435	20.10				
								LSP 440	20.33				
								LSP 445	20.57				
								LSP 450	20.80				
								LSP 390	19.97	108 (Half Cut Cells)	1500	28.08.2024	27.08.2028
					iii	Mono c-Si PERC Modules	LSP 400 (400 Wp)	LSP 395	20.23				
								LSP 400	20.48				
								LSP 405	20.74				
								LSP 410	20.99				
75	M/s. Uratom Solar (India) Private Limited	Survey No. 752 P1, National Highway 27, Near Chordi Village, Gondal - 360311, Gujarat, India	R-72010081	46	iv	Mono c-Si PERC Modules	LSP 500 (500 Wp)	LSP 500	21.05	132 (Half Cut Cells)	1500	28.08.2024	27.08.2028
								USM10 - 144 - 510 WP	19.72				
								USM10 - 144 - 515 WP	19.91				
								USM10 - 144 - 520 WP	20.10				
					i	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	USM10 - 144 - 530 WP (530 Wp)	USM10 - 144 - 525 WP	20.30	144 (Half Cut Cells)	1500	28.08.2024	27.08.2028
								USM10 - 144 - 530 WP	20.49				
								USM10 - 144 - 535 WP	20.68				
								USM10 - 144 - 540 WP	20.88				
								USM10 - 144 - 545 WP	21.07				
								USM10 - 144 - 550 WP	21.26				
					ii	Bifacial Mono c-Si PERC Module (Glass to Transparent)	USM10 - 132 - 490 WP (490 Wp)	USM10 - 132 - 495 WP	19.14	132 (Half Cut Cells)	1500	28.08.2024	27.08.2028
								USM10 - 132 - 500 WP	19.33				
								USM10 - 132 - 505 WP	19.52				
								USM10 - 120 - 425 WP	19.63				
						Bifacial Mono c-Si PERC		USM10 - 120 - 430 WP	19.86				
								USM10 - 120 - 435 WP	20.09				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					iii	Module (Glass to Transparent Backsheet)	USM10 - 120 - 440 WP (440 Wp)	USM10 - 120 - 440 WP	20.32	120 (Half Cut Cells)	1500	28.08.2024	27.08.2028
								USM10 - 120 - 445 WP	20.55				
								USM10 - 120 - 450 WP	20.78				
								USM10 - 120 - 455 WP	21.01				
								USM10 - 120 - 460 WP	21.24				
					iv	Mono c-Si PERC Module	USM10 - 144 - 530 WP (530 Wp)	USM10 - 144 - 510 WP	19.72	144 (Half Cut Cells)	1500	28.08.2024	27.08.2028
								USM10 - 144 - 515 WP	19.91				
								USM10 - 144 - 520 WP	20.10				
								USM10 - 144 - 525 WP	20.30				
								USM10 - 144 - 530 WP	20.49				
								USM10 - 144 - 535 WP	20.68				
								USM10 - 144 - 540 WP	20.88				
								USM10 - 144 - 545 WP	21.07				
								USM10 - 144 - 550 WP	21.26				
					v	Mono c-Si PERC Module	USM10 - 132 - 490 WP (490 Wp)	USM10 - 132 - 495 WP	19.14	132 (Half Cut Cells)	1500	28.08.2024	27.08.2028
								USM10 - 132 - 500 WP	19.33				
								USM10 - 132 - 505 WP	19.52				
					vi	Mono c-Si PERC Module	USM10 - 120 - 440 WP (440 Wp)	USM10 - 120 - 425 WP	19.63	120 (Half Cut Cells)	1500	28.08.2024	27.08.2028
								USM10 - 120 - 430 WP	19.86				
								USM10 - 120 - 435 WP	20.09				
								USM10 - 120 - 440 WP	20.32				
								USM10 - 120 - 445 WP	20.55				
								USM10 - 120 - 450 WP	20.78				
								USM10 - 120 - 455 WP	21.01				
								USM10 - 120 - 460 WP	21.25				
76	M/s Powertrac Solar Pojects Limited	LS No. - 248/2, Opp. Rai Bus stand, Wadhwan-Limbdi Highway, Taluko Wadhwan, Sankali, Surendranagar-363030, Gujarat, India	R-72007269	47	i	Mono c-Si PERC Modules	PSPL144MPM530 (530 Wp)	PSPL144MPM505	19.54	144 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								PSPL144MPM510	19.73				
								PSPL144MPM515	19.93				
								PSPL144MPM520	20.12				
								PSPL144MPM525	20.31				
								PSPL144MPM530	20.51				
								PSPL144MPM535	20.70				
								PSPL144MPM540	20.89				
								PSPL144MPM545	21.09				
								PSPL144MPM550	21.28				
					ii	Mono c-Si PERC Modules	PSPL156MPM570 (570 Wp)	PSPL156MPM545	19.49	156 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								PSPL156MPM550	19.67				
								PSPL156MPM555	19.85				
								PSPL156MPM560	20.02				
								PSPL156MPM565	20.20				
								PSPL156MPM570	20.38				
								PSPL156MPM575	20.56				
								PSPL156MPM580	20.74				
								PSPL156MPM585	20.92				
								PSPL156MPM590	21.10				
								PSPL156MPM595	21.28				
77	M/s. Sun N Sand Exim (India) Pvt. Ltd.	Plot No- 106, Sector 16, HSIIDC Industrial Estate, Bahadurgarh, Distt. Jhajjar, Haryana – 124507, India	R-91004529	69	i	Mono c-Si PERC Modules	SNS120CM340Wp (340 Wp)	SNS120CM330Wp	19.58	120 (Half Cut Cell)	1500	27.09.2024	26.09.2028
								SNS120CM335Wp	19.88				
								SNS120CM340Wp	20.18				
								SNS120CM345Wp	20.47				
								SNS120CM350Wp	20.77				
					ii	Mono c-Si PERC Modules	SNS120CM450Wp (450 Wp)	SNS120CM435Wp	20.06	120 (Half Cut Cell)	1500	27.09.2024	26.09.2028
								SNS120CM440Wp	20.29				
								SNS120CM445Wp	20.52				
								SNS120CM450Wp	20.75				
								SNS120CM455Wp	20.99				
					iii	Mono c-Si PERC Modules	SNS132CM375Wp (375 Wp)	SNS120CM460Wp	21.22	132 (Half Cut Cell)	1500	27.09.2024	26.09.2028
								SNS132CM365Wp	19.78				
								SNS132CM370Wp	20.05				
								SNS132CM375Wp	20.33				
								SNS132CM380Wp	20.6				
					iv	Mono c-Si PERC Modules	SNS132CM490Wp	SNS132CM385Wp	20.87	132 (Half Cut Cell)	1500	27.09.2024	26.09.2028
								SNS132CM475Wp	20.01				
								SNS132CM480Wp	20.22				
								SNS132CM485Wp	20.43				
								SNS132CM490Wp	20.64				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
						Mono c-Si PERC Modules	(490 Wp)	SNS132CM495Wp	20.86	132 (Half Cut Cell)	1300	27.09.2024	26.09.2028
								SNS132CM500Wp	21.07				
								SNS132CM505Wp	21.28				
								SNS132CM510Wp	21.49				
					v	Mono c-Si PERC Modules	SNS144CM550Wp (550 Wp)	SNS144CM530Wp	20.52	144 (Half Cut Cell)	1500	27.09.2024	26.09.2028
								SNS144CM535Wp	20.71				
								SNS144CM540Wp	20.9				
								SNS144CM545Wp	21.1				
								SNS144CM550Wp	21.29				
								SNS144CM555Wp	21.48				
								SNS144CM560Wp	21.68				
								SNS144CM565Wp	21.87				
								SNS144CM570Wp	22.07				
					vi	Mono c-Si PERC Modules	SNS36CM135Wp (135 Wp)	SNS36CM135Wp	19.61	36 (Half Cut Cell)	600	27.09.2024	26.09.2028
					vii	Mono c-Si PERC Modules	SNS36CM155Wp (155 Wp)	SNS36CM150Wp	19.41	36 (Half Cut Cell)	600	27.09.2024	26.09.2028
								SNS36CM155Wp	20.05				
					viii	Mono c-Si PERC Modules	SNS36CM175Wp (175 Wp)	SNS36CM175Wp	19.64	36 (Half Cut Cell)	600	27.09.2024	26.09.2028
							SNS36CM180Wp	20.2					
					ix	Mono c-Si PERC Modules	SNS96CM275Wp (275 Wp)	SNS96CM265Wp	19.49	96 (Half Cut Cell)	1500	27.09.2024	26.09.2028
								SNS96CM270Wp	19.85				
								SNS96CM275Wp	20.22				
								SNS96CM280Wp	20.59				
					x	Mono c-Si PERC Modules	SNS96CM360Wp (360 Wp)	SNS96CM350Wp	20.03	96 (Half Cut Cell)	1500	27.09.2024	26.09.2028
								SNS96CM355Wp	20.31				
								SNS96CM360Wp	20.6				
								SNS96CM365Wp	20.89				
								SNS96CM370Wp	21.17				
					xi	Mono c-Si PERC Modules	SNS144CM520Wp	SNS144CM525Wp	20.32	144 (Half Cut Cell)	1500	27.09.2024	26.09.2028
								SNS144CM520Wp	20.13				
					xii	Mono c-Si PERC Modules	SNS132CM470Wp	SNS144CM515Wp	19.94	132 (Half Cut Cell)	1500	27.09.2024	26.09.2028
								SNS132CM470Wp	19.80				
					xiii	Mono c-Si PERC Modules	SMS120CM425Wp	SNS132CM465Wp	19.59	120 (Half Cut Cell)	1500	27.09.2024	26.09.2028
								SNS120CM430Wp	19.83				
								SNS120CM425Wp	19.60				
								SNS120CM420Wp	19.37				
					xiv	Mono c-Si PERC Modules	SNS72CM305Wp	SNS120CM415Wp	19.14	72 (Half Cut Cell)	1500	27.09.2024	26.09.2028
								SNS72CM310Wp	21.02				
								SNS72CM305Wp	20.68				
								SNS72CM300Wp	20.34				
					xv	Mono c-Si PERC Modules	SNS64CM245Wp	SNS64CM250Wp	21.15	64 (Half Cut Cell)	1500	27.09.2024	26.09.2028
								SNS64CM245Wp	20.73				
								SNS64CM240Wp	20.31				
					xvi	Mono c-Si PERC Modules	SNS64CM230Wp	SNS64CM235Wp	19.88	64 (Half Cut Cell)	1500	27.09.2024	26.09.2028
								SNS64CM230Wp	19.46				
SNS64CM225Wp	19.04												
xvii	Mono c-Si PERC Modules	SNS64CM215Wp	SNS64CM220Wp	20.62	64 (Half Cut Cell)	1500	27.09.2024	26.09.2028					
			SNS64CM215Wp	20.15									
xviii	Mono c-Si PERC Modules	SNS64CM200Wp	SNS64CM210Wp	21.20	64 (Half Cut Cell)	1500	27.09.2024	26.09.2028					
			SNS64CM205Wp	20.69									
			SNS64CM200Wp	20.19									
			SNS64CM195Wp	19.68									
			SNS64CM190Wp	19.18									
xix	Mono c-Si PERC Modules	SNS36CM160Wp	SNS36CM165Wp	19.94	36 (Half Cut Cell)	600	27.09.2024	26.09.2028					
			SNS36CM160Wp	19.34									
xx	Mono c-Si PERC Modules	SNS36CM120Wp	SNS36CM120Wp	19.68	36 (Half Cut Cell)	600	27.09.2024	26.09.2028					
xxi	Mono c-Si PERC Modules	SNS36CM0100Wp	SNS36CM0100Wp	19.26	36 (Half Cut Cell)								
xxii	Mono c-Si PERC Modules	SNS36CM080Wp	SNS36CM080Wp	19.57	36 (Half Cut Cell)								
xxiii	Mono c-Si PERC Modules	SNS36CMP135Wp	SNS36CMP140Wp	20.92	36 (Half Cut Cell)								
			SNS36CMP135Wp	20.17									
			SNS36CMP130Wp	19.42									
			SNS36CMP110Wp	21.02									
xxiv	Mono c-Si PERC Modules	SNS36CMP105Wp	SNS36CMP105Wp	20.07	36 (Half Cut Cell)								
			SNS36CMP100Wp	19.11									
xxv	Mono c-Si PERC Modules	SNS36CMP080Wp	SNS36CMP080Wp	20.46	36 (Half Cut Cell)								
xxvi	Mono c-Si PERC Modules	SNS36CMP075Wp	SNS36CMP075Wp	19.18	36 (Half Cut Cell)								

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					iii	Mono c-Si PERC Module	(530 Wp)	SL144HC-530	20.51	144 (Half Cut Cells)	1300	24.10.2024	23.10.2028
								SL144HC-525	20.31				
								SL144HC-520	20.12				
80	M/s. FS Green Energies Private Limited	Block No. 160 - 164, 168 Besides Act Agro Chem Pvt. Ltd., Juni Jithardi Road, Near Karjan Cross Road, NH - 8, Vadodara-391240, Gujarat, India	R-72011258	572	i	Bifacial N-Type TOPCon Modules (Glass to Glass)	FST-M10.156G-620 (620 Wp)	FST-M10.156G-630	22.54	156 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FST-M10.156G-625	22.36				
								FST-M10.156G-620	22.18				
								FST-M10.156G-615	22.00				
								FST-M10.156G-610	21.82				
					ii	Bifacial N-Type TOPCon Modules (Glass to Glass)	FST-M10.144G-570 (570 Wp)	FST-M10.144G-580	22.45	144 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FST-M10.144G-575	22.26				
								FST-M10.144G-570	22.07				
								FST-M10.144G-565	21.87				
								FST-M10.144G-560	21.68				
					iii	Bifacial N-Type TOPCon Modules (Glass to Glass)	FST-M10.132G-525 (525 Wp)	FST-M10.132G-530	22.33	132 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FST-M10.132G-525	22.12				
								FST-M10.132G-520	21.91				
					iv	Bifacial N-Type TOPCon Modules (Glass to Glass)	FST-M10.120G-475 (475 Wp)	FST-M10.120G-480	22.18	120 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FST-M10.120G-475	21.95				
								FST-M10.120G-470	21.72				
					v	Bifacial N-Type TOPCon Modules (Glass to Glass)	FST-M10.108G-430 (430 Wp)	FST-M10.108G-435	22.26	108 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FST-M10.108G-430	22.01				
								FST-M10.108G-425	21.75				
					vi	Bifacial Mono c-Si PERC Module (Glass to Transparent Back sheet)	FSP-M10.156B-585 (585 Wp)	FST-M10.108G-420	21.50	156 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FSP-M10.156B-600	21.46				
								FSP-M10.156B-595	21.29				
								FSP-M10.156B-590	21.11				
								FSP-M10.156B-585	20.93				
								FSP-M10.156B-580	20.75				
								FSP-M10.156B-575	20.57				
								FSP-M10.156B-570	20.39				
					vii	Bifacial Mono c-Si PERC Module (Glass to Transparent Back sheet)	FSP-M10.144B-535 (535 Wp)	FSP-M10.156B-565	20.21	144 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FSP-M10.156B-560	20.03				
								FSP-M10.144B-550	21.29				
								FSP-M10.144B-545	21.10				
								FSP-M10.144B-540	20.90				
								FSP-M10.144B-535	20.71				
								FSP-M10.144B-530	20.52				
								FSP-M10.144B-525	20.32				
					viii	Bifacial Mono c-Si PERC Module (Glass to Transparent Back sheet)	FSP-M10.132B-495 (495 Wp)	FSP-M10.144B-520	20.13	132 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FSP-M10.132B-505	21.28				
								FSP-M10.132B-500	21.07				
								FSP-M10.132B-495	20.86				
								FSP-M10.132B-490	20.64				
								FSP-M10.132B-485	20.43				
								FSP-M10.132B-480	20.22				
								FSP-M10.120B-460	21.26				
					ix	Bifacial Mono c-Si PERC Module (Glass to Transparent Back sheet)	FSP-M10.120B-445 (445 Wp)	FSP-M10.120B-455	21.03	120 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FSP-M10.120B-450	20.80				
								FSP-M10.120B-445	20.57				
								FSP-M10.120B-440	20.34				
								FSP-M10.120B-435	20.10				
								FSP-M10.120B-430	19.87				
					x	Bifacial Mono c-Si PERC Module (Glass to Transparent Back sheet)	FSP-M10.108B-405 (405 Wp)	FSP-M10.108B-415	21.24	108 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FSP-M10.108B-410	20.98				
								FSP-M10.108B-405	20.73				
								FSP-M10.108B-400	20.47				
								FSP-M10.108B-395	20.22				
								FSP-M10.108B-390	19.96				
					xi	Mono c-Si PERC Module	FSP-M10.156W-580 (580 Wp)	FSP-M10.156W-600	21.46	156 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FSP-M10.156W-595	21.29				
								FSP-M10.156W-590	21.11				
								FSP-M10.156W-585	20.93				
								FSP-M10.156W-580	20.75				
								FSP-M10.156W-575	20.57				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								FSP-M10.156W-570	20.39				
								FSP-M10.156W-565	20.21				
								FSP-M10.156W-560	20.03				
					xii	Mono c-Si PERC Module	FSP-M10.144W-535 (535 Wp)	FSP-M10.144W-550	21.29	144 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FSP-M10.144W-545	21.10				
								FSP-M10.144W-540	20.90				
								FSP-M10.144W-535	20.71				
								FSP-M10.144W-530	20.52				
								FSP-M10.144W-525	20.32				
								FSP-M10.144W-520	20.13				
								FSP-M10.132W-505	21.28				
								FSP-M10.132W-500	21.07				
					xiii	Mono c-Si PERC Module	FSP-M10.132W-490 (490Wp)	FSP-M10.132W-495	20.86	132 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FSP-M10.132W-490	20.64				
								FSP-M10.132W-485	20.43				
								FSP-M10.132W-480	20.22				
								FSP-M10.120W-460	21.26				
								FSP-M10.120W-455	21.03				
					xiv	Mono c-Si PERC Module	FSP-M10.120W-450 (450 Wp)	FSP-M10.120W-450	20.80	120 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FSP-M10.120W-445	20.57				
								FSP-M10.120W-440	20.34				
								FSP-M10.120W-435	20.10				
								FSP-M10.120W-430	19.87				
								FSP-M10.108W-415	21.24				
					xv	Mono c-Si PERC Module	FSP-M10.108W-400 (400 Wp)	FSP-M10.108W-410	20.98	108 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FSP-M10.108W-405	20.73				
								FSP-M10.108W-400	20.47				
								FSP-M10.108W-395	20.22				
								FSP-M10.108W-390	19.96				
								FSP-M10.144G-560	21.68	144 (Half Cut Cells)	1500	28.10.2024	27.10.2028
					xvi	Bifacial Mono c-Si PERC Module (Glass to Glass)	FSP-M10.144G-540 (540 Wp)	FSP-M10.144G-555	21.48				
								FSP-M10.144G-550	21.29				
								FSP-M10.144G-545	21.10				
								FSP-M10.144G-540	20.90				
								FSP-M10.144G-535	20.71				
								FSP-M10.144G-530	20.52				
								FSP-M10.144G-525	20.32				
								FSP-M10.144G-520	20.13				
								FSP-M10.132G-505	21.28	132 (Half Cut Cells)	1500	28.10.2024	27.10.2028
					xvii	Bifacial Mono c-Si PERC Module (Glass to Glass)	FSP-M10.132G-490 (490 Wp)	FSP-M10.132G-500	21.07				
								FSP-M10.132G-495	20.86				
								FSP-M10.132G-490	20.64				
								FSP-M10.132G-485	20.43				
								FSP-M10.132G-480	20.22				
					xviii	Bifacial Mono c-Si PERC Module (Glass to Glass)	FSP-M10.120G-445 (445 Wp)	FSP-M10.120G-460	21.26	120 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FSP-M10.120G-455	21.03				
								FSP-M10.120G-450	20.80				
								FSP-M10.120G-445	20.57				
								FSP-M10.120G-440	20.34				
								FSP-M10.120G-435	20.10				
								FSP-M10.120G-430	19.87				
								FSP-M10.108G-415	21.24	108 (Half Cut Cells)	1500	28.10.2024	27.10.2028
					xix	Bifacial Mono c-Si PERC Module (Glass to Glass)	FSP-M10.108G-405 (405 Wp)	FSP-M10.108G-410	20.98				
								FSP-M10.108G-405	20.73				
								FSP-M10.108G-400	20.47				
								FSP-M10.108G-395	20.22				
								FSP-M10.108G-390	19.96				
81	M/s. Hexatron Industries Limited	Survey No. 575, 576, 577 & 578 Village Tenpur, Taluka Bayad, Aravalli - 383325, Gujarat, India	R-72010715	203	i	N Type TOPCon Module (Glass to Transparent Backsheet)	HEXN156N615 (615 Wp)	HEXN156N630	22.55	156 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								HEXN156N625	22.37				
								HEXN156N620	22.19				
								HEXN156N615	22.01				
								HEXN156N610	21.83				
								HEXN156N605	21.65				
								HEXN156N600	21.47				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					ii	N Type TOPCon Module (Glass to Transparent Backsheet)	HEXN144N585 (585 Wp)	HEXN144N600	23.23	144 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								HEXN144N595	23.03				
								HEXN144N590	22.84				
								HEXN144N585	22.65				
								HEXN144N580	22.45				
								HEXN144N575	22.26				
					iii	N Type TOPCon Module (Glass to Transparent Backsheet)	HEXN132N535 (535 Wp)	HEXN144N570	22.07	132 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								HEXN132N550	23.16				
								HEXN132N545	22.95				
								HEXN132N540	22.74				
								HEXN132N535	22.53				
								HEXN132N530	22.32				
					iv	N Type TOPCon Module (Glass to Transparent Backsheet)	HEXN120N485 (485 Wp)	HEXN132N525	22.11	120 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								HEXN132N520	21.90				
								HEXN120N500	23.13				
								HEXN120N495	22.90				
								HEXN120N490	22.67				
								HEXN120N485	22.44				
					v	N Type TOPCon Module (Glass to Transparent Backsheet)	HEXN108N435 (435 Wp)	HEXN120N480	22.21	108 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								HEXN120N475	21.98				
								HEXN120N470	21.75				
								HEXN108N450	23.04				
								HEXN108N445	22.79				
					vi	Mono c-Si PERC Module (Glass to Transparent Backsheet)	HEXN156P585 (585 Wp)	HEXN108N440	22.53	156 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								HEXN108N435	22.28				
								HEXN108N430	22.02				
								HEXN108N425	21.76				
								HEXN108N420	21.51				
					vii	Mono c-Si PERC Module (Glass to Transparent Backsheet)	HEXN144P545 (545 Wp)	HEXN156P595	21.29	144 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								HEXN156P590	21.12				
								HEXN156P585	20.94				
								HEXN156P580	20.76				
								HEXN156P575	20.58				
					viii	Mono c-Si PERC Module (Glass to Transparent Backsheet)	HEXN132P505 (505 Wp)	HEXN156P570	20.40	132 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								HEXN144P560	21.68				
								HEXN144P555	21.48				
								HEXN144P550	21.29				
								HEXN144P545	21.10				
					ix	Mono c-Si PERC Module (Glass to Transparent Backsheet)	HEXN120P445 (445 Wp)	HEXN144P540	20.90	120 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								HEXN144P535	20.71				
								HEXN144P530	20.52				
								HEXN132P520	21.90				
								HEXN132P515	21.69				
					x	Mono c-Si PERC Module (Glass to Transparent Backsheet)	HEXN108P410 (410 Wp)	HEXN132P510	21.48	108 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								HEXN132P505	21.27				
								HEXN132P500	21.06				
								HEXN132P495	20.85				
								HEXN132P490	20.64				
								HEXN120P460	21.28	120 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								HEXN120P455	21.05				
								HEXN120P450	20.82				
								HEXN120P445	20.59				
								HEXN120P440	20.36				
								HEXN120P435	20.13				
								HEXN120P430	19.89	108 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								HEXN108P425	21.76				
								HEXN108P420	21.51				
								HEXN108P415	21.25				
								HEXN108P410	21.00				
								HEXN108P405	20.74				
								HEXN108P400	20.48				
								HEXN108P395	20.23				
82	M/s. Indosolar Limited	3c/1, Ecotech-II, Udyog Vihar, Greater Noida -210306 Uttar Pradesh	R-93032344	1525				Bi-55-520	20.20				
								Bi-55-525	20.39				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					vi	Mono c-Si PERC Module	ASP390D-108 (390 Wp)	ASP405D-108 ASP400D-108 ASP395D-108 ASP390D-108 ASP385D-108 ASP380D-108 ASP375D-108	20.71 20.45 20.20 19.94 19.69 19.43 19.18	120 (Half Cut Cells)	1500	17.02.2025	16.02.2029
89	M/s Asote Solutions Private Limited	346, Asot Solar, Anita, 346, Kim-Vadoli Road, Surat-394110,Gujarat	R-72011754	152	i	Bifacial N-Type TOPCon Module (Glass to Glass)	PMS100ASTC144GG565 (565Wp)	PMS100ASTC144GG590 PMS100ASTC144GG585 PMS100ASTC144GG580 PMS100ASTC144GG575 PMS100ASTC144GG570 PMS100ASTC144GG565 PMS100ASTC144GG560 PMS100ASTC144GG555 PMS100ASTC144GG550 PMS100ASTC144GG545 PMS100ASTC144GG540	22.84 22.65 22.45 22.26 22.07 21.87 21.68 21.48 21.29 21.1 20.9	144 (Half Cut Cells)	1500	27.03.2025	26.03.2029
					ii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	PMS100ASTC144GG565 (565Wp)	PMS100ASTC144GG590 PMS100ASTC144GG585 PMS100ASTC144GG580 PMS100ASTC144GG575 PMS100ASTC144GG570 PMS100ASTC144GG565 PMS100ASTC144GG560 PMS100ASTC144GG555 PMS100ASTC144GG550 PMS100ASTC144GG545 PMS100ASTC144GG540	22.84 22.65 22.45 22.26 22.07 21.87 21.68 21.48 21.29 21.1 20.9	144 (Half Cut Cells)	1500	27.03.2025	26.03.2029
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	PMS100ASTC144GG535 (535 Wp)	PMS100ASTC144GG535	20.71	144 (Half Cut Cells)	1500	27.03.2025	26.03.2029
					iv	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	PMS100ASTC144GG535 (535 Wp)	PMS100ASTC144GG535	20.71	144 (Half Cut Cells)	1500	27.03.2025	26.03.2029
90	M/s. MKU Holdings Private Limited	DTA-02, Plot NO. 16-17-20-21, Ajmer Road, Bagru Mahindra World City SEZ, Sanganer, Jaipur - 302039, Rajasthan, India	R-84005282	1183	i	Bifacial N-Type TOPCon Module (Glass to Glass)	ACM-HD144N-580 (580 Wp)	ACM-HD144N-590 ACM-HD144N-585 ACM-HD144N-580 ACM-HD144N-575 ACM-HD144N-570	22.84 22.65 22.45 22.26 22.07	144 (Half Cut Cells) (Cell Size: 182*183 mm)	1500	27.03.2025	26.03.2029
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	ACM-HD120N-490 (490 Wp)	ACM-HD120N-500 ACM-HD120N-495 ACM-HD120N-490 ACM-HD120N-485 ACM-HD120N-480	23.05 22.82 22.59 22.36 22.13	120 (Half Cut Cells) (Cell Size: 182*183 mm)	1500	27.03.2025	26.03.2029
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	ACM-HD132N-535 (535 Wp)	ACM-HD132N-550 ACM-HD132N-545 ACM-HD132N-540 ACM-HD132N-535 ACM-HD132N-530 ACM-HD132N-525 ACM-HD132N-520	23.13 22.92 22.71 22.50 22.29 22.08 21.87	132 (Half Cut Cells) (Cell Size: 182*183 mm)	1500	27.03.2025	26.03.2029
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	ACM-HD108N-435 (435 Wp)	ACM-HD108N-450 ACM-HD108N-445 ACM-HD108N-440 ACM-HD108N-435 ACM-HD108N-430 ACM-HD108N-425	23.07 22.81 22.56 22.30 22.05 21.79	108 (Half Cut Cells) (Cell Size: 182*183 mm)	1500	27.03.2025	26.03.2029
91	M/s. Navitas Solar Private Limited	371,371/B,372, 373/A/B, 374/A/B, 334/A, 375, 377, Sisodra, Ankleshwar, Gujarat,394810, India	R-72011657	1100	i	Bifacial N-Type TOPCon Module	NSG-BFT156-M10-630 (630 Wp)	NSG-BFT156-M10-600 NSG-BFT156-M10-605 NSG-BFT156-M10-610 NSG-BFT156-M10-615 NSG-BFT156-M10-620 NSG-BFT156-M10-625 NSG-BFT156-M10-630	21.49 21.67 21.85 22.03 22.21 22.39 22.57	156 (Half Cut Cell)	1500	27.03.2025	26.03.2029

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
						(Glass to Glass)	(555 Wp)	NSG-BFT156-M10-635	22.74				
								NSG-BFT156-M10-640	22.92				
								NSG-BFT156-M10-645	23.10				
								NSG-BFT156-M10-650	23.28				
								NSG-BFT156-M10-655	23.46				
					ii	Bifacial N- Type TOPCon Module (Glass to Glass)	NSG-BFT144-M10-555 (555 Wp)	NSG-BFT156-M10-660	23.64	144 (Half Cut Cell)	1500	27.03.2025	26.03.2029
								NSG-BFT144-M10-545	21.10				
								NSG-BFT144-M10-550	21.29				
								NSG-BFT144-M10-555	21.48				
								NSG-BFT144-M10-560	21.68				
					iii	Bifacial N- Type TOPCon Module (Glass to Glass)	NSG-BFT144-M10-590 (555 Wp)	NSG-BFT144-M10-565	21.87	144 (Half Cut Cell)	1500	27.03.2025	26.03.2029
								NSG-BFT144-M10-570	22.07				
								NSG-BFT144-M10-575	22.26				
								NSG-BFT144-M10-580	22.45				
								NSG-BFT144-M10-585	22.65				
					iv	Bifacial N- Type TOPCon Module (Glass to Glass)	NSG-BFT132-M10-520 (520 Wp)	NSG-BFT144-M10-590	22.84	132 (Half Cut Cell)	1500	27.03.2025	26.03.2029
								NSG-BFT144-M10-595	23.03				
								NSG-BFT144-M10-600	23.23				
								NSG-BFT144-M10-605	23.42				
								NSG-BFT144-M10-610	23.61				
					v	Bifacial N- Type TOPCon Module (Glass to Glass)	NSG-BFT132-M10-520 (520 Wp)	NSG-BFT132-M10-500	21.06	120 (Half Cut Cell)	1500	27.03.2025	26.03.2029
								NSG-BFT132-M10-505	21.27				
								NSG-BFT132-M10-510	21.48				
								NSG-BFT132-M10-515	21.69				
								NSG-BFT132-M10-520	21.90				
					vi	Bifacial N- Type TOPCon Module (Glass to Glass)	NSG-BFT120-M10-470 (470 Wp)	NSG-BFT132-M10-525	22.11	108 (Half Cut Cell)	1500	27.03.2025	26.03.2029
								NSG-BFT132-M10-530	22.32				
								NSG-BFT132-M10-535	22.53				
								NSG-BFT132-M10-540	22.74				
								NSG-BFT120-M10-450	20.78				
					vii	Bifacial N- Type TOPCon Module (Glass to Glass)	NSG-BFT108-M10-425 (425 Wp)	NSG-BFT120-M10-455	21.01	96 (Half Cut Cell)	1500	27.03.2025	26.03.2029
								NSG-BFT120-M10-460	21.24				
								NSG-BFT120-M10-465	21.47				
								NSG-BFT120-M10-470	21.70				
								NSG-BFT120-M10-475	21.93				
					viii	Bifacial N- Type TOPCon Module (Glass to Glass)	NSG-BFT96-M10-375 (375 Wp)	NSG-BFT120-M10-480	22.16	84 (Half Cut Cell)	1500	27.03.2025	26.03.2029
								NSG-BFT120-M10-485	22.39				
								NSG-BFT120-M10-490	22.62				
								NSG-BFT108-M10-405	20.69				
								NSG-BFT108-M10-410	20.95				
					ix	Bifacial N- Type TOPCon Module (Glass to Glass)	NSG-BFT72-M10-285 (285 Wp)	NSG-BFT108-M10-415	21.20	72 (Half Cut Cell)	1500	27.03.2025	26.03.2029
								NSG-BFT108-M10-420	21.46				
								NSG-BFT108-M10-425	21.71				
								NSG-BFT108-M10-430	21.97				
								NSG-BFT108-M10-435	22.22				
								NSG-BFT108-M10-440	22.48				
								NSG-BFT96-M10-360	20.59				
								NSG-BFT96-M10-365	20.87				
								NSG-BFT96-M10-370	21.16				
								NSG-BFT96-M10-375	21.45				
								NSG-BFT96-M10-380	21.73				
								NSG-BFT96-M10-385	22.02				
								NSG-BFT96-M10-390	22.30				
								NSG-BFT84-M10-315	20.45				
								NSG-BFT84-M10-320	20.78				
								NSG-BFT84-M10-325	21.10				
								NSG-BFT84-M10-330	21.43				
								NSG-BFT84-M10-335	21.75				
								NSG-BFT84-M10-340	22.08				
								NSG-BFT72-M10-270	20.28				
								NSG-BFT72-M10-275	20.66	72 (Half Cut Cell)	1500	27.03.2025	26.03.2029
								NSG-BFT72-M10-280	21.03				
								NSG-BFT72-M10-285	21.41				
								NSG-BFT72-M10-290	21.78				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					x	Bifacial Mono c-Si PERC Module (Glass to Glass)	NSG-BFPR156-M10-585 (585 Wp)	NSG-BFPR156-M10-560	20.03	156 (Half Cut Cell)	1500	27.03.2025	26.03.2029
								NSG-BFPR156-M10-565	20.21				
								NSG-BFPR156-M10-570	20.39				
								NSG-BFPR156-M10-575	20.57				
								NSG-BFPR156-M10-580	20.75				
								NSG-BFPR156-M10-585	20.93				
								NSG-BFPR156-M10-590	21.11				
								NSG-BFPR156-M10-595	21.29				
								NSG-BFPR156-M10-600	21.46				
					xi	Bifacial Mono c-Si PERC Module (Glass to Glass)	NSG-BFPR144-M10-540 (540 Wp)	NSG-BFPR144-M10-525	20.32	144 (Half Cut Cell)	1500	27.03.2025	26.03.2029
								NSG-BFPR144-M10-530	20.52				
								NSG-BFPR144-M10-535	20.71				
								NSG-BFPR144-M10-540	20.90				
								NSG-BFPR144-M10-545	21.10				
								NSG-BFPR144-M10-550	21.29				
								NSG-BFPR144-M10-555	21.48				
								NSG-BFPR132-M10-475	20.00				
								NSG-BFPR132-M10-480	20.21				
					xii	Bifacial Mono PERC C-Si Module (Glass to Glass)	NSG-BFPR132-M10-490 (490 Wp)	NSG-BFPR132-M10-485	20.42	132(Half Cut Cell)	1500	27.03.2025	26.03.2029
								NSG-BFPR132-M10-490	20.64				
								NSG-BFPR132-M10-495	20.85				
								NSG-BFPR132-M10-500	21.06				
								NSG-BFPR132-M10-505	21.27				
								NSG-BFPR120-M10-435	20.08				
					xiii	Bifacial Mono c-Si PERC Module (Glass to Glass)	NSG-BFPR120-M10-445 (445 Wp)	NSG-BFPR120-M10-440	20.31	120 (Half Cut Cell)	1500	27.03.2025	26.03.2029
								NSG-BFPR120-M10-445	20.55				
								NSG-BFPR120-M10-450	20.78				
								GS10-T144-GF-595	23.03				
								GS10-T144-GF-590	22.84				
								GS10-T144-GF-585	22.65				
92	M/s. Goldi Sun Private Limited	Unit no 6 , Block No. 341, Prime Industrial and Logistic Hub, NR. P.P Savani University, NH-48,Gram Panchayat, Dhamdod - 394125, Surat,Gujarat, India	R-72012467	1474	i	Bifacial N-Type TOPCon Module (Glass to Glass)	GS10-T144-GF-575 (575 Wp)	GS10-T144-GF-580	22.45	144 (Half Cut Cell)	1500	27.03.2025	26.03.2029
								GS10-T144-GF-575	22.26				
								GS10-T144-GF-570	22.07				
								GS10-T144-GF-565	21.87				
								GS10-T144-GF-560	21.68				
								GS10-T144-GF-555	21.48				
								GS10-T132-GF-550	23.15				
								GS10-T132-GF-545	22.94				
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	GS10-T144-GF-535 (535 Wp)	GS10-T132-GF-540	22.73	132 (Half Cut Cell)	1500	27.03.2025	26.03.2029
								GS10-T132-GF-535	22.52				
								GS10-T132-GF-530	22.31				
								GS10-T132-GF-525	22.10				
								GS10-T132-GF-520	21.89				
								GS10-T132-GF-515	21.68				
								GS10-T120-GF-500	23.08				
								GS10-T120-GF-495	22.85				
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	GS10-T120-GF-480 (480 Wp)	GS10-T120-GF-490	22.62	120 (Half Cut Cell)	1500	27.03.2025	26.03.2029
								GS10-T120-GF-485	22.39				
								GS10-T120-GF-480	22.16				
								GS10-T120-GF-475	21.93				
								GS10-T120-GF-470	21.70				
								GS10-T120-GF-465	21.47				
								GS10-T108-GF-450	22.94				
								GS10-T108-GF-445	22.68				
								GS10-T108-GF-440	22.43				
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	GS10-T108-GF-450 (450 Wp)	GS10-T108-GF-435	22.17	108 (Half Cut Cell)	1500	27.03.2025	26.03.2029
								GS10-T108-GF-430	21.92				
								GS10-T108-GF-425	21.66				
								GS10-T108-GF-420	21.41				
								GS10-T108-GF-415	21.15				
93	M/s. Axitec Energy India Pvt Ltd	Survey No.: 257/5, 257/6, Thandalam-Arakkonam Road, Sathari Village, Kadamthur, Tiruvallur Taluk - 631203, Tamil Nadu, India	R-61005258	18	i	Mono c-Si PERC Module	AC-580MH/156V	AC-595MH/156V	20.03	156 (Half Cut Cells)	1500	27.03.2025	26.03.2029
								AC-590MH/156V	20.21				
								AC-585MH/156V	20.39				
								AC-580MH/156V	20.57				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					i	Mono c-Si PERC Module	(580 Wp)	AC-575MH/156V	20.75	130 (Half Cut Cells)	1500	27.03.2025	26.03.2029
								AC-570MH/156V	20.93				
								AC-565MH/156V	21.11				
								AC-560MH/156V	21.29				
					ii	Mono c-Si PERC Module	AC-525MH/144V (525 Wp)	AC-550MH/144V	21.30	144 (Half Cut Cells)	1500	27.03.2025	26.03.2029
								AC-545MH/144V	21.11				
								AC-540MH/144V	20.91				
								AC-535MH/144V	20.72				
								AC-530MH/144V	20.53				
								AC-525MH/144V	20.33				
								AC-520MH/144V	20.14				
								AC-515MH/144V	19.94				
								AC-510MH/144V	19.75				
								AC-505MH/144V	19.56				
								AC-500MH/144V	19.36				
					iii	Mono c-Si PERC Module	AC-495MH/132V (495 Wp)	AC-500MH/132V	20.95	132 (Half Cut Cells)	1500	27.03.2025	26.03.2029
								AC-495MH/132V	20.74				
								AC-490MH/132V	20.53				
					iv	Mono c-Si PERC Module	AC-450MH/120V (450 Wp)	AC-455MH/120V	20.99	120 (Half Cut Cells)	1500	27.03.2025	26.03.2029
								AC-450MH/120V	20.75				
								AC-445MH/120V	20.52				
					v	Mono c-Si PERC Module	AC-405MH/108V (405 Wp)	AC-410MH/108V	20.85	108 (Half Cut Cells)	1500	27.03.2025	26.03.2029
								AC-405MH/108V	20.60				
								AC-400MH/108V	20.34				